


..A SOUND PROGRAMMING INVESTMENT!...



C-64 EMULATORS
DOWNGRADE YOUR AMIGA!
MARAUDER
THUNDER DOWN UNDER
GAME SOFTWARE
FOUR NEW RELEASES



WISE 128 WEAVER

SCREEN WIVEARDRY

NINE EDITOR TRICKS

ML PANGER

SCOUT YOUR OBJECT CODE



THE LAST WORD
TWO CARTRIDGE REVIEWS
ART GALLERY
DIGITAL DREAMSCAPES
AND MORE FOR YOUR COMMODORE



THE MONTHLY SOFTWARE COLLECTION FOR COMMODORE® — ONLY \$6.65

Lots of Great Software Every Month

Loadstar is a collection of exciting new Commodore programs, published monthly on 51/4-inch diskettes. Disk issues contain quality, ready-to-run Commodore 64 and 128 software: home and business, education, music, graphics, animation, utilities, tutorials, games, and bonus programs from popular software developers.

Loadstar provides an endless number of things to do with your Commodore. Subscribers enjoy more than a hundred programs every year for pennies each, including C-64 and C-128 programs from

Commodore Magazine. At only \$6.65 per issue, Loadstar is your best software value.



Loadstar will deliver three months of software, for a total of \$19.95. That's only \$6.65 per month. Order now and we will include The Best of Loadstar #3 absolutely FREE! The Best of Loadstar #3 is a double-sided disk filled with the finest programs published in Loadstar issues. You can't lose.

Satisfaction Guaranteed

As a Loadstar subscriber, you will get software variety to make your Commodore investment pay off – plus the convenience of home delivery and our unconditional money-back guarantee. If you are not 100% satisfied with your first issue of Loadstar, you may return it for a full \$19.95 refund. The Best of Loadstar is yours to keep.

Commodore Microcomputers

Review by Steve Levin

"...I highly recommend Loadstar. If you can afford only one disk service, make it Loadstar..."

Loadstar Subscribers Say. . .

"Loadstar contains a variety of programs that are usually not available anywhere else. The format is great!"

"Being user-friendly is a big plus for LOADSTAR, and what a value!"

"I have recommended LOADSTAR to my friends and they love it."

Every issue of Loadstar contains ready-to-run software for everyone in the family. For example, Loadstar Issue #40 is contained on two disks and features all of the following programs:

- · All Smiles · Ohms Law · Farmer's Market
- · Error Aid · Pixel Puzzler · Dugan's Art Depot
- Print Shop Composite Beginning Bytes
- Byte by Byte Bit by Bit Lullaby
- · Gensprite · Seq Edit · Join Four · Big League
- · Matches · Math Help · Window Demo 128
- · Auto-Answer Disabler · Sound Synthesizer
- plus the complete arcade game Pensate from Penguin/Polarware, and regular monthly features







Available at Waldenbooks, B. Dalton Booksellers, and fine bookstores everywhere (cover price \$9.95). Apple and IBM PC versions also available.



3-Month Trial Subscription plus FREE Best of Loadstar Disk #3

Order your 3-month Loadstar trial subscription today for just \$19.95 postage-paid. Act now

and we will include our latest Best of Loadstar disk ABSOLUTELY FREE with your first issue.

CALL TOLL FREE AND ORDER NOW

1-800-831-2694

(In Louisiana call 318-221-8718)

V	YES!	Please rush The Best of Loadstar disk #3 with		
	the first issue of my 3-month Loadstar trial subscription.			
	Only \$19.	95 postage paid! (Overseas \$27,95)		

Addre	SS					
City				State	Zip	
Daytin	ne Telej	ohone l	Number ()_		
□ Visa	☐ Mast	erCard	\square AmEx	☐ Paymen	t enclosed (U.S	S. funds)
v 15u						
visa						

DEPT. AH12 P.O. BOX 30008 SHREVEPORT, LA 71130-0008

LOAD/ATAR

Ahoy!

CONTENTS

DEPARTMENTS

A View from the Bridge of the February issue of Ahoy!	7
Scuttlebutthardware and software on the slate for '88.	8
Art GalleryAmiga and 64 screen gems from our readers.	42
ReviewsC-64 cartridges, a 128 programming aid, and more.	63
Tips Ahoy!from Childress, Fedor, Blakemore, and others.	69
Commodarestake out gasket insurance before you start.	73
Erratawe shed some light on Silhouette (December '87)	78
Program Listingsgames and utilities you shouldn't be without.	79

FEATURES

Rupert Report: Sound Enlightenment by Dale Rupert*		
Entertainment Software Section (contents on page 44)	44	
Amiga Section (contents on page 53)	53	

*Includes programs: Looking at Sound and Envelope and Filter Sampler (for the C-128)

PROGRAMS

16
18
31
49
50
60
80
81

Cover art by James Regan and Tom Cushwa; photography by Michael R. Davila

President/Publisher Michael Schneider

> Editor David Allikas

Art and Production Director

Laura Pallini

Managing Editor Michael R. Davila

Senior Editors Cleveland M. Blakemore Tim Moriarty

Technical Editors

David Barron

Bob Lloret

Consulting Editors

Ben Bova

Morton Kevelson

Dale Rupert

Entertainment Editor
Arnie Katz

Art Production Christopher Carter

Circulation Director
W. Charles Squires

Advertising Director Lynne Dominick

Director of Promotion Mark Kammerer

Promotion Art Director Stacy Weinberg

> Controller Dan Tunick

Advertising Representative
JE Publishers' Representative
6855 Santa Monica Blvd., Suite 200
Los Angeles, CA 90038
(213) 467-2266
Boston (617) 437-7628
Dallas (214) 660-2253
New York (212) 724-7767
Chicago (312) 445-2489
Denver (303) 595-4331

San Francisco (415) 864-3252

ISSUE NO. 50 FEBRUARY 1988

Ahoy! (ISSN #8750-4383) is published monthly by Ion International Inc., 45 W. 34th St., Suite 500, New York, NY, 10001. Subscription rate: 12 issues for \$23.00, 24 issues for \$44.00 (Canada \$30.00 and \$55.00 respectively). Second class postage paid at New York, NY 10001 and additional mailing offices. o 1988 by Ion International Inc. All rights reserved. o under Universal International and Pan American Copyright conventions. Reproduction of editorial or pictorial content in any manner is prohibited. No responsibility can be accepted for unsolicited material. Postmaster, send address changes to Ahoy!, 45 W. 34th Street, Suite 500, New York, NY 10001. Direct all address changes or matters concerning your subscription to *Ahoy!*, P.O. Box #341, Mt. Morris, IL 61054 (phone: 815-734-4151). All editorial inquiries and products for review should be sent to Ahoy!, 45 W. 34th St., Suite 500, New York, NY 10001.

Since 1981

Lyco Computer

Marketing & Consultants

Lyco Means Total Service.



Mark "Mac" Bowser, Sales Manager

I would personally like to thank all of our past customers for helping to make Lyco Computer one of the largest mall order companies and a leader in the industry. Also, I would like to extend my personal invitation to all computer enthusiasts who have not experienced the services that we provide. Please call our trained sales staff at our toll-free number to inquire about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. We offer the widest selection of computer hardware, software and accessories.

Feel free to call Lyco If you want to know more about a particular item. can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lyco. Our trained sales staff is knowledgeable about all the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have Saturday hours — one more reason to call us for all your computer needs.

Once you've placed your order with Lyco, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions about the status of an order, warranties, product availabili-

Lyco Computer stocks a multimilion dollar inventory of factory-fresh merchandise. Chances are we have exactly what you want right in our warehouse. And that means you'il get it fast. In fact, orders are normally shipped within 24 hours. Free shipping on prepaid orders over \$50, and there is no deposit required on C.O.D. orders. Air freight or UPS Blue/Red Label shipping is available, too. And all products carry the full manufacturers' warrantles.

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat—we've got it all here at Lyco Computer.

TO ORDER, CALL TOLL-FREE: 1-800-233-8760 New PA Wats: 1-800-233-8760 Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday - 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc.

P.O. Box 5088, Jersey Shore, PA 17740 Risk-Free Policy: • full manufacturers' warranties ● no sales tax outside PA
• prices show 4% cash discount: add 4% for credit cards ● APO. FPO.
international: add \$5 plus 3% for priority ● 4-week clearance on personal checks
• we check for credit card theft ● compatability not guaranteed ● return
authorization required ● price/availability subject to change ● prepaid erders under
\$50 in Continental US, add \$3.00

COMMODORE SOFTWARE

Access:	Activision:	Strategic Simulations:
Echelon \$25.95	Aliens \$19.95	Gemstone Healer \$16.95
Leader Board \$22.95	Champion. Basketball . \$19.95	Gettysburg \$33.95
Mach 5 \$19.95	Hacker \$8.95	Kampfgruppe \$33.95
Mach - 128 \$28.95	Hacker 2 \$19.95	Phantasie II \$22.95
10th Frame \$22.95	Labyrinth \$19.95	Phantasie III \$22.95
Triple Pack \$11.95	Music Studio \$19.95	Ring of Zelfin \$22.95
Wld. Cl. Leader Brd \$22.95	Tass Times \$16.95	Road War 2000 \$22.95
Famous Courses #1 \$11.95	Titanic \$11.95	Shard of Spring \$22.95
Famous Courses #2 \$11.95	Leather Goddesses \$22.95	Wizards Crown \$22.95
Tallous Coulses W.Z \$11100	Stationfall \$19.95	War in the S. Pacific \$33.95
Epyx:	Lurking Horror \$19.95	Wargame Constr \$16.95
Create A Calendar \$15.95	Top Fuel Eliminator \$15.95	Battlecruiser \$33.95
Destroyer \$22.95		Gernstone Warrior \$7.95
Fastload \$19.95	Firebird:	Battle of Antetiem \$28.95
Football \$11.95	Colossus Chess IV \$19.95	Colonial Conquest \$22.95
Movie Monster \$11.95	Elite \$18.95	Computer Ambush \$33.95
Sub Battle \$22.95	Golden Path \$22.95	B-24 \$19.95
Winter Games \$22.95	Guild of Thieves \$22.95	
California Games \$22.95	Pawn \$22.95	Broderbund:
Super Cycle \$11.95	Talking Teacher \$22.95	Bank St. Writer \$27.95
Graphics Scrapbook \$11.95	Tracker \$22.95	Carmen San Diego \$19.95
Str. Sports Basketball . \$22.95	Starglider \$22.95	Graphic Lib. I, II, III \$13.95
Wld.'s Great Baseball . \$11.95	Sentry \$22.95	Karateka \$12.95
Summer Games II \$22.95	The state of the s	Print Shop \$25.49
Vorpol Utility Kit \$11.95	Microprose:	Print Shop Compan \$22.95
World Games \$22.95	F-15 Strike Eagle \$19.95	Print Shop Paper \$12.95
	Gunship \$19.95	
Unison World:	Kennedy Approach \$13.95	Action Soft:
Art Gallery 1 or 2 \$14.95	Silent Service \$19.95	Up Periscope \$18.95
Print Master \$17.95	Shelit Service \$15.55	Thunder Chopper \$NEW
Timeworks:	Sublogic:	Origin:
Partner C64 \$24.95	Flight Simulator II \$31.49	Autoduel \$28.95
Partner 128 \$39.95	Jet Simulator \$24.95	Ultima III \$22.95
Swift Calc 128 \$29.95	Night Mission Pinball \$18.95	Ultima IV \$33.95

Call for AMIGA titles and pricing.

Monitors

THOMSON © 230 Amber TTL/12" \$85 450 Amber TTL/15" \$129.95 4120 Monitor \$199.95

 14" RGBI/video composite/analog Compatible with IBM and Commodore

RGB data cable

\$199⁹⁵

Modems

1200i PC Card \$99 1200hc Modem \$99.95 2400 \$219 2400i PC Card SCALL Smartmodem 300 \$149.95 Smartmodem 1200 \$285.95 Smartmodem 2400 \$425.95

Special **Purchase**

Data Share-Messenger Modem 300 Baud Auto Dial/Auto \$29.95

4120 CGA 4160 CGA \$259.95 4460 EGA \$319.95 \$459.95 4375 UltraScan ZVM 1220 \$89 ZVM 1230 \$89 BCM 12" Green TTL \$79 BCM 12" Amber TTL ... \$89 \$259.95 BCM 14" Color Multisync

1-800-233-8760



Panasonic \$159⁹⁵ 1080i *Model II*

- Now 150 cps Draft Mode
- NLQ Mode



SEIKOSHA

180 VC

\$12495

- 100 cps
- 20 NLQ
- Direct Connect C-64/128



PRINTERS

Stor

\$134.95
\$149.95
\$165.95
\$199.95
\$289.95
\$259.95
\$375.95
\$409.95
\$699.95
\$409.95
\$549.95
\$New

EPSON

LX800	\$175.95
FX86E	\$289.95
FX286E	\$429.95
EX800	\$374.95
EX1000	\$489.95
LQ800	\$369.95
LQ1000	\$549.95
LQ2500	\$849.95
GQ3500	\$LOW
LQ850	\$499.95
LQ1050	\$679.95

Panasonic

1080i Model II	\$159.95
1091i Model II	\$179.95
1092i	\$295
1592	\$379
1595	\$419
3131	\$259
3151	\$399
KXP 4450 Laser	\$CALL
1524 24 Pin	\$549.95

SEIKOSHA

\$124.95
\$124.95
\$135.95
\$144.95
\$155.95
\$155.95
\$295.95
\$269.95
\$375.95
\$879.95
\$7.95
\$349
\$429

OKIDATA

Okimate 20	\$119
Okimate 20 w/cart	\$179.95
120	\$189.95
180	\$219.95
182	\$199.95
192+	
193 +	\$449.95
292 w/interface	\$449.95
293 w/interface	\$585.95
294 w/interface	\$819.95
393	\$955.95

EXP	420P	\$199
EXP	600P	\$299.9
EVD	BOOD	6040

Toshiha

10311106	
321SL	\$489
341 5L	\$659
D2E1 Model II	***

BROTHER

M1109		\$195
M1409		\$299
M1509		\$365
M1709		\$475
Twinw	riter 6 Dot & Daisy	\$899
M1724	L	\$625
HR20	***************************************	\$339
HR40	***************************************	\$569
HR60	\$7	09.95

DIABLO

D25	 \$499.95
635	 \$779.95

CITIZEN

120 D	\$149.95
180 D	\$165.95
MSP-10	\$259.95
MSP-40	
MSP-15	\$324.95
MSP-50	
MSP-45	\$425.95
MSP-55	
Premiere 35	\$464.95
Tribute 224	\$624.95

COMMODORE 128D

System Special

 Commodore 128D Computer/Drive

Thompson 4120 Monitor

\$62995

COMMODORE

	HANDWAN
1541 C Disk Drive	\$175.95
1571 Disk Drive	\$215.95
1581 Disk Drive	\$LOWEST
Indus GT C-64 Drive	\$169.95
Blue Chip 64C Drive	\$139.95
Blue Chip C 128 Drive	
1802C Monitor	
2002 Monitor	
1901 Monitor	
64 C Computer	
128D Computer/Drive .	
1670 Modem	
C-1351 Mouse	
1700 RAM	
C-1750 RAM	
1764 BAM C64	

Smarteam

1200 Baud Modem



Versatile power and performance.

COMMODORE

128 D System

128D




Seagate HARD DRIVES

20	meg	kit		\$269.95*
30	meg	kit		\$299.95*
40	meg	kit		\$489.95*
.D	rives	incl	lude controller	
40	mea	W/c	controller	\$425.05

COMMODORE C 640





COMPUSERVE. YOU DON'T HAVE TO KNOW HOW IT WORKS TO APPRECIATE ALL IT CAN DO.

CompuServe is a computer information service. You subscribe to it. In return, you have access to an incredible amount of information, entertainment, communications and services. Here are a few of the hundreds of things you can do.

COMMUNICATE

CB Simulator features 72 channels for "talking" with other subscribers. National **Bulletin Boards** let

you post messages where thousands will see them.

Friends. relatives and

business associates can stay in touch through EasyPlex™ Electronic Mail.

More than 100 CompuServe Forums welcome participation in discussions on all sorts of topics. Software Forums help with online solutions to software problems. Hardware Support Forums cater to spe-

cific computers. There's even free software, and online editions of computer periodicals.

HAVE FUN

Play all sorts of sports and entertainment trivia games, brain-teasing educational games plus TV-type game shows with "live entertainment." Or, for the ultimate in excitement, get into an interactive space adventure.

SHOP

THE ELECTRONIC MALL™

takes you on a coast-to-coast shopping spree of nationally known merchants, without ever leaving home.



With CompuServe's travel services you can scan flight availabilities, find airfare bargains and even book your own flights online. Plus, there are complete listings of over 28,000 hotels worldwide.

BE INFORMED

CompuServe puts all of the latest news at your fingertips, including the AP news wire, the Washington Post, the St. Louis Post-Dispatch, specialized business and trade publications and more. Our executive news service will electronically find, "clip" and file news for you to read whenever you'd like.

INVEST WISELY

Get complete statistics on over 10,000 NYSE, AMEX and OTC securities. Historic trading statistics on over 90,000 stocks, bonds, funds, issues and options. Five years of daily commodity quotes. Updates on hundreds of companies worldwide. Standard & Poor's. Value Line. Over a dozen investment tools.

So much for so little. All you pay is a low, one-time cost for a Subscription Kit (suggested retail price \$39.95). The low cost, standard rate for online time is just 100 a minute, 24 hours a day. In most major metropolitan areas you can go online with a local phone call. Plus, you'll receive a \$25.00 U.S. Introductory Usage Credit with the purchase of your CompuServe Subscription Kit.

So easy the whole family can go online.

CompuServe is "menu-driven," so beginners can simply read the menus (lists of

CompuServe

options) that appear on their screens, then type in their selections. If you ever get lost or confused, type H for help. Remember, you can always ask guestions online through our feedback service or phone our Customer Service

Department.

Before you can access CompuServe, you need a computer, a modem (to connect your computer to your phone) and, in some cases, some simple communications software. Now you're ready to order. For your low, one-time subscription fee, you'll receive:

- a complete, easy-to-understand, 200-page spiral-bound Users Guide
- · your exclusive preliminary password
- · a subscription to CompuServe's monthly magazine, Online Today
- a \$25.00 usage credit!

To buy a CompuServe Subscription Kit, see your nearest computer dealer. To receive our informative brochure or to order direct, write or call 800-848-8199 (in Ohio or Canada, 614-457-0802).

CompuServe. You don't have to know how it works to appreciate all it can do-for you.

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, Ohio 43220

An H&R Block Company
EasyPlex and THE ELECTRONIC MALL are trademarks of
CompuServe Incorporated.

HEW FROM THE BRIDG

ven as we celebrated our fourth anniversary in January, we knew another milestone was only 30 days ahead. As some basic arithmetic skills or a glance at the bottom right corner of our contents page will reveal, you're holding the 50th issue of Ahoy! Big changes-all for the better-are ahead as we climb toward the century mark. We'll tell you about them next month. This month, we have another announcement too exciting to share the spotlight.

Based on reader response, Vault of Terror (Oct. '86) and Dark Fortress (Jan. '87) are the most popular games we've ever published. As we've told the many of you who've inquired about sequels, Cleve Blakemore has been working on both for some time. In the interest of making this special issue truly special, Cleve spent many nights on the graveyard shift finishing them off. He met this month's deadline with both—but only Crypt of Fear, 3-D fantasy followup to Vault of Terror, was short enough for publication. But rather than see our plans thwarted, we've included the mammoth Dark Fortress II as a free bonus on this month's Ahoy! Disk. To find out how to get a master map and hint sheet for Dark Fortress II, see page 61. To enter the Crypt of Fear, turn to page 18.

And to hear about the rest of the 50th issue of Ahoy!read on:

 Much of this month's Rupert Report has nothing to do with computers. But to understand BASIC 7.0 sound generation, some background in the physics of sound is a must - and Dale Rupert provides the Sound Enlightenment you need, including audiovisual aid in the form of two C-128 programs. (Turn to page 32.)

· Computer gamers don't know what it means to battle deadly flying saucers until they've played Coffee Break! Dan Komaromi's maiden Ahoy! effort turns your C-128 into a coffee shop chock full of caffeine-crazed commuters demanding service. (Turn to page 16.)

· Commodore 64 emulation software has been eagerly awaited by Amiga owners with vast C-64 libraries. With the arrival of the first entries in this category-The 64 Emulator and GO 64!-is it time to tag your 64, 1541, and 1702 for the next yard sale? Read Morton Kevelson's report on C-64 Emulators for the Amiga and decide. (Turn to page 53.)

 They say a magician never reveals his secrets. But this month, Cleve Blakemore turns his top hat inside out to share his Screen Wizardry with the rest of us. You're free to include these nine C-64 editor routines in your original programs-and then sell them back to us! (Turn to page 31.)

 And if this issue's Crypt of Fear doesn't convince you that Cleve's programming secrets are worth acquiring, we offer exhibit two: Marauder, a show-stopper of a chopper game. (Turn to page 60.)

 Just as its Texan namesakes rode to the rescue in many a western movie, John Fedor's ML Ranger will save the day for assembly language programmers with a need to relocate object code in memory. (Turn to page 49.)

 And to make the C-128 user's life easier, Shawn K. Smith's 128 Smart Merge permits the linking of programs

without the problems usually associated with merge and append utilities. (Turn to page 50.)

· We all know Morton Kevelson's philosophy: that anything worth doing is worth doing to excess. His attention to detail tends to yield amazing results, such as the threepart survey of Commodore expansion port devices that concludes in this issue's Reviews section with Blowup and the 64K Quick Brown Box. (Turn to page 63.)

· On the fun and games side of software reviewingthough it's doubtful that Arnie Katz, Bill Kunkel, and Joyce Worley enjoy playing games more than Morton enjoys opening cartridges - our Entertainment Software Section profiles Sub Battle Simulator, Chuck Yeager's Advanced Flight Trainer, Defender of the Crown, and Paperboy. (Turn to page 44.)

Rounding out this issue are all your favorite features: Tips Ahoy!, packing the programming insights of the ages into bite-sized routines; an Art Gallery of C-64 and Amiga masterpieces; Commodares, programming puzzles ranging from difficult to merciless, and more.

We wish a fast recovery to Buck Childress, sidelined for the next few months by the recurrence of an old eye ailment. We know Buck's well-deserved rest from programming will do the trick, and that he'll soon be hogging our program section once again! -David Allikas



SCUTTLEBUTT

STOCK MARKET ANALYSIS • VOICE MASTER JR. • 1581 UTILITIES • WRITING CONTEST • TAX PROGRAMS • AMIGA LIGHT PEN • PRINTER FEEDER • TEFLON-COATED DISK • MUSIC SOFTWARE • L.A. AMIGA SHOW • GAMES FROM MINDSCAPE, EA, ACCOLADE, SSI • PRINTER UTILITIES

TEFLON DISK

The DataLifePlus floppy disk features a Teflon coating which offers protection against some of the typical office and home accidents that cause data loss, including fingerprints, smudges, and spills. Most substances, Verbatim claims, will simply wipe off the surface, which is smoothed and sealed from edge to hub with a thin Teflon coating. A card enclosed in every box provides instructions on dealing with accidents, some of which may require that the disk be removed from its jacket. The floppies will retail for about 15% more than Verbatim's ordinary DataLife line and include a lifetime warranty.

Verbatim News Services, 716-724-5130 (see address list, page 14).

FICHE STORY

An update to *Microfiche Filer* for the Amiga, Version 1.02, provides full support for European characters. It also includes a text import utility for incorporating into *Microfiche Filer* the fixed format text files that nearly all databases can output. The update costs \$9.00; or, the text import utility can be obtained on Q-Link, PeopleLink, BIX, or Fred Fish disk #103.

Additionally, Software Visions is soliciting its customers for useful data-bases to be published on the next update disk. Published donors will be credited on the disk and will receive it free.

Software Visions Inc., 617-877-1266 (see address list, page 14).

GAMES

Star Trek: The Rebel Universe (\$29.95), third in Simon & Schuster's C-64 text adventure series, centers around a Klingon mind control plot to



Applying Teflon coating to the sheeting from which the recording surface of the DataLifePlus disk is made.

READER SERVICE NO. 140

turn Federation members into violent rebels. You must lead the crew of the Enterprise through the Quarantine Zone and halt the uprising. Spock, Kirk, McCoy, and other characters can be summoned onscreen for assistance. You're equipped with three levels of star map magnification, a transporter for beaming down to planets of your choice, and such weapons as photon torpedoes and phasers.

Simon & Schuster Software, 212-373-8882 (see address list, page 14).

Galactic Frontier (\$29.95) lets the C-64 owner search for life among the 200 billion stars in the galaxy. Stars, planets, and moons are graphically represented, and accompanied by data which is correct according to current theory. Star data includes spectral class and number, luminosity, type, spectro-

scopic analysis, diameter, temperature, and age. Planet data consists of color, chemical analysis, length of day and year, distance from star, volcanic activity, temperature, atmospheric pressure, and more.

Free Spirit Software, Inc., 312-352-7323 (see address list, page 14).

Two for the 64 from SSI:

Panzer Strike! engages players in individual squad or tank level combat on WWII's Eastern and North African fronts, as well as combat involving the British army throughout Europe. The game is intended for advanced players interested in simulating single battles or entire campaigns.

Available in early spring, Songs of Liberty (\$34.95) recreates the Revolutionary War battles of Bunker Hill, Saratoga, and Monmouth. The game sys-



S & S Wholesalers, Inc. 226 Lincoln Road Miami Beach, Florida 33139

S & S Wholesalers Sizzling Summer Sale

(800) 233-6345

These are Special Prices for AHOY Readers Only. Please Specify When Calling.

C128 COMPUTER




"With Purchase of 1571 Disk Drive Freight Additional

64C COMPUTED



*With Purchase of Specially Priced Software Package Freight Additional

COMMODORE MP5803



10990

Freight Additional

12" Color Monitor



1990

*Freight Additional

MASTERTRONIC

BMX RACER GOLDEN TALISMEN 5 A SIDE SOCCER SLUGGER (BASEBALL) SPEED KING VIDEO POKER ELEKTRAGLIDE MASTER OF MAGIC CHILLER HOLY GRAIL

SKYJET KICKSTART BLACK CRYSTAL ACTION BIKER LAST V8 SPACE HUNTER BROADSTREET FINDERS KEEPERS NIN.IA INSTANT RECALL

SPECIAL 20 TITLES FOR 79%

ZORKII ZODK III

ZAXXON

POPEYE

FLIGHT SIMULATOR II

By SubLogic

SCENERY DISKS AVAILABLE

TIMEWORKS

PARTNER 128 3490 SWIFTCALC 128 3490 DATA MANAGER 128 3490 **WORD WRITER 128** 3490

NEWSROOM 2990

COMMODOREPC-10

FREIGHT ADDITIONAL

WICO JOYSTICKS

BLACK MAX 890 BOSS 4477 1477 **BAT HANDLE** 1977 3 WAY

SUPER SPECIAL KRAFTACE JOYSTICK

GEOS

*With the Purchase of any other Berkley Program

OKIDATA **COLOR PRINTER**

*With Purchase of Plug-N-Print

TRY BEFORE YOU BUY:

Best selling games, utilities, educational, and classics, plus new releases!

- 100's of titles
- Low prices
- Same day shipping
- FREE brochure

YES, WE ACCEPT:









RENT-A-DISC

Frederick Building #345 Huntington, WV 25701 (304) 529-3232

WE WON'T PAY YOUR TAXES!

But TAX MASTER will help you compute them more QUICKLY and EASILY. Be the Master of your Income Taxes with TAX MASTER, now available for your 1987 Federal Income Taxes for the C64/C128 with single, twin, or dual disk drive and optional printer

- NEW Tax laws are covered.
 FORMS 1040, 4562, & Schedules A, B, C, D, E, and F.
- PERFORMS all arithmetic CORRECTLY
- EASY CHANGE of any entry with automatic RECAL-CULATION of the entire form.
- TRANSFERS numbers between forms
- CALCULATES your taxes and REFUND. Tax tables
- SAVES all your data to disk for future changes.
- . PRINTS the data from each form
- . CALCULATOR function is built in.
- DISCOUNT coupon toward the purchase of next year's updated program is included.

TAX MASTER (DISK ONLY) ONLY \$30.00

TIRED OF SWITCHING CABLES?

VIDEO MASTER 128 provides continuous 80 column color (RGBI), 80 column monochrome, and audio out. Switch between 80 column monochrome and 40 column color for composite monitor. Use up to 4 monitors at once i includes composite cable. VIDEO MASTER 128 for Comme

FED UP WITH SYNTAX ERRORS?

HELP MASTER 64 provides Instant On-Line Help screens for all 69 BASIC commands when you need them. Takes no BASIC RAM. No interference with loading, saving, editing, or running BASIC programs. Includes 368 page BASIC reference text, more. HELP MASTER 64 for Commodore 64 \$24.95

OTHER MASTER SOFTWARE ITEMS

RESET MASTER C84 reset switch with 2 serial ports
CHIP SAVER KIT protects computer's chips from static
\$ 5.95
MODEM MASTER user port extender \$29.95; with/reset \$34.95
Y-NOT? 6-foot serial Y cable, 3 male connectors
C128 80 col monochrome cable for non-RGB monitor
Disk Notcher— lets you use both sides of disk
64-TRAN Fortran compiler
\$ 50.00


Send for Free Catalog MARTER

OFTWARE order 6 Hillery Ct. Randalistown, MD 21133

(301) 922-2962







Among Skate or Die's events are the downhill race (over and under hurdles, through a construction pipe, around gravel) and ramp freestyle (combine as many turns as you can in ten passes through the chute and up the ramp). READER SERVICE NO. 126

tem of Gettysburg: The Turning Point is utilized, with certain changes made to increase realism, such as the placement of greater emphasis on line and column movement and the use of smaller map squares (100 yards) due to the limited firing range of muskets.

Strategic Simulations, Inc., 415-964-1353 (see address list, page 14).

Two from Mindscape for the 64: Superstar Soccer lets you take your pick of playing, managing, or coaching. As player, you'll need to learn to feint, trap, kick, juggle, and more. If you choose to coach, you'll run the training camp, make lineups, and call onfield strategies. And as team owner/ general manager you'll recruit new talent and make trades in preparation for a championship season. \$34.95 for the 64; available for the Amiga first quarter 1988.

Infiltrator II (\$34.95) continues the feud between The Mad Leader and Captain Johnny "Jimbo Baby" McGibbits in a helicopter simulation and three land-based graphic adventures.

Mindscape, Inc., 312-480-7667 (see address list, page 14).

For the 64 from Electronic Arts: Skate or Die (\$29.95) lets 1-8 skateboarders compete in ramp freestyle, downhill race, ramp high jump, pool joust, or downhill jam. All the moves of real skateboarding are included, such as hand and leg plants, kickturns, backside and frontside aerials, and ollies.

And for the 64 from EA's Datasoft subsidiary:

As a crew member aboard a Hughes A-64A Apache helicopter, the Tomahawk (\$29.95), you'll utilize 13 onboard computers and automatic fault detection to fight for your life against deadly enemies and deadlier weather. You can begin with a selection of training missions and four pilot-training levels.

Dark Lord (\$19.95) begins with your discovery of your grandfather's journal, detailing his life in the Alterworld, orchestrating the war of Good and Evil. Good won, but the evil Dark Lord is about to rise again. You must enter the Alterworld and stop him.

Electronic Arts, 415-571-7171 (see address list, page 14).

4th & Inches (\$29.95), an action-oriented C-64 football simulation, incorporates 22 players and a full width and length field. Over 20 plays and 11 formations are included. On offense the player controls the action through the ball carrier, beginning with the quarterback; on defense, through the key defensive player. The field view, which is that of the spotter in the press box, changes as the play progresses.

Accolade, 408-446-5757 (see address list, page 14).

VIDEOTAX

Tax Master 1987 (\$30.00) covers the new tax laws and guides the user through the preparation of Forms 1049 and 4562 (depreciation) and Schedules A (itemized deductions), B (interest and dividends), C (small business), D (capital gain/loss), E (rent/royalty income/loss), and F (farm income/loss). The program includes all tables, and automatically performs calculations and figures your tax. Data can be stored on disk so that a preliminary estimate can be updated as exact information (W-2 forms, bank statements) becomes available. Included is a coupon good for a substantial discount on the 1988 version.

Master Software, 301-922-2962 (see address list, page 14).

The Early Bird Edition of The Tax Advantage contains the latest IRS information on tax year 1987 as of August 1. By the time you read this, The Final Edition will have been released, incorporating the regulations decided upon by the IRS in October and November. The program helps C-64 users prepare Forms 1040, 2106, 2441, 4562, and 6251, and Schedules A, B, C, D, E, F, and SE. Either version costs \$59.95, but early birds can update for \$15.95.

Double Eagle Software, Inc., 213-459-9748 (see address list, page 14).

GOTO MARKET

Although it arrived \$500 billion too late, The Strategist (\$29.95) will help C-128 users time their strategies for investing in stocks, bonds, mutual funds, and commodities. By starting with a historical quote file and a user-specified strategy and making simulated trades, the program will measure how much a given strategy would have paid or cost an investor. The program will then vary the strategy to arrive at the highest payoff. A C-64 version, currently under development, will retail for \$24.95.

Strategy Software, 907-457-2294 (see address list, page 14).

L.A. AMIGA SHOW

Hot on the heels of its New York success (70 exhibitors and 8000+ attendees), AmiEXPO puts in an appearance at The Westin Bonaventure in Los Angeles January 16-18. The Amiga convention will feature seminars on color desktop publishing, desktop video, music, advanced graphics, and CAD applications. Admission is \$20, \$25, and \$30 for one, two, and three days respectively; seminars are \$5 each or 6 for \$25.

AmiEXPO, 212-867-4663 or 800-32-AMIGA (see address list, page 14).

VOICE MASTER JR.

The Covox Voice Master Junior (\$39.95), a less expensive version of the \$89.95 original, allows C-64 users to record and save digitized speech for subsequent use in BASIC programs. Word recognition templates can be made, with up to 32 words or phrases usable at once and others accessible

from disk. The included Covox Composer lets the user compose music simply by whistling a tune.

Covox, Inc., 503-342-1271 (see address list, page 14).

LIGHT PEN FLASHES

Inkwell's Light Pen with Amiga Light Pen Driver (Model 184-A-\$129.95) is plug-compatible with the Amiga 500, 1000, 2000, and A20000 (German). Two touch-actuated switches allow the user to replace or alternately use the mouse. The software can be run from either CLI or Workbench. and works with all Amiga programs using the Intuition Pointer interface.

Through January, Inkwell will offer bonus disks with its Graphics Galleria series of clip art for use with Flexidraw and DOODLE! The newest release, The Office, will include Borders and Signs; all other titles will come with a free blank disk.

Inkwell Systems, 619-268-8792 (see address list, page 14).

PRINT UTILITIES

The Utility Disk provides users of Seikosha's Commodore-compatible SP-180VC, SP-1000VC, or SP-120VC printers with six graphics programs: Disk Label Maker, Calendar Maker, Letterhead Maker, Sign/Banner Maker, Checkbook Balancer, and Printer Enhancer (for setting a variety of typefaces and sizes, along with italics, underscoring, etc.). Valued at \$20, the



Voice Master Junior's built-in mike permits hands-free digitization. READER SERVICE NO. 127

JASON—RANHEIM

PRODUCTS OF QUALITY FOR YOUR COMMODORE COMPUTER

promenade TMC1 The Eprom programmer respected around the world for value. Programs all popular types. With disk software99.50

The best utility cartridge of its kind is now even better. Make backup disks or auto-start cartridges of your memory resident software.

CAPTURE UPGRADE KIT

Upgrade your capture to Capture II capability with new easily installed Includes file combiner 12.95

CPR-3 CARTRIDGE KIT

For use with Capture II. 72 K Eprom cartridge with case. (Requires promenade for programming

STARTER SET

Includes Promenade C1, Capture II and CPR-3 kit......149.95

DELUXE SET

As above with datarase Eprom eraser and 2 CPR-3

CCSZ CLOCK/CALENDAR

Cartridge provides time and date plus 8K of battery backed ram. Independent of power failures or resets

Many useful features49.95

CARTRIDGE BOARDS AND CASES

Basic 64 mode cartridge board As above, socketted. 4 socket, bank switched Ram/Eprom, battery back-up. Same as in CPR-3 kit. Board only. PCCH-2.....2.25 Plastic case for above.

EPROM ERASERS

Datarase	.95
2 at a time, hobbyist type	
PE-14089	.00
7-9 Industrial quality	

SHIPPING AND HANDLING

USA: UPS Surface3.00
UPS 2nd day air 5.00
Mexico, Canada air mail 7.00
Other foreign air mail 13.00
To order toll free: 800-421-7731
From California: 800-421-7748
Technical support: 916-823-3284
From outside USA: 916-873-3285


MC, VISA, AMEX Welcome



JASON-RANHEIM COMPANY 1805 Industrial Dr. Auburn, California 95603

NEWS

CHIP CHECKER



TESTS and/or IDENTIFIES

- · Over 600 Digital ICs
- 74/54 TTL + CMOS
- 14/4 CMOS
- 9000 TTL
- . 8000 National and Signetics
- 14-24 Pin Chips (.3" + .6" widths)

Pressing a single key identifies/tests chips with ANY type of output in seconds. The CHIP CHECKER now also tests popular RAM chips. The CHIP CHECKER is available for the C64 or C128 for \$159. The PC compatible version is \$259.

DUNE SYSTEMS

2603 Willa Drive St. Joseph, MI 49085 (616) 983-2352



FOR THE BEGINNER AND EXPERT TOO! A UNIQUE GAME WITH 16 LEVELS OF DIF-FICULTY PLUS 8 MORE EARNED LEVELS!

The gladiator must prove his cunning and endurance in the coliseum of death.

ALL THE SOUND AND ACTION OF THE ORIGINAL SPECTATOR SPORT

For Commodore 64/128TM and Atari 48K 800, XLs and XEs disk only

\$14 SPECIAL OFFER \$14*

Purchase the Gladiator and you receive the famous Ghost Hunter II game Free! SEND \$14 PLUS \$2 SHIPPING AND HANDLING (CA. RESIDENTS ADD 6% SALES TAX) PLEASE ALLOW 2-3 WEEKS FOR DELIVERY

RICHWOOD SOFTWARE

3011 ALHAMBRA DRIVE, SUITE C CAMERON PARK, CA., 95682

916-677-6779

*DEALERS PLEASE CALL FOR QUANTITY INFORMATION

disk is available for \$7.95 with the purchase of any of the printers mentioned above.

Seikosha America Inc., 201-529-4655 (see address list, page 14).

DO THE 81


Super 81 Utilities (\$39.95) will let C-128 and 1581 disk drive owners copy whole disks from 1541 or 1571 format to 1581 partitions, copy 1541 or 1571 files to 1581 disks; copy 1581 files to 1571 disks, and back up 1581 disks or files with one or two 1581's, as well as perform many CP/M and DOS functions. Included are a 1581 disk editor with simultaneous display in hex or ASCII, 1581 drive memory monitor, and RAM writer.


Free Spirit Software, Inc., 312-352-7323 (see address list, page 14).

PRINTER CADDY

If you need to use several different colors or sizes of continuous form paper with your printer, Feed-A-Form (\$89.95) makes changing them more convenient. The end of four stocks of continuous forms are held above and behind the printer, each sandwiched between two acrylic bars. When a particular form is needed, the operator pulls it forward into the printer. An optional catch basket made of plastic-coated wire is \$39.95.

Feed-A-Form, 617-326-2171 (see address list, page 14).





Instant Music insures the proper mix. READER SERVICE NO. 130

INSTANT C-64 MUSIC

The C-64 adaptation of *Instant Music* (\$29.95) allows users to play the lead instrument in a three-piece band, choosing from among the twelve provided or synthesizing a new one. As in the Amiga version, the rules of music theory are reconstructed to insure that the player never hits a "wrong" note. MIDI out and MIDI sync are both supported.

Electronic Arts, 415-571-7171 (see address list, page 14).

SUPER AIDE

Super Aide resides in memory to offer C-64 users a variety of programming tools, including auto line numbering and renumbering, bidirectional scrolling, trace, file appending, find

and replace, device # selection, hi- and lores screen dumps, and unNEW. Price is \$29.95, with shipping included.

Free Spirit, 312-352-7323 (see address list, page 14).

WRITING CONTEST

Scholastic's fourth annual Story Tree Writing Contest offers youngsters the chance to win a

Feed-A-Form keeps 4 continuous forms always at the ready. READER SERVICE NO. 131

the best Hardware, Software, and Funware

for your Home or Business



CABLES

6 ft Monitor Cable, 5 pindin 2RCA	\$8.95
6 ft Monitor Cable, 5 pindin/3RCA	\$8.95
6 ft Monitor Cable, 5 pindin 4RCA	\$9.95
6 ft Monitor Extension	
5 pindin Male 5 pindin Female	\$8.95
6 ft 6 pindin Male Male	\$6.95
6 ft Centronics Male Male	- made
or Male/ Female	\$14.95
6 ft RS 232, 25 pm, Male Male	
or Male Female	\$14.95
12 ft Joystick Extension	\$8.95
6 ft Rt Angle 1541 Powercord	\$9.95

128 CABLE Why buy another monitor for your 128? This cable will allow you to use your 1701/1702 monitor with your 128 in 80 column. Save Big Money! ONLY \$9.95

CASIO

QD-100 Quick Dialer

 Automatically dials stored numbers at the touch of a key - automatic redial of last number dialed - 1 touch elimination. of area codes . Abbreviated dial function . Stores up to 20 data items . Big 2-tier display shows 18 characters for clear reference to names and numerals . Comes with Pouch



Retail \$49.99 Your Cost \$29.95

Vertical CPU Stand

 Stand allows the user to vertically position their CPU alongside their workstation. Unit adjusts from 31/4" x 71.4". Constructed of sturdy brushed modized aluminum with a textured putty finish - Heavy felt pad lining to protect the CPU - Wt 6 lbs 83.4°D x 71/2°W x 6°H · Color Putty Retail \$79.99



Your Cost \$49.95

The ULTRAVOX Sound System

This system adds an exciting new dimension to all of your sound producing software. 100% stereo sound from your Commodore 64. It even has a built-in ampito power speakers directly
No soldering

WAS \$69 95

· Also works on VCR & TV

· 100% External Hardware NOW \$29.95



DISK INVADER (Latest Version)

The Hottest Copier on the Market

If you have

Fast Hack'em or SuperKit, we have found ONE better! Need we say more? Your cost \$34.00. Works with 1541 and 1571 Drive.

The Ultimate Handy Copier Model Z-HC1 Handy Copier

This little handheld copier is the newest to hit the mis little handheld copier is an elewest of hit tile market. Take it to user group meetings and copy the documentation you need instantly. Great for taking notes from any source manuals, books, letters, etc. Other hand-held copiers are build and awkward. his one uses a pen type scanner to read in the information. This copier even copies graphics. and enlarges

 Easy to use • Pen type scanner • Zoom function magnifies 2X • Has repeat button for multiple copies • Clear button prevents mistakes • Has word mode and graphic mode . NiCad battery provides quick recharging (included)

Retail \$249.99 Your Cost \$189.00



EMI Filtering 15 AMP Breaker . Surge Protection • Lighted Rocjer Switches • Master Rocjer Switches ON/OFF Swithc . Heavy Metal Case

Includes a switch for computer, monitor, printer, Aux 1, Aux 2. Please add \$5.00 S & H for this item.

Retail \$99.95 Your Cost \$49.95

Outlet Strip

Industrial grade surge and noise protection for three-wire (hot, neutral and ground lines) micro-com-puter and word procussing applications.

These units have a 15 AMP breaker illuminated switch and heavy duty

Retail \$42.95 Your Cost \$19.95

SOFTWARE

Hackers Utility Kit	_\$19.85
C-128 Cannon	
Copy II (64/128) Latest version	_\$39.95
1571 Clone Machine	
1541/1571 Drive alignment	
Datafiler 128	
Kracker Jax Vol. 1-6	
Bull's Eye	

PANASONIC RN-108 Microcassette Recorder

2 Speed Tape Selector • AC Battery Operation with Optional AC Adaptor (RD-9443HA) • One Touch Recording • Cue and Review • Built-in Condenser Mic • Jacks DC-in, Monitor • 2*AA* Batteries (Not Included) • Silver

Retail \$79.99 Your Cost \$49.95



SHAR

DX-650

Your Cost \$219.95

Programmable CD Player

Digital Sound at affordable prices • 3 Beam Laser Pick-up System • Random Access program memory (20 selections) • Auto Program Search system (APSS) • Cue Review (Scan the disc fast) • Front Loading • Auto Repeat function

DRX-750 Programmable CD Player

Full Function Remote Compact Disc Player • All of the Above plus Full Remote Control and LCD digital time counter with real time display
Your Cost \$299.95

Sharp AM/FM

Stereo Personal Radio Cassette

Player. Auto-stop, Stereo LED, Detach-able Belt Clip,

AC/DC. Color: Black or Red.

Retail \$69.95

YourCost\$35.00

Headphones

included.

CASIO

CM-100

Computer Math Calculator

Dedicated Base-N-Calculator

 Base conversions
 Base calculations
 Logical operations
 Bit size designations
 Display shift function
 Flag display Amorphous silicon solar battery · Comes with pouch



Retail \$39.99 Your Cost \$24.95



Retail \$149.00 Your Cost \$89.00

We check for stolen credit cards. We do not charge your credit card until your order is shipped. All merchandise is under warranty. Guarantees will vary from manufacturer. All orders are handled as top priority and shipped on day order received.

HEWLETT PACKARD



HP-11C (Scientific)	\$56.00
HP-12C (Financial)	\$99.00
HP-15C (Scientific/Computer)	. \$99.00
HP-16C (Computer Science)	\$120.00



SDECTRUM 2

Features Digital Display - Filter Mode - Vanable Fitter Setting - Vanable Volume control - X and K Band Audible Differentation - Mute Mode - Dark Mode - Carry Case - 3-year warranty

Retail \$329.95 Your Cost \$260.00

SHARP Z-70 Retail \$1,699.00

> Your Cost \$1,299.00



Office Copier with Reduction and Enlargement

• Provides 2 reductions (1.0.64, 1.0.7.5) and 1 enlargement [1.1.24] from organisate

up to legal 1 see - Builtin, adjustable, legal-1 see cassettle feed tray, manual by
pass abolity = Ourick warm-up in 20 seconds, 8 colored remindle 4 Auto Exposure

control for share contrasts = Full year-maintaneous emit Sequences in Action Exposure

• Wgt 53 tos • NOTE: Necessary T/D Cartridge not included with copier.

Mirage Research International

STEP BEYOND To order Send Check or M.O. to: DIRI

P.O. Box 20425 Portland, OR 97220 ORDER HOTLINE (24 hour) 503-257-7613 Visa & Mastercard Accepted Add \$3.00 S & H

grand prize of an Apple computer or one of ten runner-up prizes of \$100 worth of Scholastic software. Prizes will be awarded in two categories: elementary (grades 4-6) and junior high (grades 7-9). Entry deadline is April 15.

Scholastic Inc., 212-505-3000 (see address list, page 14).

TRAVEL PROGRAM

Ticket to Spain (\$29.95) sends the C-64 traveler through the country in search of a family heirloom. With a limited budget and a series of tasks to fulfill, the player visits towns like Madrid, Toledo, and Barcelona exploring landmarks, conversing with locals, and shopping and dining in authentic locales, all the while learning about Spanish culture, language, history, and geography. The game can be played in English or Spanish.

Blue Lion Software, 617-876-2500 (see address list, page 14).

68000 PROGRAMMING

Amiga Assembly Language Programming helps the reader utilize the 68000 microprocessor to its full potential, with information on the system's hardware and software configuration,

TIRED OF WRITING PROGRAMS THAT RUN IN SLOW MOTION?

TRY:

64-TRAN

The first FORTRAN Development Environment for the Commodore 64 or 128 (in 64 mode)

- Comprehensive manual included
- · Generates relocatable machine code
- · Creates fast, saveable programs
- Allows for low overhead by linking only the system rountines required
- EXEC statement allows access to 6502 registers, kernal and user written machine language rountines
- ♦ Block IF-THEN-ELSE-ENDIF constructs
- Minimum requirement of C64 and one disk drive
- \$50.00 each (MD residents add \$2.50 tax)

Orders and Info Call:

(301) 992-9527

Or Write To:

TRIDENT SOFTWARE
P.O. Box 180 Glenelg, MD 21737





Dealer Inquires Welcome



SupraModem 2400 comes complete with operator's manual, quick-reference card, and telephone cable.

READER SERVICE NO. 143

editor and assembler operations, number manipulation, handling the 68000's addressing modes and instruction set, and more. A calculator program illustrates many of the concepts discussed.

TAB Books Inc., 717-794-2191 (see address list, page 14).

2400 BAUD MODEM

The SupraModem 2400 (\$179.95), Hayes-compatible and about one-third the size of the Hayes SmartModem 2400, supports asynchronous operation at 300, 1200, and 2400 bps. User configurations, created by issuing simple commands, are stored in nonvolatile memory. Other features include a programmable-volume speaker and compatibility with Bell 103/212A, CCITT V.22, and CCITT V.22bis protocols.

Supra Corporation, 503-967-9075 (see address list, page 14).

Companies Mentioned in Scuttlebutt

Accolade

20813 Stevens Creek Blvd. Cupertino, CA 95014 Phone: 408-446-5757

AmiEXPO

211 E. 43rd St., Ste. 301 New York, NY 10017 Phone: 212-867-4663 or 800-32-AMIGA

Blue Lion Software

P.O. Box 650 Belmont, MA 02178 Phone: 617-876-2500

Covox, Inc.

675 Conger Street Eugene, OR 97402 Phone: 503-342-1271

Double Eagle Software

2210 Wilshire Blvd. Santa Monica, CA 90403 Phone: 213-459-9748

Electronic Arts

1820 Gateway Drive San Mateo, CA 94404 Phone: 415-571-7171

Feed-A-Form

29 Dover Terrace Westwood, MA 02090 Phone: 617-326-2171 Free Spirit Software 538 S. Edgewood LaGrange, IL 60525

Phone: 312-352-7323

Inkwell Systems 5710 Ruffin Road San Diego, CA 92123-1013 Phone: 619-268-8792

Master Software

6 Hillery Court Randallstown, MD 21133 Phone: 301-922-2962

Mindscape

3444 Dundee Road Northbrook, IL 60062 Phone: 312-480-7667

Scholastic Inc.

730 Broadway New York, NY 10003 Phone: 212-505-3000

Seikosha America Inc. 1111 MacArthur Blvd.

Mahwah, NJ 07430 Phone: 201-529-4655

Simon & Schuster Software

One Gulf + Western Plaza New York, NY 10023 Phone: 212-373-8882

Software Visions Inc.

26 Forest Road Framingham, MA 01701 Phone: 617-877-1266

Strategic Simulations

1046 N. Rengstorff Ave. Mountain View, CA 94043 Phone: 415-964-1353

Strategy Software

909 Carol Lane Fairbanks, AK 99712 Phone: 907-457-2294

Supra Corporation

1133 Commercial Way Albany, OR 97321 Phone: 503-967-9075

TAB Books

P.O. Box 40 Blue Ridge Summit, PA 17214

Phone: 717-794-2191

Verbatim News Services Eastman Kodak Company 343 State Street

Rochester, NY 14650 Phone: 716-724-5130

DA COMES TO EA

Now you can have the same quality software that for millennia has been available throughout the universe. With titles like THE GRAPHICS TRANSFORMER, MOVING PICTURES, QUACKDAS and LEXCHECK, that have been number one sellers for centuries in other galaxies, you are guaranteed quality software without the hassle of using products that have not been tried by at least two other species. Of course with our 1987 line including NEOFONT, 1541 AUNTIE BUMP BOARD, THE MANDELBROT POSTER, and ENTROPY, we are destined to supersede the monotony of generic software... again. So take a look and enjoy the fabled CDA line of software, where we bring quality software to your planet.



THE GRAPHICS TRANSFORMER -

(C-64/C-128)

** ★ ★ ★ ★ (Megagalactic

**Software Weekly)

**. THE GRAPHICS TRANSFORMER is the greatest graphics utility since the release of OMNI-PAINT. It allows you to quickly and easily convert between ALL of the popular drawing programs (over 25 supported), and does other neato things as well. I highly recommend it to all software consumers.



NEOFONT - \$29.95 (C-64/C-128/GEOS compatible) + 11 (Crabnebula Computer

Art & Design)

NEOFONT is the most artistic and well designed collection of fonts for the GEOS operating system. It contains over 23 different fonts, that are simply sub-lime. Do yourself a favor, and appreciate some REAL art.



S S S S (Business Software & Galaxian Report)

"... [Lexcheck] will help you do [every-thing] that you need to do with your [word-processing] programs. It will [rap-idly spelicheck] all of your documents [with its 100,000 word dictionary]. I would [buy two of them] if I were you."



MOVING PICTURES - \$29.95

* * * * * (Transmission — The Intelligence Journal) ". . . Chris Zamara & Nick Sullivan (of



QUACKDAS - \$39.95 e/1541/1571 mode)

(C-64C-128 mode/1541/15/1 mode)

*** *** *** *** (Operating Systems & Intergalactic Insight)


"... finally a cartridge that speeds up. SAVE's as well as LOAD's (fast format, included FREE!). DUACKDAS comes complete and ready to use with its blinding speed, built in DOS wedge, sector editor, and a token disk copier! Definitely something to write home about. "



1541 AUNTIE BUMP BOARD - \$49.95

* * * (Buyit Magazine)






THE MANDELBROT POSTER - \$9.95

* * * * (Fractagalactic & Surfer Weekly)

Surfer Weekly)
... what can you say about a software
company that markets posters. The fabled Mandelbrot Set is now captured on
paper (where available — some restrictions might apply), using the highest resolution ever experienced to date ..."



COFFEE BREAK!

For the C-128 By Dan Komaromi



f you're sick of battling aliens, try your hand at a test of skill, coordination, and memory right here on earth. This game simulates one of the most terrifying jobs on the face of the planet...serving coffee to rush-hour yuppies!

You are working in a coffee shop near the entrance gates to the Staten Island Ferry, through which thousands of money-crazed, upwardly mobile Wall Street types file each morning on the way to their Fortune 500 jobs. Of course, none of them are going anywhere without their early morning cup of coffee, and you'll find it very difficult to serve these customers quickly and correctly without losing your job.

Plug your joystick into Port 2 and press the fire button to begin. You start day one with no points and slightly less than a minute to serve three separate customers with your automatic coffee machine. You can control the cup conveyor belt with the horizontal plane of the joystick, moving it left or right to bring it under the mouth of the correct dispenser tube.

To turn the different tubes on or off, use the vertical plane of the joystick to select the matching color from the control panel and press the fire button. If you hit the cup, you'll hear a tiny "blip." If you miss, it'll go down the drain—but you can always try again.

The customer's request appears in the box at lower right. Prepare the cup exactly as requested, with all the correct ingredients, then send it to the customer by rolling it all the way off to the right. If it's wrong, he'll send it back and make sure you get it right! Otherwise, the next customer steps forward and places his order.

If you can get all three cups prepared correctly in one minute, you'll have successfully survived the first day. If your time runs out before you serve everybody, you'll be fired and given a final score with accumulated days worked.

Coffee Break! is written in BASIC 7.0 and features music, sound effects, and cute screen graphics. If you can last more than six days in the game, you're a regular Baryshnikov of the goop-stained cafe floor. □

SEE PROGRAM LISTING ON PAGE 85



THE SERIES "V" DISK-INVADER COPIES 99.90% OF PROTECTED SOFTWARE EASILY WITH POWER AND PARAMETERS TO SPARE & UPDATING ADDS EVEN MORE

- OVER 40 SPECIAL PARAMETERS built into the INVADER Copying Modules are AUTOMATICALLY called when copying the "Tough to Copy" Disks. This method of copying often produces a working copy without using a parameter. These are all installed on DISK-INVADER SIDE 1.
- OVER 200 EXTRA PARAMETERS to make working copies of recent disks that were impossible before are installed on DISK-INVADER SIDE 2. Because we UPDATE on a regular basis the quantity of extra parameters grows faster than we can advertise. We will always ship the LATEST CURRENT VERSION to purchasers. Registered owners may update earlier versions at any time for \$15.50 P & P included.

Quebec residents add 9% sales tax. All orders shipped within 48 hours. We accept VISA.

FOR USE WITH 1 or 2 1541/1571 Drives and compatibles or MSD Dual Drive and a COMMODORE 64 or the COMMODORE 128 (used in 64 mode).

FAST FILE COPIER included with 8 second NO KNOCK PERFECT FORMATTER and the ability to issue DISK COMMANDS & DELETE unwanted files.

FAST FULL DISK COPIER for 2 1541/1571 copies in under 1 minute. FAST FULL DISK COPIER for 1 1541/1571 copies in under 2 minutes.


POSTAGE & PACKING INCLUDED US \$36.50 CANADIAN \$49.50

TO ORDER send Check or Money Order to:

AVANTGARDE 64
18 Place Charny, Lorraine
Quebec J6Z 3X9, Canada

Telephone: 1-514-621-2085

CHESOMICS SOLVEN




Saving the human race can be very entertaining!

Learn how an authentic nuclear power plant operates while you find ways to avert disaster.

You are at the controls of a huge nuclear power plant in crisis. It's up to you to save the reactor and protect millions from atomic contamination.

Your computer takes the place of the plant's central control room computer in this authentic computer/computer simulation.



This chillingly realistic "war of nerves" reaches far beyond mere entertainment to put you into a dramatic "zero-hour" confrontation.

Will you be able to activate the emergency systems in time to avert a nuclear catastrophe? Find out—you'll discover that CHERNOBYL is not only educational, but is the most nerve-wracking fun you'll ever have with your computer.

Call TOLL-FREE for the COSMI dealer nearest you, or to order direct.

CHERNOBYL is by Paul Norman, creator of the Super Huey flight simulator series and Defcon 5.

CHERNOBYL for C-64/128 is priced at \$24.95.



(800) 843-0537

In California (800) 654-8829 415 N. Figueroa Street, Wilmington, CA 90744 ollowing your epic adventure in the Vault of Terror, the kingdom of Sarnoth was returned to normalcy, as near as anyone could tell. You were rewarded by the king with a cottage overlooking the sea and a handsome pension for life, the remainder of which you

planned to spend in retirement. Your macabre battle against the Naga, the ancient race of evil serpents which had captured the castle, somehow wearied and fatigued your soul, leaving you a tired knight-at-arms who felt there were no

great challenges left in life.

You hung your enchanted sword over the fireplace mantle and left your armor to rust in the barn. Although you often jousted with neighbors for amusement, your body lost its muscle tone and became that of an ordinary laborer, robbing you of your identity as a knight.

While you rested, the world around you changed, too. Many of the old dragons were reported to have died. A wizard or sorcerer became a rare occurrence in the realm, and those that remained could perform nothing but parlor tricks. The beasts that had once blocked frequently traveled roads had retreated into the high country, ending the need for knights to escort royalty through the woodlands.

An old fisherman summed it up one night for you as you sat with him at dinner in the tavern, his hoary beard catching glints of firelight. "It's the magic, boy...it's drying up. The world has no room left for monsters and enchantment, mighty heroes and warriors. The old earth is fading away, giving up its secrets to these new men of science, with their abacus and alchemy, many numbers and ideas. The day for your kind has passed on."

And you knew then that he spoke the truth.


Many months passed in your lonely cottage before the night your door swung open, and in from the blustering cold night walked the king, accompanied by the royal guards.

While his men warmed their hands at your fireplace, the two of you sat together in the far corner.

"I know it's a lot to ask of you, son. But once again, I need your help," he said, his voice trembling as his fingers ran over the gold crown on the oak table before him.

"I don't know if you've heard the stories about a horrid demon that still dwells on the far side of Shadowthorn Mountain, deep inside a crypt built by a race long dead. There have been rumors, a few extravagant tales, but I ignored them. Superstitious villagers, I presumed. I know now that I should've looked into the matter further.

"According to the legends, this demon requires a new bride



every hundred years, preferably a young virgin. He took his bride last night from the kingdom. Her screams were heard over the village as she was snatched from her bed by a great winged abomination and flown over the mountain in its claws."

Your brow knotted with apprehension.

"Who was it?" you asked the old ruler.

"It was my daughter, the princess!" he sobbed brokenly, burying his head in his hands.

You strode toward the fireplace and pulled your sword from the wall.

My editor was firm on one point. He would be willing to publish a sequel to *Vault of Terror*, my 3-D adventure from the October '86 issue of *Ahoy!*, only on one condition: no more 100 block gargantuan listings. The sequel would have to require fewer than seven pages of copying in order to see print. He insisted that nobody but escaped patients from hospitals for mentally disturbed speed-typists ever wanted to copy in my agonizingly long games.

I squeezed, I crammed, I wedged. And here it is. A pageflipping, real-time adventure game in three dimensions.

If you liked *Vault of Terror*, you'll be pleased to discover that *Crypt of Fear* is to the *Vault* what the motion picture *Aliens* was to *Alien*.

Incredibly, it's not only significantly shorter, but it actually has more sprite shapes, better graphics, better music and sound effects, faster animation, and a drastically improved game scenario.

If you ever copy in a program from this magazine, copy in *Crypt of Fear*. It's the best 58 blocks you'll ever put on a disk, and the sort of thing you'll only find in *Ahoy!* Although other 3-D dungeon adventures are available commercially, you'll realize that few of them are this much fun.

The game is straightforward and simple. Find the princess inside the crypt and guide her to the exit. Fight off the hordes of slithering nasties that try to use your head for a scrub pad. Collect the sword, shield, wand, ring, crypt map, the princess's brooch, and the chalice along the way.

Kill the Demigorgon, the winged villain who inhabits the

...and do all this before the foul air inside the underground labyrinth uses up your lantern fuel and your life.

Easy, right?

The program is in BASIC and takes almost a full minute and a half to load in all the abbreviated hex data strings for the character set, sprite shapes, dungeon map, etc. Have "...dramatic improvements over 1541 in quality and reliability... Gazette August. 87

DRIVE THE BEST



NOTHING DRIVES THE COMMODORE 64 OR 64C BETTER THAN THE FSD-2 EXCELERATOR+ PLUS.

COMPATIBLE.

RELIABLE.

GUARANTEED.


The FSD-2 Excelerator+Plus Commodore compatible disk drive.
Faster, quieter and more reliable than the 1541 and 1541C.
Breakthrough Direct Drive technology. Guaranteed 100%
compatibility. It even enhances GEOS!
Full One-Year Warranty.

SCI

Surfside Components International P.O. Box 1836 Capitola, CA 95010 In California: 408-462-9494

1-800-548-9669

*Commodore is a registered trademark of Commodore Business Machines, Inc.



patience, though, because it's worth the wait. As long as the screen is busy flashing or doing something, the computer is working.

Your joystick should be plugged into Port 2. Hit the fire button after the title screen appears.

As you enter the crypt, you'll pass through a short tunnel with hieroglyphs carved on both sides. Pay attention. One of these ancient carvings conspicuously resembles a floor plan, perhaps left behind by the original architects. Try to memorize it as you glance at it.

Once inside the dark crypt, you'll see nothing but a bar at screen bottom, which should be familiar to you if you've played *Vault of Terror*. This little strip is the command bar.

SOFTWARE RENTAL

- INEXPENSIVE most programs \$5—\$8 per week.
- SELECTION over 1,000 programs in stock for Atari and Commodore plus hundreds of programs for IBM, Atari ST, Amiga and Apple.
- 3. TRY before you buy first months rent applies toward purchase.
- 4. **BUY USED** programs at discounted prices.

FOR FREE LISTING CALL

1_800_433-2938 (outside Texas) 1_817_292-7396 (inside Texas)



WEDGWOOD RENTAL 5316 Woodway Drive Fort Worth, Texas 76133




Reader Service No. 299

This bar contains small symbols, from left to right, representing the lantern, sword, shield, wand, ring, vial, map, brooch, and chalice. The last two symbols represent information, like your hit points and accumulated gold coins. Also on the command bar is your current compass direction, at the left and right.

Your only possession at the start of the game is the kerosene lantern. You'll see that it's lit up, meaning that you are now using it. Press the fire button to turn it on. The dungeon view will flare up in front of you, revealing a long, narrow hallway with several intersecting passages.

Thinking quickly, you take a rock and scratch an "X" on the wall behind you so that you'll remember where the entrance is. If you want to see it, move the joystick to the left twice to turn completely around. The "X" is only visible when you are close, but it's better than nothing.


All movement is controlled with the joystick. To move forward, push the joystick forward. Push it left or right to



turn. Pull back to retreat. If you try to move through a solid wall, you'll hear a little beep as you bump your head.

To access the command bar, you must enter "command mode." Simultaneously pull back on the joystick and press the button until you see the white cursor appear. Release the fire button. The bar will light up, with all the things you are carrying in medium gray.

You can move the flashing cursor back and forth on the bar with the joystick. To PICK UP an object in front of



The wait is over... but the excitement has just begun.

ore than two years in the making, Warriors of Destiny sets the new standard for role-playing games. No other game can offer you as beautifully detailed a world or as exciting an adventure. Ultima V is the game for all role-playing gamers: Warriors of Destiny will enchant the

Highlights of Ultima V

novice and challenge the expert.

- Powerful new combat and magic systems, increasing in sophistication as your skill increases.
- Over twice the graphic detail, animation and sound effects of earlier games.

Warriors of Desting

Hundreds of truly life-like people who can carry on complex conversations and interactions with you.

Screen displays shown from the AppleTM. Others may vary. Allows the use of Ultima IV characters. No previous Ultima experience required.

Reader Service No. 240





DRIGIN
SYSTEMS INC.

136 Harrey-Road
Rulling TV

Available on Apple and Commodore



Bring your Commodore® to life with a FREE modem and software!

Now you can plug your Commodore into an exclusive network that's useful, easy, fun and inexpensive. Join Q-Link now and we'll give you a free modem and software to get you started.

Enjoy **unlimited access** to a wide range of Q-Link "Basic" services for a set fee of only \$9.95 a month. Get help from Commodore experts — use the Hotline to ask Commodore questions, or search the database of information from Commodore to answer your questions on the spot. Access Grolier's Academic American Encyclopedia™, the latest news and entertainment updates.

Special Q-Link "Plus" services let you expand your software library with more than 10,000 public domain programs — games, graphics, business and educational software and much more! Also, you can preview new copyrighted software before you buy. Get answers to your software questions from Berkeley Softworks, Electronic Arts and Activision, to name a few. Participate in full-color, multi-player games like Casino (includes Blackjack, Poker, Bingo and the Slots), Chess and Bridge. "Plus" services cost only an extra 8 cents per minute — and your first hour of "Plus" service usage each month is free!

Offer valid in the continental U.S. and Canada for new members only. Expires 6/30/88. Prices subject to change without notice. There is a communications surcharge for connection to Q-Link from Canada: 6 cents (U.S.) per minute from Montreal, Vancouver, Ottawa, Toronto, Quebec, Windsor, Kitchener and Calgary using the Tymnet network, and 15 cents (U.S.) per minute from over 85 other locations using the DATAPAC network.

Commodore is a registered trademark of Commodore Electronics, Ltd. Q-Link is a servicemark of Quantum Computer Services, Inc. Grolier's Academic American Encyclopedia is a trademark of Grolier Electronic Publishing.

With Q-Link, you can sharpen your computer skills...connect with people...discover new ways to get smart...save money every day...plus have a lot of fun!

No-risk guarantee. Try Q-Link without risk. If, at any time, for any reason, you are not completely satisfied, you may cancel your membership.

Order your Q-Link software and modem today by mailing this coupon to Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180 or for faster service call toll-free: 1-800-782-2278 Ext. 1205

-	Q-LI	NK	RES	ERVA	ION	FORI	VI —
e	one:						
		123	2		100		

I need a modem. Start my Q-Link membership by charging me now for my first 4 months at \$39.80, and send me the FREE Q-Link software and a FREE Commodore 300 baud auto-dial modem (model 1660—retail value \$69.95).

l already have a modem. Send me my FREE Q-Link software and start my Q-Link membership by charging me now for my first month of membership at \$9.95.

Address ________ (No P.O. Boxes)

City _______ State _____ Zip ______

Homephone _____

Choose your method of payment:

☐ Please charge my credit card.
☐ Master Card ☐ Visa

Choos

Full name

☐ Check enclosed.

Acct# _____ Exp. ____

Signature _____

Call toll-free 1-800-782-2278 Ext. 1205 or mail this coupon to:

Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180



COMMAND BAR SYMBOLS

Lantern: cannot be dropped. Will run out of fuel and leave you in darkness if you don't get out in time.

Sword: main weapon against monsters. Better than bare fists any day.

Shield: absorbs 75% of blows.

Wand: might be a darned good weapon against powerful magical beings.

Ring: adds +2 to all hits if worn. (It is assumed to be on your finger if you pick it up.)

Vial: contains healing elixir. Use it to add 20 hit points of life.

Map: a glance at this tattered old scroll reveals where the heck you are.

Brooch: belongs to the princess. She won't leave without it. It's laying around somewhere in the dungeon, and you'll have to find it.

Chalice: you'll find this on the Demigorgon. You have to be man enough to take it away from him first, though.

G (for "Gold"): you get coins off the bodies of dead dungeon denizens, so there is a chance to get wealthy as well as save the princess here.

Beating Heart: this is your heart, so guard it well. Move the cursor here to see how many hit points you have left before some monster slugs you and sends you to that great big Adventurer's Lounge in the Sky. (Play *Dark Fortress* (January '87 *Ahoy!*) to get this joke.)

you, push the joystick UP. The bar will display the object in medium gray after it vanishes to show that you are carrying it. To DROP an object, pull the joystick DOWN. The object should disappear off the bar and appear on the floor in front of you.

Whatever is lit up in light gray is the object you are currently holding, or using. To USE an object, move the cursor to it and press the button. You are returned to the normal "fight & move mode." The object will now be in your hands, and every time you press the fire button in normal mode, you will USE this object. Normally you will probably want to walk around with the sword in your hand to be ready for monsters.

Not long after you enter the crypt, one of its gruesome tenants will be crawling in your direction, hoping for a quick snack.

If you'd like to become familiar with the slimy lineup of subterranean beasties you'll be battling, you might want to read about them in the accompanying sidebar.

Besides your LIFE reading in command mode, the border provides a clue to your health. If the border is green, you're reasonably intact. When it's yellow, you've been wounded badly. If it's red, you're tottering within a stroke of death. It's best to hide somewhere and rest up for a while when the border is red. Herein lies your advantage over the other monsters. You heal with time, whereas they do not! You can hit and run until the monster gives up the ghost.

During combat with beasts, the screen will flash red when you are hit, green when you hit them. The shade and hue of the red flash tips you off to how soundly you were struck. Orange is a love tap, light red a glancing blow, dark red a mighty stroke.

If you manage to survive all this fighting, look for the

king's daughter. She's the reason you're down here.

The princess is wearing a yellow dress. You can't miss her. The only way to lead her out is by moving and then waiting for her to follow you. Make sure she is in your line of sight, or she'll get lost again.

Once you have everything on the command bar lit up (except the vial of healing elixir, because you may use it), go to the entrance with the princess in tow. When she's standing beside you, push the joystick forward (towards the "X" scratched on the wall) to leave the crypt and win the game.

The game is awfully difficult, and you may play it for a long time before you win. There is no save feature here as in *Vault of Terror*, because you won't live long enough to enjoy the sights. You have about 3400 heartbeats before your lantern fuel burns out in the polluted air and you die. Don't waste any time killing monsters for gold until you have won the game at least once. Otherwise gold fever might entomb you in the crypt forever, and the princess as well.

The listing is completely in BASIC 2.0, and anybody who thinks you can't do anything good without machine language should get an eyeful of this program. It's fast, furious, and smooth. I also have to point out that this game is *not* public domain. I've heard of people spreading *Vault of Terror* over most of North America. Last I heard, it was on bulletin boards in Australia. Such distribution of *Ahoy!* programs is in violation of federal law, and will place the distributor(s) in danger of prosecution.

I wish I could have used more REM statements to document the program, but space rules when it comes to magazine listings, so I kept them to a minimum. If you'd like a breakdown of the major routines and some extensive documentation so that you can modify the program, send a SASE to me here at *Ahoy!* and I'll get it off to you as soon as possible.

SEE PROGRAM LISTING ON PAGE 87

THE BAD GUYS

Black Widow: poisonous and almost invisible in the stygian darkness. Might bite you before you even see her.

Green Cobra: these undersized Vault rejects are baby Nagas that hid out in the Crypt after you cleaned house on the other side of the mountain. One too many hits from one of these serpents could do a job on you.

Blue Amoeba: this shambling pile of rancid garbage is a testimony to the theory of spontaneous generation. Get him before he gets you, or the last thing you'll scream is "He slimed me!"

Red Imp: these devilish creatures came up from lower planes of the earth to hunt for humans stupid enough to go wandering around in the dark looking for virgins. You'll make their day.

Deathknights (Iron & Silver): these undead warriors are mummified zombies resurrected by the Demigorgon's powerful necromancy. They do not back down, feel pain, or ask for mercy. The ones with the silver armor are stronger and more powerful.

Green Demigorgon: if you don't pass out dead from fright when you see him, you'll probably perish after a few licks from his powerfully clawed hands. You have to be really strong to whip this guy. Period. Worst of all, you can't leave *Crypt* until you beat him and take the chalice off his hands.

I Not Be UNDERSOL

AND WE MEAN IT!*

Famous Seikosha National Brand

Ultra-Hi Speed Printer



☆ 300 CPS Draft - 50 CPS NLQ ☆



With Color Printing Capabilities



Optional Color Printing Kit ... List \$199.95 Sale \$99.95

Hi-Speed Printing (300 CPS Draft) With Minimum Noise • Superb Near Letter Quality • Variety of Characters and Graphics • IBM and Epson Modes • Built-in 10K Buffer • Built-in Parallel & Serial Interface Ports • Automatic Paper Loading and Ejection • Download Character Setting • Front Panel Margin Setting • Bottom Feed • Optional Easy Handling 7-Color Printing Kit

Print Method

Impact Dot Matrix

Print Speed

Draft- 300 CPS NLQ- 50 CPS

Character Sets

185 Characters Kinds, 8 International Fonts, 256 Download Characters

Dimensions

 $18.5 (W) \times 14.1 (D) \times 5.5 (H) inch$

Weight

Approx. 19 lbs

Printing Direction

Bi-directional

Ribbon (Life exp.)

Black: cassette (8 million characters)

Line Spacing

7/72", 1/8", 1/6", n/216", n/144", n/72"

Paper Feed

Adjustable tractor and friction feed

Replacement Ribbons

Black......Sale \$14.95 4-Color......Sale \$19.95

15 Day Free Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT

22292 N. Pepper Rd, Barrington, IL. 60010 Call (312) 382-5050 To Order!

Illinois residents add 61/4% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO.
Please call for charges outside continental U.S. or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 or 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. (Monitors only shipped in continental U.S.)

Is 1st in PRICE, SUPPORT, & GUARANT

WE LOVE OUR CUSTOMERS!

Prices Expire 2-29-88

Famous IBM® Brand •

Genuine IBM® Printer 8½" Letter Size

Super Sale List \$199




Limited Quantities. 1st Come, 1st Serve Basis.

(Add \$7.50 shipping.*)

No One Sells This **Printer For Less!**





- 80 Column
- Enlarged Underline
- Graphics*
- Unbelievable Low Price!
- Advanced Dot Matrix Heat Transfer
- Upper & Lower Case (with True Lower Descenders)
- Adapters For IBM® Apple® Laser® Commodore® Atari®

(* Graphics available with Commodore, Atari And Apple Interfaces.)

This printer comes ready to hook up to the serial port of the IBM®PC jr. Plus with low cost adapter cables you can connect the printer to the IBM®PC, XT, AT, & Compatibles, the Apple® II, IIe, & IIc, the Laser® 128, Commodore® 64,128, SX-64, Vic 20, & Plus 4, in addition to Atari®, the Tandy 1000 and many more.

ks of International Business Machines, Apple Computer, Commodore Business Machines, Atari Inc. & Video Technologies Respectively

15 Day Free Trial • 90 Day Immediate Replacement Policy

12) 382-5050 e Love Our Customers!




COMPUTER DIRECT 22292 N. Pepper Road Barrington, IL. 60010

COMPUTER DIRECT
WILL NOT BE UNDERSOLD!
AND WE MEAN IT!*

Prices Expire 2-29-48

Complete Commodore C64c System Sale

Computer, Disk Drive, Monitor, Printer & Software



Sale \$395.00 shipping.*) Sale \$395

The Complete System for \$39595 Includes:

- Commodore 64c Computer
- Excelerator Plus Disk Drive
- 12" Monochrome Monitor With Connecting Cable
- Genuine IBM® Printer With Commodore Interface And 1 Roll Of Paper
- GEOS Program: Word Processor And Drawing Program

15 Day Free Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT

22292 N. Pepper Rd, Barrington, IL. 60010 Call (312) 382-5050 To Order! * Illinois residents add 6½% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. Please call for charges outside continental U.S., or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 to 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. (Monitors only shipped in continental U.S.) COMPUTER DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the current valid lower priced ad must be supplied with the order, or within 15 days of date of purchase.

Is 1st in PRICE, SUPPORT, & GUARANTEE!

WE LOVE OUR CUSTOMERS!

Prices Expire 2-29-88

Famous Star Micronics National Brand

Super Hi-Speed 200 CPS Printer

Star Micronics LV-2010 10" Printer with Near Letter Quality



- High Speed 200 CPS Draft
- Near Letter Quality
- Standard Pull Tractor and Automatic Single Sheet Loading
- Standard Parallel and Serial Interface Ports
- Continuous Underline
- IBM Compatible
- Ultra Hi-Resolution Bit Image Graphics

No One Sells This Printer For Less! Sale \$ 19995

SPECIFICATIONS

Printing Method

Serial Impact Dot Matrix

Printing Speed

200 Characters Per Second Draft 45 Characters Per Second NLO

Print Buffer

16K Bytes

Paper Feed

Sprocket or Friction Feed

Dimensions

4½" (H) x 13½" (D) x 16¼" (W)

Character Sets

96 Std. ASCII; 96 NLQ ASCII -83 Special & 50 Block Graphic Characters

Printing Direction

Bidirectional, logic seeking; Unidirectional in bit image and NLO modes

Ports

Centronics Parallel and Serial

Line Spacing

1/6", 1/8" or 7/72" Standard n/72" or n/216" Programmable

15 Day Free Trial • 90 Day Immediate Replacement Policy



(312) 382-5050 We Love Our Customers!



22292 N. Pepper Road Barrington, IL. 60010

Will Not Be UNDERSOLD!

AND WE MEAN IT!*

Prices Expire 2-29-88

Full Size Piano/Organ Musical Keyboard \$495**





** Conductor Software Required

(Add \$5.00 shipping.*)

Keyboard — 40 Keys (A-C) guage spring loaded to give the feel and response of a professional polyphonic keyboard instrument. Plugs right into the joystick port of the Commodore 64 or 128. This sturdy instrument comes with carrying handle, protective key cover and built-in music stand. Size: 29" x 9" z" x 4" Weight: 9 lbs.

Registers (with the Conductor Software) — Organ • Trumpet • Flute • Harpsicord • Violin • Cello • Bass • Banjo • Mandolin • Callipoe • Concertino • Bagpipe • Synthesizer 1 & 2 • Clavier 1 & 2 • Can be played over a 7 octave range • Programmable sounds

Recording (with the Conductor Software) — Three track sequencer plus over-dubbing with multiple instruments playing at the same time.

The Music Teacher

List \$39.95 Sale \$24.95

Teaches how to read music and play in rhythm on the keyboard. Features trumpet, organ, violin, synthesizer instrument sounds, built-in metronome, pause-play control and set-up menu for cusomizing. (Disk)

The Conductor Software

List \$29.95 Sale \$19.95

The Conductor Software teaches how a composition is put together, note by note, instrument by instrument. You will learn to play 35 songs from Bach to Rock. Then you will be ready to compose your own songs! (Disk)

Teaches — Scales • Bass lines • Popular songs "Bolero" to "Thriller".

Features — Control with attack, delay, sustain and release times •
Playback tracks while you record • Stores songs on disk • Much more
Requires — Above Keyboard • Commodore 64 or 128 with disk drive

The Printed Song List \$29.95 Sale \$19.95

Print out your composition for others to read or play. Requires The Conductor Program and printer compatible with the Commodore graphics mode such as most dot matrix printers with a graphics interface. (Disk)

5 ¼" Double-Sided, Double Density Floppy Disks

For As Low As

(Add \$3.00 shipping.*)

24 F each



Each Disk 100% Certificatied • Automatic Dust Remover Free Lifetime Replacement Warranty

1 Box of 50 \$14.50 (29° each)
(with sleeves)

1 Box of 100......\$24.00 (24° each) (without sleeves)

Paper Economy Sleeves ...\$5.00 per quantity of 100 Disk Labels\$3.95 per quantity of 100

3½" Double-Sided, Double Density Micro Disks

On Sale For Only 99 cach



For use with all 31/2" Disk Drives.

- Compact and easy to handle
- Same tough and reliable qualities of 5¼" floppies other disks in a compact, cassette-like format
- Hard-plastic shell provides maximum media protection and safe handling.

Holds more data than a conventional 5¼" floppy disks

Quantity of 50.....\$49.50 (99° each)

15 Day Free Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT

22292 N. Pepper Rd, Barrington, IL. 60010 Call (312) 382-5050 To Order! * Illinois residents add 6½% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. Please call for charges outside continental U.S. or C.O.D. MAIL ORDERS enclose cashier check, money order, or personal check. Allow 14 days delivery, 2 to 7 days for phone orders and 1 day express mail. Prices and availability subject to change without notice. (Monitors only shipped in continental U.S.) COMPUTER DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the current valid lower priced admists to supplied with the order, or within 15 days of date of purchase.

Is 1st in PRICE, SUPPORT, & GUARANTEE!

WE LOVE OUR CUSTOMERS!

Prices Expire 2-29-88

• Save

Printer Super Sale

• Save •

22 CPS Daisy Wheel Printer

13" Daisywheel Printer With True Letter Quality



No One Sells This Printer For Less!

Low, Low Price!

\$9995

Below Wholesale!

Printing Method

Daisy Wheel

Print Speed

- 18 CPS, Shannon Text
- 22 CPS, AAA Text

Accessories

- Daisy Print Wheel Courier 10, 96-character
- Ribbon Cartridge easy-change cartridge
- Both are compatible with Diablo[™] and Qume[®]

Spacing and Density

- Character Spacing: 1/120" increments
- Line Spacing: 1/48" increments
- Print Pitch: 10, 12, or 15 CPI and Proportional Spacing
- Characters per Line:
 - 110 characters at 10 CPI
 - 132 characters at 12 CPI
 - 165 characters at 15 CPI

Operator Control

- Power On LED
- Impact Adjustment
- Reset Button
- Pause Button
- Paper Feed Button
- Self Test
- Out of Ribbon LED
- Horizontal Spacing Adjustment
- Pitch Adjustment (10, 12, or 15 CPI)

Print Buffer

• Standard: 93 characters

Paper Information

- Fan-fold, Single Sheet, or Carbon Copies
- Friction Feed
- Form Width: up to 13"
- Copy Capacity: Original plus 3 Copies

Size and Weight

H-5.5" W-18.9" D-11.6" Weight 21 lbs.

Registered Trademarks: Apple - Apple Computer Inc. IBM - International Business Machines Inc. Diablo - Xerox Inc. Qume - Qume Corporation.

- Daisy Wheels

Available In Courier 72, Prestige Pica, Prestige Elite, and Script 12 for \$9.95 each

15 Day Free Trial • 90 Day Immediate Replacement Policy



(312) 382-5050 We Love Our Customers!



22292 N. Pepper Road Barrington, IL. 60010

BANK CARDS SAME AS CASH

DATA SWITCHES

VSI switches let users share equipment, end costly duplication. Plan your own system; two computers to one disk drive and printer, or two printers to one computer, share a printer between a PC and a C128, Cable changing is a thing of the past, turn a knob to switch from one device to another. Remember, if you need extra cables, we carry a broad selection.

- **ONE YEAR WARRANTY**
- Compact Design, All Metal Case
- **Gold Plated Contacts**
- All Female Sockets, Rotary Switch
- Anti-Skid Feet to Prevent Movement
- Full Shielding Exceeds FCC Requirements

\$29.95 -20, C16, Plus 4, C-64, OR C128 compatib

SUPER SAVER ABCD \$39.95 VIC-20, C16, Plus 4, C-64, OR C128 compatible

PARALLEL or SERIAL AB \$29.95

PARALLEL or SERIAL ABCD \$39.95

PARALLEL AaxBb

Two computers share two printers

8 PIN MINI DIN AB \$29.95

\$44.95

signed for the new Apple Computer application \$29.95 DB9 AB

For monitors, modems, etc.

CABLES

CADLLO		
Drive/printer, 6 ft. 6 pin male/male	B66	\$ 5.95
Drive/printer, 9 ft. 6 pin male/male	B69	\$ 7.95
Drive/printer, 18 ft. 6 pin male/male	B618	\$12.95
Drive/printer, 6 ft. 6 pin male/fem.	A66	\$ 5.95
Monitor, 6 ft. 5 pin to 4 RCA plugs	M654	\$ 5.95
Monitor, 6 ft. 5 pin to 2 RCA plugs	M652	\$ 4.95
Monitor ext., 6 ft. 5 pin male/female	ME65	\$ 5.95
Joystick ext. 9 pin, 12 ft. male/fem.	JS12	\$ 4.95
Joystick Y, 9 pin, 1 female/2 male	JSY	\$ 7.95
Joystick Y, 9 pin, 1 male/2 female	RJSY	\$ 3.95
Power cable, male/right ang. male	PR6	\$ 6.95
DB9, 6 ft., male/male	DB9MM	\$ 8.95
DB9, 6 ft., male/female	DB9MF	\$ 8.95
8 pin Mini Din, 6 ft., male/male	8M6MM	\$ 9.95
Parallel, 6 ft., male/male	C6MM	\$ 9.95
Parallel, 10 ft., male/male	C10MM	\$11.95
Parallel, 6 ft., male/female	C6MF	\$ 9.95
Parallel, 10 ft., male/female	C10MF	\$11.95
Serial, 6 ft., male/male	R6MM	\$ 8.95
Serial, 6 ft., male/female	R6MF	\$ 8.95
IBM printer, 6 ft., male/male	IBP6	\$ 8.95
IBM printer, 10 ft., male/male	IBP10	\$10.95
IBM keyboard extension, 5 pin	IBKE	\$ 5.95
Gender change, parallel, male/male	CGMM	\$ 9.95
Gender change, parallel, fem./fem.	CGFF	\$ 9.95
Gender change, serial, male/male	RGMM	\$ 5.95
Gender change, serial, fem./fem.	RGFF	\$ 5.95

PRINTER BUFFERS

let you compute and print at the same time. The buffer stores the data, then sends it to the printer at the right speed while you go on with your work

MW-256 DATA STUFFER 256k CALL VIC20.C64, 64C, SX64, C16, C128, + 4 compatible

MICROSTUFFER, 64K, centronics \$ 69.95

INTELLIGENT BUFFER 256K.

\$169.95 centronics INFORMATION: For technical information or Oregon

buvers phone: 503-246-0924 TO ORDER BY MAIL: We accept VISA, MASTER CARD,

money orders, certified, and personal checks. Allow 21 days for personal checks to clear.

SHIPPING: \$3.00 per order, power supplies \$4.00, power center \$5.00, \$3.00 service charge on COD orders (cash only).

TERMS: All in stock items shipped within 48 hours. No sales tax or surcharge for credit cards. We CANNOT GUARANTEE COMPATIBILITY. All sales are final. Defective items replaced or repaired at our discretion. RA# required. Prices and items subject to change without notice



VALUE SOFT INC 3641 S.W. Evelyn Portland, OR 97219




1200 EASY DATA MODEM

Hayes COMPATIBLE External 300/1200 Baud Supports Bell 103 & 212A

Both Half & Full Duplex Redial Last Number

Touch Tone & Pulse Auto Busy Redial Auto Dial. Auto Answer "AT" Commands & more ver Up Self Test **FCC Registered**



1200 EASY DATA MODEM PLUS C64 INTERFACE PACKAGE



SPECIAL PURCHASE Now \$12.95

Chrome plated, heavy duty universal printer stand. Rubber feet, allows front, back, or bottom feed. For 80 or 132 column printers. Original price \$24.95, sale limited to guan-

POWER SUPPLIES

MAXTRON C-64, dependable heavy duty replacement. Output: 5V DC, 1.7A, 9V AC, 1.OA. UL Approved. 90 day warranty \$29.95 PHOENIX C-64, fused, repairable, all metal case. Output: 5V DC, 1.7A, 10V AC, 1.OA. UL approved. 1 year warranty PHOENIX C-128, fused, repairable, all metal case, 3 sockets, spike protection, EMI RFI filtering, lighted switch. Output: 5V DC, 6.OA, 10V AC, 2.OA. UL approved. 1 year warranty \$59.95

\$29.95

COOLING FAN



Heat is a #1 enemy to your disk drive. Reduce bad loads and costly repair bills with a fan, keep your 1541 or 1571 cool. Quiet, surge and spike protec-tion, EMI filtering

IconTroller WICO Black Max TAC 5 EPYX 500XJ

Slik Stik

JOYSTICKS

NEW LOW PRICE \$49.95

\$ 6.95

\$14.95

\$11.95

\$14.95

\$15.95

\$19.95

WAS \$59.95

POWER CENTER

The POWER CENTER provides individual control of up to 5 components plus master on or off switch.

on or off switch.

System protection: EMI/RFI filtering, surge and spike protection, 15 AMP breaker, heavy duty cable, 3 prong plug. Lighted rocker switches, all steel case, size: 1 3/4 H x 12 1/4 D x 15 W.

INKWELL SYSTEMS

Light Pen 184C \$49.95 Flexidraw 5.5 \$27.95 Graphics Int. II \$24.95 \$19.95 Clip Art II Holiday Theme \$19.95

INTERFACES

12 PLUS

puter. In stock.

MODEM RS-232 INTERFACE, Use standard Hayes compatible RS-232 modems with VIC-20, C-64, C-128. DELUX RS232 INT., Omnitronix \$39.95 Use standard RS-232 equipment with the C64, C128, C64, SX64, VIC20 or Plus4 HOT SHOT, printer HOT SHOT PLUS, printer \$64.95 \$39.95 Cardco G-WIZ, printer Cardco Super G, printer XETEC Super Graphics, printer \$54.95 \$34.95 XETEC Super Graphic Jr., printer XETEC Super Graphics Gold, printer CALL

12 in. cartridge port extension

cable. Move boards and car

tridges to the side of your com-

APROSPAND 64 \$29.95

plugs into the cartridge port, has 4 switchable slots, fuse protected and a reset button.

JOYSTICK REDUCER

Every once in a while, our buyers find one of those odd gadgets they just can't resist. The Joy Stick Reducer is odd and low-priced. It allows one joystick to be plugged into both ports at the same time. I know you are saying, what's it good for. Stop and think, how many times have you had to try both ports before finding the right one?



"THE STRIPPER" The "Stripper" removes

perforated edges from print-outs. Insert 1 to 20 sheets, presto edges are gone. Clean, guick



SUNCOM ANIMATION STATION C64

Touch the pad with the stylus or a finger tip, create magic with the Animation Station ... Draw pictures, graphs, etc., Software with printer option included. Compatible with many other programs for keyboard, mouse, joystick or paddles



\$79.95

40/80 COL. CABLE

\$19.95

One cable for both 40 or 80 columns on the C128. Flip a switch to change modes. Plugs to the back of the monitor for a sharp display. 16 colors in 40 column, black and white in 80. Not for RGB monitors or television sets.

DISK DOUBLER

The original! All metal Cuts an exact square notch in the disk. Same spot every time!



READY RESET 64 NEW

A reset button that you place where you want, not some out of the way place. Plugs into the serial port (of course the port is replaced for your disk drive), the button is on the end of a 15 inch cable.

BLASTER C64, C128

\$5.95 Add automatic firepower to your games, plug-in module that makes the fire button of your joystick have machine gun action. Adjustable speed control.

DUCT COVEDS

DUSI CUTERS		
C64/VIC20 or 1541 drive, anti stati	C	\$ 5.95
Buy one of ea. SAVE \$1.41	C64 set	\$10.49
C128 or 1571 drive, anti static		\$ 7.95
Buy one of ea. SAVE \$1.41	C128 set	\$14.49
64C, anti static		\$ 7.95
1581, 31/2 drive, anti static		\$ 7.95
1541C, NEW 51/4 drive, anti static		\$ 7.95

BLACK BOOK of C128 \$15.95



The best friend a C128 user ever hadIncludes C-64, C128, CPM, 1541, 1571. 261 pages of easy to find information. 75 easy to read charts and tables. The Black Book of C128 is very much like a dictionary, always ready to answer your questions.

PROTECTION REVEALED C 64 \$15.95

A beginners guide to software protection. Written to giv you a fundamental understanding of a disk and BASIC protection. Identify what you are seeing when examining a disk. Become a master of illusion. Reveals countless tricks and tips that mystify the user. The book is 141 pages and includes a free disk of 21 utility programs.

SAM's BOOKS

C64 Troubleshooting & Repair Guide	\$19.95
1541 Troubleshooting & Repair Guide	\$19.95
Computer facts VIC-20	\$19.95
Computer facts C-64	\$19.95
Computer facts C-128	\$19.95
Computer facts 1541	\$19.95
Computer facts 1571	\$19.95

"TOUCH ME BUTTON" \$9.95

Static can KILL your COMPUTER and your PRO-GRAMS. Touch Me rids your system of harmful static like MAGIC before you touch your computer peripherals or other devices. The controlled electrical resistance of Touch Me, drains static charges harmlessly away to ground at low energy levels. Touch Me can add years of life to your equipment.

GROUND FAULT IND.

Computer equipment is very sensitive to ungrounded household wiring. Disk drives have a bizarre way of mixing up data. The Ground Fault Indicator tells you if your outlet is properly grounded.

MISCELL ANEOLIS

MIOOFFFAITEOOO	
CARDCO numeric keypad	\$47.95
Disk Sleeves, white tyvek, 100 pack	\$ 7.95
Write protect tabs, silver, 100 pack	\$ 1.49
Floppy wallet, 3 1/2 in., holds 15	\$ 9.95
Floppy wallet, 5 1/4 in., holds 15	\$12.95
Disk pages, 2 pocket, 3 hole, 10 pack	\$ 6.95
American Mouse House	\$ 6.95
American Mouse Mat	\$ 7.95

CALL TOLL FREE 1-800-544-SOFT



SCREEN WIZARDRY

Magical Editor Effects on the C-64 By Cleveland M. Blakemore

the Commodore's built-in screen editor makes it the most versatile computer in the low end market. There are so many tricks, tips, and special effects that can be achieved with the editor that it would be impossible to describe them all here.

Nonetheless, there are a handful that every programmer should have in his library of subroutines, and I'll try to pass these closely guarded secrets on to you. (Even though it may be curtains for me when hackers all over the country learn that I've publicly divulged some of my most coveted gaming tricks.)

SCROLLING THE SCREEN DOWN (?)

We've all seen those arcade cheapies in BASIC that scroll the screen up. The effect is insipid, boring, and leaves no room for game information like score or players remaining.

By printing a character in the upper right corner of the screen, we force the editor to scroll all the lines beneath it down, in order to make room for a second logical line of BASIC. Then we give the screen editor amnesia by setting the high bit of the line link table at memory location 218, so that we can do it again. This leaves the first line of the screen intact for scores, titles, etc., while we move the entire screen down beneath it.

The demo program creates a scrolling star field with a solid reversed bar of text above it. Looks great, doesn't it?

COLOR BAR SCROLLING

Nothing looks better than a title screen full of pulsating color. How can you switch colors that quickly without disturbing the text on the screen?

POKE the screen editor memory location (648) into a harmless range of RAM, then print colored bars after changing the current character color. The color on the invisible screen will scroll upward while the text on the visible screen stays put. This looks terrific for explosions, too. The demo has a mushroom cloud graphic for a nuclear blast, suitable for any game with a big finale. Remember to move the editor back with a POKE648,4 before printing to the screen again.

MOVING SCREEN LINES

It's always neat to be able to move part of the screen while keeping several lines at the top or bottom untouched. You can do this in either direction, using the routines at 59888 and 59848.

Where F=line to copy from, and T=line to copy to, use the following formula:

POKE781, T: SYS59888: POKE172, PEEK (60656+F)

:POKE780, PEEK(216+F):SYS59848

The demo moves lines around randomly until you press the "X" key.

SET CURSOR POSITION

Forget about that pokey routine at 65520 (PLOT). The easiest way to set the cursor anywhere on the screen is to POKE the (Y COORDINATE)—1 into location 214, print once, then set the X COORDINATE with a TAB(X) statement. This method is the fastest and most efficient for BASIC applications. I use it throughout the demo to place the cursor anywhere I want on the screen.

SPRITE SHAPES GALORE

There are only four completely safe sprite blocks to use out of BASIC, these being numbers 11, 13, 14, and 15. How does a programmer get around these space limitations without bringing down the top of BASIC pointers to make room?

Using the screen editor, sprite shapes can be switched in and out of memory with blinding speed by printing strings containing the sprite numerical data to the sprite block.

The demo flashes some quicky garbage in and out of sprite block 13 to show you how easy this is. These shapes could just as easily have been shapes of a player's character running, or animated sequences of a bird in flight. Put your sprite shape data into an array of strings exactly 64 characters long, then flip through the shapes with the subroutine merely by changing the array index pointer. Amazing graphic effects are possible in BASIC with no memory lost to lengthy sprite data using this technique. The only limitation is that you must perform these operations in program mode with the cursor OFF; otherwise the locations will be corrupted by the flashing cursor being POKEd into and out of memory.

SIMPLE HORIZONTAL SCROLLING

This technique uses up a chunk of memory, and it's limited to about four screen lines before it becomes too slow to be effective. Notwithstanding, it's an excellent way to create a moving wraparound landscape for games. It could also be used to scroll important information across the screen, perhaps in a terminal program.

SCROLLING DIAGONAL LINES

This looks neat. Hopefully you can think of an application for it—perhaps a football game, or some kind of Zaxxon-type screen display. All you do is print a left slash with a cursor-down character over and over again.

Continued on page 98

SCHELLIS LISTELLIS

he complex sound generator in the Commodore 64 and 128 provides a bewildering array of sound possibilities. Obtaining those sounds with BASIC 2.0 on the C-64 is a monumental task of POKEy programming. With BASIC 7.0 on the C-128 comes another problem. There are so many sound commands and parameters available, it is difficult to know where to begin.

In trying to sort out the various BASIC 7.0 sound-related commands, I came to the conclusion that a meaningful discussion of sound generation requires an overview of the physical nature of sound waves. Consequently before we explore the ways of producing sounds in BASIC 7.0, we will first discuss the physics of sound.

PHYSICS 101: WAVE THEORY

Our ears convert rapidly changing air pressures into sounds. Picture the air molecules in front of a loudspeaker being rapidly decompressed and compressed as the speaker cone vibrates back and forth. These zones of varying air pressures move away from the speaker at the speed of sound.

Just as the push and pull of ocean waves can move your body toward and away from the shore, sound waves move the fine mechanisms in your ear back and forth. These vibrating mechanisms generate small electrical signals which the brain interprets as sound.

There are two basic properties of waves which are important to our discussion. Those properties are *amplitude* and *frequency*. Amplitude refers to the strength of the waves. Frequency is a measure of the rate of vibration of the waves.

The distance that a loudspeaker's cone moves back and forth determines the amplitude of the waves it generates. A speaker cone vibrating only a sixteenth of an inch forward and backward does not supply nearly as much energy to the air molecules as it does by moving an inch in each direction. Gentle ocean waves lapping at the shore cause your body to sway back and forth whereas a strong pounding surf exerts more force and may knock you over. (Our ocean wave analogies refer not to the crests of the waves which are rising and falling but rather to the horizontal movement of the water toward the shore and away from it.)


Sound waves of large amplitude cause the ear mechanisms to vibrate over a greater distance than small amplitude sound waves do. The brain interprets large movements of the ear mechanisms as loud sounds and small movements as soft sounds. Consequently this important property of sound waves is summarized:

Amplitude = Loudness

When you "turn up" the volume of your radio, you are increasing the output power of its amplifier which in turn causes the loudspeaker to move back and forth over a greater distance. If you are able to look at the center of a loudspeaker's cone, you may be able to observe this effect as you increase the volume. Lay the speaker on its back and



SoundInvestigating



Enlightenment

Audible Wave Phenomena By Dale Rupert

AHOY! 33

SUPERIOR TECHNOLOGY LOOKS LIKE

THIS

STILL ONLY

To offer the most powerful utilities you must first have state of the art hardware. This is a fact that our competitor doesn't understand, which explains why they are offering their latest 'final' version based on the old style, ROM only, hardware. SUPER SNAPSHOT is the ONLY utility cartridge that incorporates a RAM chip AS WELL AS a large ROM. This is just one of the reasons why RUN magazine gave SUPER SNAPSHOT a "B+"rating (Dec. '87) while our competitor received only a "B" (Sept. '87). And INFO magazine gave SUPER SNAPSHOT a *** rating while our competitor received only **+ (Jan. '88).

Compare these features found on SUPER SNAPSHOT V3.0 to those found on rival products: • TURBO DOS (actually three systems in one) fast LOAD and SAVE to the 1541, 1571 (in 1541 OR 1571 mode) or 1581 • Full-featured DOS wedge (supports multiple drives) • Preprogrammed function keys . The most advanced machine language monitor available for the 64. Includes all standard commands plus scrolling, bankswitching, IO modify, ability to interrupt a running program, examine it and then SUCCESS-FULLY resume.



SUPER SNAPSHOT V3.0

The best just got better!

"All in all, I think this is the best of the bunch"
- Tim Sickbert, INFO, Jan. '88

"It's memory dumper function is probably the most advanced on the market at this time...overall we were very pleased." - Morton Kevelson, AHOYI, Nov. '87

***... Read SUPER SNAPSHOT's 4 STAR review in INFO magazine (Jan. '88) "B+"... RUN, Dec. '87

- Screen dumper that dumps ALL screens, three different size options, to PRINTER OR to DISK (in KOALA or DOODLE! format) Fast format
 Fast file copier, 1 or 2 drive, supports the 1541, 1571 and 1581 ... any combination Fast disk copier, 1 or 2 drive, supports the 1541, 1571 and 1581 GAME MASTER SCREEN built in sprite killer and EXTENDED LIFE mode (one of the benefits of having a RAM)

 TURBO*25 loads any program.
- TURBO*25 loads any program saved with TURBO*25 at blinding speed (50 K in 5 seconds). Works with any drive. Simple to use... no user intervention required
- Completely WINDOW driven with easy to read screen windows that are available any time, NOT just at power-up • FREE Kracker Jax parameter disk which contains a nibbler and 80 parameters for backing up those programs that can't be done with ANY cartridge. ALL this and more!

SUPER SNAPSHOT's unique design allows updating to new versions when they become available with simple, affordable, plug-in ROMS. No need to ever buy another complete cartridge. And SUPER SNAPSHOT is \$15-\$20 less in price to begin with.

Super Snapshot Slideshow Creator

This is HOT! You know that Super Snapshot can capture a multicolor or hi res display on your screen and save it to disk as a "file." Our new Slideshow Creator lets you display a series of these images, with dynamic options such as fade in and out, shutter on or off and pop on and off, and your choice of 10 different fonts for creating your own custom scrolling captions! We've even included programming to allow you to easily integrate hi res or multicolor screens into your own M/L or BASIC programs with full control! Only \$14.95 U.S., \$19.95 CDN.

ORDER IT WITH SUPER SNAPSHOT V3.0 AND RECEIVE \$5 OFF

RIVAL CLAIMS... FLASHY ADS... WHO'S KIDDING WHO? YOU DECIDE! Both we and our competitor offer a 10 DAY, MONEY-BACK GUARANTEE. So buy them both, try them out and send back the one you don't want. YOU decide who is offering gimmicks and who is offering solid, well designed utilities. But act quickly - we expect our competitor will retract their offer when they see this ad.



DEALER INQUIRIES WELCOME



CHECKS, MONEY ORDERS OR VISA/MASTERCARD/DISCOVER: Mail orders to:
Software Support International, 2700 NE Andresen Road, Vancouver, WA 98661
Phone orders welcome: [206] 695-1393 •Same day shipping. No C.O.D. orders outside U.S.
PLEASE NOTE: Free shipping & handling on all orders. • C.O.D. ADD \$4.00 to total order. • All orders must be paid in U.S. funds.
Washington residents add 7.30% sales tax to order. Orders outside of North America add \$7.50 for shipping.
In Canada, order from: Marshview Software, PO Box 1212, Sackville NB E0A-3C0. Only \$69.95 CDN.

put a small wad of paper at the center of the speaker cone. At low volumes (small amplitudes) the wad of paper moves around a little. At high volumes (large amplitudes) the force exerted by the speaker cone may be enough to bounce the paper wad right out of the speaker.

We may expand our equation above to read:

These three terms refer to the same property of the sounds we will be generating.


The second fundamental property of waves we must understand is *frequency*. Frequency measures how rapidly the waves are vibrating. Hold a pencil upright from the bottom. Lean it to the left then to the right and then back to its upright position. We will consider this to be one cycle of the pencil's vibration. If you completed this motion in exactly one second, the rate of the pencil's vibration was 1 cycle per second.


Repeat the movement of the pencil but go twice as fast. Now the pencil is vibrating at a rate of 2 cycles per second. We say that the *frequency* of the pencil's vibration is 2 cycles per second or 2 Hertz. Hertz is a unit of frequency meaning "cycles per second." Typically the abbreviation of Hertz (Hz) is used in writing. In this case the pencil's frequency is 2 Hz.

Now cause the pencil to oscillate as rapidly as you can. What is the highest frequency you can obtain? Some crude timings with a stopwatch showed me that 5 Hz is about the fastest I can vibrate the pencil. Hummingbirds can vibrate their wings roughly ten times that fast, or 50 Hz.

Our brain cannot perceive any vibrations of our ear mechanisms occurring at frequencies less than 20 Hz or so. For that reason we cannot hear the waves in the air generated by the pencil's movement, but we can hear the waves produced by the hummingbird's wings. Appropriately enough, we perceive the hummingbird's sound as a low-pitched hum. (So maybe that is why hummingbirds hum!)

Mosquitoes move their wings more rapidly ("with a greater frequency") than a hummingbird does. The sound from a mosquito is a higher pitch than that from a humming-





bird. The vibration of the mosquito's wings is heard as a high-pitched whine. These ideas lead to one more important relationship:

Air vibrations at frequencies less than 20 Hz are called subsonic ("below sound"). Human ears can hear sounds with frequencies as high as 20,000 Hz or 20 kilohertz (20 kHz). Air vibrations at higher frequencies are called supersonic or ultrasonic. (Subsonic and supersonic *frequencies* here are not to be confused with subsonic and supersonic *speeds* of aircraft. Sound waves travel through air at a speed of roughly 740 miles per hour. "Supersonic speed" refers to objects which are moving faster than 740 miles per hour. Supersonic frequencies refer to waves which have a higher rate of vibration than our ears can detect.)

SEEING THE SOUND

It is useful to represent sound waves graphically. The graph in Figure 1 shows the two fundamental characteristics of a typical wave, its frequency and its amplitude. The horizontal axis of the graph is time. The vertical axis is amplitude. Think of this graph as a record of the loudspeaker cone's distance from its rest position as a function of time.

At the left side of the graph, the speaker cone was at its rest position. Then it started moving outward, shown by the plus sign. After a few moments it reached its maximum amplitude, and then it moved back to its starting position. It didn't stop there, however. It continued moving through the rest position until it reached its maximum distance in the negative direction.


This graph shows two complete cycles of the speaker's vibration. If it had completed these two cycles in one second, it would have a frequency of 2 Hz. If the graph actually represented only 25 milliseconds of time (0.025 s), the actual frequency of the wave could be found this way:

The wave is shown as a sinusoid curve (a "sine wave"). This represents the simplest and most fundamental type of oscillation. We will see later that every type of sound, no matter how complex, can be represented in terms of sine waves of various frequencies and amplitudes.

The program Looking at Sound (see page 82) is a brief tutorial on the nature of sound waves. The program runs on the C-128 only. It presents graphically and audibly the concepts we shall now discuss. You should reset the computer (RUN STOP/RESTORE) before running the program.

Our earlier discussions identified volume and frequency as the two most fundamental characteristics of sound phenomena. Pressing "V" in *Looking at Sound* shows graphs for a small amplitude (soft) sound, a medium amplitude sound, and a large amplitude (loud) sound, all at the same frequency. Look at the screen dump in Figure 2. Think of the graph as showing a slow motion representation of the speaker cone's movement from its initial rest position. You can tell from the graphs that the frequencies of the three waves are the same, since they all complete three cycles in the same amount of time.


When you press "F" you will see the graphs shown in Figure 3. Both waves have the same amplitude but different frequencies. The 40 Hz wave completes one cycle in 25 milliseconds while the 120 Hz wave completes three cycles in the same time (3 cycles / 0.025 ms = 120 Hz).



QUALITY OF SOUND

In addition to loudness and pitch, sound has a characteristic called "quality" or "timbre." A saxophone and a trumpet may both play the same musical note with the same loudness, yet the two notes are distinguishably different. The quality of sound depends upon its harmonic content. Let's discuss this concept of harmonic content.

A sine wave is a simple waveform. A square wave is a complex waveform. The sine wave consists of a single frequency or harmonic. A square wave is made up of infinitely many frequencies, all added together. A square wave is very rich in harmonics. This may sound contrary to common sense, especially to people who work in the digital domain. After all, what could be simpler than switching a speaker




on and off with a square wave signal?

Indeed generating a square wave digitally is much easier than generating a sine wave, but consider what the speaker must go through to respond to such a signal. Initially it is at its resting position. At the next instant it is supposed to jump to its maximum distance in one direction and stay there. Some time later, it must instantaneously jump backwards to the maximum distance in the other direction.

It is impossible for a physical object to oscillate with a square wave motion. Why? Because it always takes some time to get the object moving from its rest position. Once it has reached the maximum distance, it takes some time for it to slow down and stop there. Square wave motion allows *no* time for the transitions from one position to another. At best, a physical object can only approximate square wave motion.

Sinusoidal motion (movement following a sine wave graph) is the natural motion of freely vibrating physical objects. Look at the graph of the sine wave in Figure 1. The movement which the speaker cone must exhibit is very smooth. It has some time to reach its maximum distance.



NOW'S THE BEST TIME TO CONNECT YOUR COMMODORE COMPUTER TO A SEIKOSHA PRINTER.

Because we're offering a \$20 SEIKOSHA Utility Disk for only \$7.95!

If you've got a Commodore® C-64 or C-128™ in your home or office, SEIKOSHA's got good news for you. We make three outstanding, easy-to-use printers that are Commodore-compatible: the SP-180VC...the SP-1000VC...and the SP-1200VC.

And starting January 1st, we're offering you a SEIKOSHA Utility Disk, valued at \$20.00, for only \$7.95 with the purchase of any of our Commodore-compatible printers. This floppy disk offers a half-dozen software programs, including: Disk Label Maker, Letterhead Maker and Calendar Maker.

All Commodore-compatible SEIKOSHA printers offer outstanding value, reliability, perfor-

mance and price. And each one comes with a connecting cable, so you don't have to buy one. OUTSTANDING SERVICE AND SUPPORT.
Our operating philosophy accepts nothing less than the finest product technology can produce. We support that product with personal touch service of equally high professional standards, including:

- The best warranties in the business
- · A National Hotline number
- 150 Authorized SEIKOSHA Service Centers in the United States and Canada
 IT'S TIME YOU CONNECTED WITH COMMODORE-COMPATIBLE SEIKOSHA PRINTERS... AND GOT A SEIKOSHA UTILITY DISK FOR ONLY \$7.95!

For more information, see your local SEIKOSHA dealer or call 1-800-422-7768 or 1-201-529-4655.



SP Series (clockwise from bottom) SP-1200VC, SP-180VC, SP-1000VC.

We're Seikosha America Inc., established in 1985 to be the North American marketing arm for SEIKOSHA-branded printers. Two decades ago, we began to design and manufacture high quality printers for Original Equipment Manufacturers (OEM)... our name unknown by users like you. But our tradition of making quality technological products goes back nearly a hundred years. (We're the world's leading manufacturer of precision timepieces including SEIKO. Pulsar and Lorus). Today, our goal is to be first among printers with a name you can recognize and trust.

Seikosha America Inc.

Technology with the Human Touch

© Copyright 1987, Seikosha America Inc. 1111 Macarthur Blvd., Mahwah, NJ 07430 Registered trademark: Commodore—Commodore Electronics Ltd.

Reader Service No. 108

NOW IT'S TIME SOME REAL FUN!

GRAPHIC LABEL WIZARD This is the final step in the evolution of graphic

This is the final step in the evolution of graphic labeling utilities. The Graphic Label Wizard can use Print Shop, Printmaster, and Software Solutions graphics!

This program achieves the perfect balance of power and flexibility. You can print a graphic and up to 8 lines of text on a standard mailing label. And you can print those 8 lines in any combination of styles that your printer supports! Print just one label—or all the labels from your data disks. Print catalog pages displaying 28 disk graphics on a single page. And our exclusive hi-res display feature allows you to load and preview on screen up to four different graphics simultaneously!

The Graphic Label Wizard works with both Commodore printers and Epson-compatible printers. And we even include 50 exciting new graphics free, just to get you started! If you're going to use a graphic labeling utility, you may as well use the best—order yours today!

FOR THE C64/C128 (IN 64 MODE) AND 1541/ 1571/1581 DRIVES. UNPROTECTED (EASILY TRANSFERRED TO 1581 DISKS) —ONLY \$24.95.

GRAPHIC ART DISKS

Let's face it: you can be a bright, talented, creative person—and still not be able to draw a straight line with a ruler. Well, we can help.

We've created an exciting new series of clip art disks. Each disk is a library of 100 outstanding graphics. Each graphic is stored on the disk in both Print Shop (Side A) and Printmaster graphic formats!

Disk 1 Variety Pack	Disk 5 Americana
Disk 2 Christmas	Disk 6 Variety Pack
Disk 3 Variety Pack	Disk 7Sports
Disk 4 Animals	Disk 8 Holidays

You can use these superb images in your signs, cards, banners, invitations, flyers, or whatever else you have in mind. These graphics are also perfect for use with the dynamic Graphics Label Wizard program! So order yours today—great art was never so affordable!

FOR THE C64/C128 (IN 64 MODE) AND 1541/

1571/1581 DRIVES. UNPROTECTED (EASILY TRANSFERRED TO 1581 DISKS)

-ONLY \$14.95 EACH.

SYSRES ENHANCED

This is the program that will change the way you think about BASIC. SYSRES resides in memory, out of the way. It's the ultimate BASIC enhancement system for Commodore computers. It adds over 25 major commands to BASIC. It also incorporates an extended SUPER Dos-wedge, reducing even the most complex command sequences to a few simple keystrokes. It even allows you to scroll forward and backward through your BASIC programs.

SYSRES has long been the program of choice among professionals working BASIC. It lets you create powerful macros. It allows you to edit text files and assembler source code without leaving BASIC. SYSRES can find and change any variable, phrase, or keyword anywhere in your program, with over 700 search variations available. It allows yo to do a partial RENUMBER. It can list RASIC programs, sequential files, and even relative files without loading them into memory. You can even debug using a variable speed TRACE. Yet all this doesn't even scratch the surface of what this remarkable tool is capable And while SYSRES is addictive to programmers, it isn't addictive to the programs themselves—no run-time library is needed for SYSRES created programs!

We've enhanced SYSRES itself. We've also unprotected it, dropped \$60.00 off the original price, and included over 100 pages of detailed documentation in a professional, high quality 3 ring binder. Face it: you've just run out of excuses not to own the very best! Order yours today!

FOR THE C64/C128 (IN 64 MODE) AND 1541/1571/1581 DRIVES. UNPROTECTED (EASILY TRANSFERRED TO 1581 DISKS)—ONLY \$39.95.

C128 HELPER

We're going to give you two very good reasons to buy this remarkable programming acheivement. Reason One: The C128 Helper is an exciting new type of software—a program that allows you, the user, to easily create your own customized, menu-driven information systems! These disk based systems operate from BASIC, and appear at the touch of the HELP key. You can create your own memo pads, appointment calendars, electronic helpers for other programs, and anything else your imagination can come up with!

Reason Two: To show you just how powerful this application can be, we've included an amazing example—a complete electronic reference manual for the C128's powerful BASIC 7.0! Select a specific command, and a full screen of detailed into and examples appear. One key dumps a hardcopy to your printer, another puts you right back in BASIC 7.0, exactly where you left off!

FOR THE C64/C128 (IN 64 MODE) AND 1541/ 1571/1581 DRIVES. UNPROTECTED 5.25" VER-SION (1541/1571 DRIVES)—ONLY \$24.95. UNPROTECTED 3.5" VERSION (NEW 1581 DRIVE)—ONLY \$32.45.

SUPERCAT

Using a disk catalog system takes an investment of time and money—so why not use the very best system available? Supercat packs more power and features than any other disk library utility on the market! Supercat can catalog up to 640 disks with 5000 titles per catalog—or twice as many with two drives! It lets you load, save, edit, change, delete, and update your catalog entries.

While Supercat can print an impressive variety of lists and reports, it also incorporates advanced search and display capabilities that are perfect for the user without access to a printer. Armed with machine language routines and extensive menus and help screens, Supercat is lightning-fast, yet easy to use. And Ahoy magazine called Supercat "... a very powerful and versatile program." Find out why Supercat is considered the most advanced disk catalog system available—order yours today!

FOR THE C64/C128 (IN 64 MODE) AND 1541/ 1571 DRIVES. COPY PROTECTED (FREE BACKUP INCLUDED) —ONLY \$24,98

Your computer is only as good as the software you use—so don't play around with second-rate software. When you're ready for some serious fun, you're ready for us!

Special Bonus to Dec.-Jan.-Feb. buyers: ON-LINE HELP PROGRAM free with each order.

COMPUTER MART

PLEASE NOTE: Free shipping and handling on all orders. C.O.D. add \$4.00 to total. All orders must be paid in U.S. funds. Washington residents add 7.3% sales tax to order. Orders outside of North America add \$4.00 per item, SYSRESTM add \$7.50.

CHECKS, MONEY ORDER OR VISA/MC/DISCOVER CARD
Mail your order to: Computer Mart
2700 NE Andresen Road

Vancouver, WA 98661 Phone orders welcome: 206/695-1393

Same day shipping/NO C.O.D. orders outside U.S.



Reader Service No. 102

Once it is close to the maximum distance, it takes its time slowing down. Then it gradually starts speeding up as it begins moving in the other direction.

Go back and analyze the motion of the pencil you vibrated earlier. When you vibrate it rapidly, the motion is smooth and continuous, not jerky and instantaneous. In fact you will find it very difficult to make the pencil follow square wave motion. At the extremes of its journey when you try to stop it, it vibrates slightly rather than stopping instantly.

Hopefully this discussion makes it somewhat more believable that sinusoidal motion is simple and natural. When you generate a sound with a sinusoidal waveform, the sound is pure, smooth, and flutelike. A square wave sounds richer, raspier, and in some sense fuller. The sound qualities of the two waveforms are different. We will see in a future article how to create a square wave by adding sine waves of different frequencies together. We will also see how it is possible to filter out many different sine waves from a square wave and end up with a single sine wave.

Since the square wave is composed of many frequencies, we say that the square wave is "rich in harmonics." "Harmonic" is a fancy name for a multiple of some fundamental frequency. Consider a 50 Hz sine wave. A note which is one octave higher has a frequency of 100 Hz. If we add the two sine waves together, we end up with a somewhat lumpy waveform. We say that the waveform is composed of a fundamental frequency (50 Hz) and its second harmonic (100 Hz). The relative amplitudes and their occurrence in time with respect to each other also affect the resulting shape of the waveform and the sound we hear.

The Commodore sound generator produces three "musical" waveforms in addition to a "noise" waveform. The musical waveforms are called the Triangle Wave, the Sawtooth Wave, and the Square Wave or Variable Pulse.

If you press "Q" in the Looking at Sound tutorial, you will see shapes of these three waveforms superimposed upon the fundamental frequency sine wave. You can see in Figure 4 that the three waveforms have the same basic frequency as the sine wave. They all complete one cycle in the same amount of time.

You can also see in the program and in the figure that, of the three, the triangle wave is the closest approximation to the basic sine wave. In fact, in the program you can hear that the triangle wave sounds rather smooth compared to the harsher-sounding sawtooth and square waves. All three waveforms contain harmonics besides the fundamental, but the harmonics in the triangle wave are not as pronounced as in the other waveforms.

Besides selecting one of three basic waveforms, it is possible to specify the pulse width of the square wave. Press "P" in the *Looking at Sound* program or look at Figure 5.

A true square wave is equally divided. The speaker cone spends as much time in the positive direction as it does in the negative direction. By varying the pulse width, it is possible to change the relative amounts of harmonics in the square wave, thereby changing its sound quality.

Figure 5 shows two cycles of the fundamental frequency and of the corresponding square wave with a very large pulse width value. The maximum pulse width value for BASIC 7.0 is 4095. A pulse width of 4050 as shown in the figure

means that the speaker cone spends 4050/4095ths (99 percent) of its time in the positive direction. It very briefly "bounces" in the opposite direction before returning. The sound produced by this waveform is very thin and tinny, just as the graph might imply.

If you run the program, notice that when the pulse width is 2050 (approximately 50 percent), the sound is much more rounded and flutelike than the other pulse widths. With that pulse width, it is most similar to the underlying sine wave.

You may also notice that a pulse width of 550 (13 percent) sounds the same as 3550 (87 percent). The only dif-

SOUND CHARACTERISTICS AFFECTED BY BASIC COMMANDS

	Characteristics Affected				
COMMAND	Base Frequency	Frequency Range	Volume	Quality	Duration or Repetition
I. SOUND 1) Voice			1		
2) Frequency	X		91918		
3) Duration	0.000	Real Property	1	B. IN	X
4) Step Dir.			13/250	X	
5) Min. Freq.		X	N. Contract		
6) Step Size	17 18			X	
7) Waveform			X	X	
8) Pulse Width			X	Х	X
II. PLAY 1) Voice					
2) Octave	X	X			
3) Envelope			X	X	-
4) Volume			X		
5) Filter		X	X	X	75.30
6) Notes	X				X
III. ENVELOPE 1) Number			х	х	
2) Attack			X	X	
3) Decay			Х	X	
4) Sustain	0.30		Х	X	1 2 1
5) Release		- 70	X	Х	
6) Waveform	130.00		Х	X	
7) Pulse Width			X	Х	
IV. FILTER 1) Cutoff Freq.		х	х	х	
2) Low Pass		X	X	X	- Court
3) Band Pass		X	X	X	THE REAL PROPERTY.
4) High Pass		X	X	X	
5) Resonance	NAME OF TAXABLE PARTY.	X	X	X	
VI. TEMPO 1) Speed					х
V. VOL 1) Volume			x		

SUMMARY OF BASIC SOUND COMMANDS

I. SOUND voice, frequency #, duration, step dir., min. freq., step size, waveform, pulse width

1) voice: 1 2 3

2) frequency #: 0...65535; (freq. #=Hz * 16.4; also see PRG p. 367)

3) duration: 0...32767; (duration=60 * number of seconds)

*4) step direction: 0=up, 1=down, 2=up & down [default=0)

*5) minimum freq.: 0...32767; (value=Hz * 16.4) [default=0]

*6) step size: 0...32767; (value=Hz * 16.4) [default=0]

7) waveform: 0=triangle, 1=sawtooth, 2=square wave/pulse, 3=noise [default=2]

8) pulse width: 0...4095 [default=2048, square save] (used only with waveform=2)

*used for sweeping through a range of frequencies between the base frequency (item 2) and the minimum frequency (item 5).

NOTE: PLAY, FILTER, and VOL affect SOUND. To enable FILTER for voice 1, use PLAY"V1 X1" before the SOUND command. Use V2 or V3 for other SOUND voices.

II. PLAY "voice, octave, envelope, volume, filter, notes"

1) voice: V1 V2 V3

2) octave: O0=low...O6=high

3) envelope: T0...T9 (uses parameters given by ENVELOPE command)

4) volume: U0=silent...U15=loud (overrides the VOL command)

5) filter: X0=off, X1=on (uses filter defined by FILTER command)

6) notes: # (sharp), \$ (flat); S (1/16), I (1/4), Q (1/4), H (1/2), W (whole); (dotted); A...G (pitch); M (end of measure); R (rest)

III. ENVELOPE number, attack, decay, sustain, release, waveform, pulse width

1) number: 0=piano 1=accordion 2=calliope 3=drum 4=flute 5=guitar 6=harpsichord 7=organ 8=trumpet 9=xylophone

*2) attack: 0...15 (times are from 2 ms to 8 s; see PRG p. 362)

*3) decay: 0...15 (times are from 6 ms to 24 s; see PRG p. 362)

*4) sustain: 0...15 (0=decay to 0 amplitude, 8=decay to ½ amplitude, 15=stay at full amplitude reached during the attack)

*5) release: 0...15 (times are from 6 ms to 24 s; see PRG p. 362)

*6) waveform: 0=triangle, 1=sawtooth, 2=square wave/pulse, 3=noise, 4=ring modulation

*7) pulse width: 0...4095 (used with waveform=2)

*default values set by Envelope number (item 1); see PRG p. 337

Note: ENVELOPE does not affect SOUND command.

IV. FILTER cutoff frequency, lowpass, bandpass, highpass, resonance

1) cutoff frequency: 0...2047 (30 to 12,000 Hz)

2) lowpass: 0=off, 1=on

3) bandpass: 0=off, 1=on

4) highpass: 0=off, 1=on

5) resonance: 0...15 (smoothest...sharpest cutoff

Note: enabled or disabled by PLAY "X1" or "X0" command.

V. TEMPO speed

1) speed: 0...255 (speed=4.805 * (# of quarter notes per second))

Note: TEMPO affects only PLAY command.

VI. VOL volume

1) volume: 0...15 (softest...loudest)

Note: VOL can be overridden by PLAY "U" command.

General Notes: Underlined parameters are required. Others are optional. PRG refers to C-128 Programmer's Reference Guide.

ference is that the speaker cone is in the positive direction 87% of the time in one case, and negative 87% of the time in the other.

CREATING SOUNDS

Now we have covered the fundamental properties of wave motion and sound. Being able to picture the various waveforms and wave characteristics will make it easier to figure out how to create the types of sounds we want. BASIC 7.0 on the Commodore 128 provides plenty of commands for specifying sound parameters. At first glance, it seems that there are too many commands and parameters to comprehend.

Most of my confusion about the sound commands was in not knowing which ones affected which others. There are only six BASIC commands: SOUND, PLAY, ENVELOPE, FILTER, TEMPO, and VOL. It was not clear from the documentation whether FILTER affects SOUND (it can) or whether SOUND is influenced by ENVELOPE (it is not). Experimentation showed that SOUND is affected by the PLAY, FILTER, and VOL commands, but only under certain sets of circumstances.

In order to reduce my confusion, I created the chart "Sound Characteristics Affected by BASIC Commands" as an overview of the effects of each command and every parameter. The chart lists five characteristics of sound across the top. It lists all commands and parameters down the left side. The chart shows an "X" beside each command parameter in the appropriate column(s) which are affected by that parameter.

Some of the information in the chart is subjective. For example, the minimum frequency parameter of the SOUND command does have an effect on the quality of the sound, but that is not its main function. The pulse width value should only change the quality of the sound, but as we have seen (or heard), the volume of the sound changes significantly as well.

We have not yet mentioned "voices." The Commodore sound generator has three voices. Think of these as three separate instruments in the band. We may independently specify the full range of parameters for each of the three voices. There are no X's beside either of the voice parameters. The voice parameter is simply an index number. We use the other sound parameters to define three different instruments, voice 1, voice 2, and voice 3.

A second chart, "Summary of BASIC Sound Commands," is even more useful in sorting through the various sound parameters.

Continued on page 61

115 Nassau St. NY., NY. 10038 Beekman & Ann Sts.(212)732-4500 Open Mon-Fri, 8:30-6:30/ Sun, 9:30-5:30 Sat Closed

Penn. Station, Amtrack Level Beneath Madison Sg. Garden,NY.,NY. 10001 (212)594-7140 Open Mon-Wed, 8:30-8/7 & Fri,8:30-9/Sat & Sun, 10-7 Thurs

FOR ORDERS AND INFORMATION CALL TOLL FREE OPEN 7 DAYS EVERY WEEK FOR ORDERS

1(800)345—7058

FAX NO. 212-564-1497 TELEX.422-132

IN NEW YORK STATE CALL (212)732-4500 FOR CUSTOMER SERVICE CALL (718)965-8686 MON FRI 9AM 4PM



\$219.95 NEW C-128/D With \$439 Built-in Disk Drive



CE 1571 DISK DRIVE \$209.95 CE 1581 DISK DRIVE \$189.95

CE 1541/C DISK DRIVE

\$149.95



AMIGA 500 w/2002 \$769 AMIGA 500 w/2002/1010 \$979

commodore

AMIGA PERIPHERALS

A-501 512K EXPANSION A-1010 3.5" FLOPPY DRIVE A-1020T 5.25" DISK DRIVE with TRANSFORMER A-2002 RGB COLOR MONITOR A-1300 GENLOCK

1680 MODEM
THESE AND OTHER
PERIPHERALS IN STOCK
WE WILL BEAT ANY PRICE!

AMIGA 2000 IN STOCK! CALL

commodore



ORDERS

CARD

CREDIT

FOR

RCHARGE

SU

0

ž

CE SAC PACKAGE

COMMODORE C-64C COMPUTER COMMODORE 1541/C DISK DRIVE COMMODORE COLOR PRINTER COLOR MONITOR GEOS SOFTWARE PROGRAM

\$499



CE SAC COMPLETE

COMMODORE C-64/C COMPUTER COMMODORE 1541 DISK DRIVE COMMODORE COLOR PRINTER 12* MONITOR GEOS SOFTWARE PROGRAM

\$369

COLOR MONITOR ADD \$110

COMMODORE 128 COMPUTER COMMODORE 1541 DISK DRIVE 12" MONITOR COMMODORE COLOR PRINTER \$469 TO SUBSTITUTE 1571 FOR

C= 128 COMPLETE

commodore



C 128 PACKAGE

OMMODORE 128 COMPUTER OMMODORE 1571 DISK DRIVE OMMODORE 1902 COLOR MONITOR OMMODORE 1515 80 COLUMN PRINTER

\$699

SANYO



● 640K RAM ● Two 360K Drives ● High Resolution Monitor • Brother 80 Column Printer • Parallel & Serial Ports Package of 10 Diskettes • Keyboard

\$669

W/360K & 20MB HARD DRIVE

***869**





• 512K RAM Computer • Keyboard • 360K Floppy Drive • 4.7-7.16 MHz. • 12* Monitor • 8088-2 Processor

\$799

Same Package with \$1049 20MB Hard Drive

Capple PACKAGES IMAGEWRITER II PRINTER

500 Apple IIC or IIE Computer • 5.25" Drive • 12" Monitor • All Hook—up Cables and Adaptors Package of 10 Diskettes

APPLE IIC PACKAGE \$579

\$459

APPLE IIE

Apple IIGS Computer • 3.5" Drive • Apple RGB Color Monitor • Pckg of 10 Diskettes • All Cables \$1379

commodore



#1700 128K

#1750 512K

C64/C64-C

#1764

\$519 Same Package with \$769

COMMODORE PC-10/2 640k COMPUTER W/2 360k DRIVES \$61

EXPANSION MODULE.....\$99.95

EXPANSION MODULE.....\$169.95

EXPANSION MODULE......\$119.95

#1670AUTOMODEM\$129.95

XETECJR. INTERFACE......\$34.95 XETEC SR. INTERFACE.....\$54.95

C-128 POWER SUPPLY......\$39.95

POWER SUPPLY.....\$29.95

COMPUTER PRINTERS

commodore



1101 DAISY WHEEL PRINTER \$159



\$279.00 NX-10.....\$149.95 NX-10C...\$169.95 NX-15....\$289.95 NB-2410..\$399.95 NB-2415..\$539.95 OKIDATA

OKIDATA-120.. \$199.95 OKIMATE-20w/PLUG'N'PRINT..\$189.95 OKIDATA-180. ..\$219.95

commodore



\$214.95

CE 1802 COLOR \$169.95

CE 2002 COLOR

THOMPSON RGB COLOR MONITOR

\$289.95

PERIPHERALS

CE RGB COLOR

\$229.95

1351 MOUSE \$39.95

20MB HARD DRIVES FOR C-128...\$849

MICONS O WISA NO SURCHARGE FOR CREDIT CARD ORDERS



Art Gallery Disk Sale


Selected Art Gallery images are available on disk. Multicolor images are supplied in Koala format, while high-resolution images are in DOODLE! format. Included are a slide show for easy viewing, along with a bit map dump for your 1525 printer or properly interfaced equivalent. A sample Art Gallery disk with slide show and printer dumps is \$10; or send a stamped and self-addressed envelope (business size) for a listing of available Art Gallery collection disks. Prices shown are for US and Canada. All others add \$3 per disk. New York State residents please add appropriate sales taxes. Disks may be ordered from Morton Kevelson, P.O. Box 290260, Homecrest Station, Brooklyn, NY 11229-0005.

Contribute to Ahoy!'s Art Gallery

The Ahoy! Art Gallery offers the opportunity for fame and fortune to any and all aspiring Commodore artists. Simply send Morton (see address above) your work on disk, indicating the drawing package or file format of the images. Inclusion of a self-addressed post card will guarantee an immediate response. All graphics produced on the C-64/C-128, Plus/4, and Amiga computers are eligible. If your image is published, you will receive a free one-year subscription to Ahoy! If you are already a subscriber, your subscription will be extended by one year.

Note that the Art Gallery is not a contest. Published pictures are selected in an arbitrary and capricious fashion by the Ahoy! Art Director based solely on the artistic merit of the individual images.







You're holding a priceless artifact in your hands! After all, art historians will someday treasure the computer-generated graphics of today as relics of an age. But the disk files of these images are not likely to remain intact for centuries. All that will remain is hard copy — like these monthly Art Galler spreads. So save your Ahoy!'s...you'll make a killing in a few hundred years!

Long Ago and not so far away — directly to the left—is a CADPIC image by Gerald Abear (Las Cruces, NM). Above, ain View, CA) gives us *The G* ured up on *Sorcerer's Apprentice.* Filling tracing page are two *Deluxe Paint*ed Ami ges: *Night Visit* by Glenn S. Adkins (Palm ich, FL) and *So Real Landscape* by Kiernan Holland (Roanoke, TX).





PAPERBOY Mindscape Commodore 64 Disk; \$34.95

Paperboy is the long-anticipated Commodore 64 translation of the Atari coin-op cult classic in which the player guides a bicycle-riding entrepreneur through paperboy hell. The delivery route is all suburban serenity on the surface—"Leave It To Beaver" driveways, basketball hoops bolted to the garage. But beneath this innocent-looking exterior lurks a gauntlet of paperboy perils—darting cats, kids on tricycles, rolling tires—plus everyday obstacles like traffic, curbs, and sewer gratings.


The player guides his surrogate paperboy via five simple joystick commands—speed up, slow down, turn left, turn right, and throw paper—along the delivery route. The objectives are similarly straightforward: make deliveries to the yellow houses (subscribers), break the windows on the non-subscriber domiciles (you are apparently delivering newspapers for the Mafia), and avoid the obstacles. But be careful not to miss any of the subscribers' homes—this paper's readers are an unforgiving lot and will not hesitate to cancel delivery after even a single miss.

There are obstacles everywhere: little kids practicing for the demolition derby circuit, frenzied animals obsessed by the idea of doing a kamikaze under your wheels, and motorcycle gang outcasts so disagreeable they not only linger at the crosswalks in hopes of running down anything smaller than themselves but will actually turn around the come back for a little gratuitous vehicular homicide. From the petty to the potentially lethal, this neighborhood is crawling with such traps and snares, and the paperboy's only defense is avoidance.

Paperboy is broken down into days. At the end of each successful work period (that is, if the player survives), the player gets an opportunity to hone his skills at a practice course. These bonus rounds let the player pick up extra points by hitting the targets that line the street. At the conclusion of this run, point totals are displayed on a summary screen.



Paperboy: hell on twenty inch wheels. READER SERVICE NO. 289



Defender of the Crown for the 64 offers a more fully developed strategic level than its Amiga predecessor.

READER SERVICE NO. 290

ENTERTAINMENT

SOFTWARE SECTION

The graphics are nice enough, but don't approach the vibrant visuals of the coin-op original. Paperboy uses an unusual perspective in which the player moves along a vertically scrolling playfield, seen from a realistic threequarter perspective-like a cinematic traveling crane shot in which the elevated camera is positioned about ten feet behind the player surrogate. This viewpoint is faithfully reproduced, but the background graphics have a pale, somewhat flat look which gives the game a humdrum appearance. Moreover, this entire package has a rushed feel to it. The only documentation is a double-sided card containing loading instructions, a control diagram, and two quick paragraphs on playing the game. When the newspaper page appears at the end of an unsuccessful game, it features nonsense filler copy rather than an actual story commenting on the player's failure.

Needless to say, the coin-op's famous handlebar controller is also missing, but the bike responds nicely to joystick commands.

Paperboy for the C-64 is still an entertaining game, but arcade partisans may be disappointed.

Mindscape, Inc., 3444 Dundee Rd., Northbrook, IL 60062 (phone: 312-480-7667).

-Bill Kunkel and Joyce Worley

DEFENDER OF THE CROWN CinemaWare/Mindscape Commodore 64 Disk; \$34.95

Kellyn Beeck's brilliant Defender of the Crown made its debut for the Amiga last year and reaped universal praise. At the time, cynics doubted that owners of the Commodore 64 and 128 would ever get to enjoy this arcade strategy game loosely based on Sir Walter Scott's "Ivanhoe."

Well, those skeptics reckoned without the resourcefulness of CinemaWare.

GET THE KNOW-HOW TO REPAIR EVERY COMPUTER ON THIS PAGE.

Learn the Basics the NRI Way—and Earn Good Money Troubleshooting Any Brand of Computer

The biggest growth in jobs between now and 1995, according to Department of Labor estimates, will occur in the computer service and repair business, where demand for trained technicians will actually *double*.

You can cash in on this opportunity—either as a full-time corporate technician or an independent service-person—once you've learned all the basics of computers the NRI way. NRI's practical combination of "reason-why" theory and "hands-on" building skills starts you with the fundamentals of electronics, then guides you through advanced electronic circuitry and on into computer electronics. You also learn to program in BASIC and machine language, the essential languages for troubleshooting and repair.

Total Computer Systems Training, Only From NRI

No computer stands alone . . . it's part of a total system. To really service and repair computers, you have to understand computer systems. And only NRI includes a complete computer system as part of your training.

You start with the step-by-step assembly of the highly rated, IBM PC compatible Sanyo 550 Series computer. You install and troubleshoot the "intelligent" keyboard. Then you assemble the power supply, install the disk drive and extra memory to give you a powerful 256K RAM system.

Finally, you interface the highresolution monitor and dot-matrix printer and begin to use the \$1,000 worth of software that's included. You're learning about, working with, and troubleshooting an entire computer system—monitor, keyboard, computer, disk drive, power supply, and printer—all the essentials you'll meet every day as a professional computer service technician.

No Experience Needed, NRI Builds It In

Practical, hands-on experience that

IBM is a Registered Trademark of International Business Machine Corporation.

Epson is a Registered Trademark of Epson America, Inc. Apple and the Apple logo are Registered Trademarks of Computer, vinc.

Compago is a registered Trademark of COMPAQ Computer Corporation,

© 1985 TATE

Technologies, Inc.

Tomas

Tomas

personal NRI instructor and the NRI technical staff, ready to help you when you need it. You get it all from NR!!

100-Page Free Catalog Tells More

Send the coupon today for NRI's big 100-page color catalog on NRI's electronics training, which gives you all the facts about NRI courses in Microcomputers,

Robotics, Data
Communications,
TV/Audio/Video
Servicing, and other
growing high-tech
career fields. If the
coupon is missing,
write to NRI Schools,
3939 Wisconsin Ave.,
Washington, D.C. 20016.

AND MORE.

gives you the skills you need for success. You learn in your own home. No class-room pressures, no night school, no need to quit your present job until you're ready to make your move.

Your training is backed up by your



cludes the

*IBM PC compatible Sanyo computer with memory
expansion to 256K RAM * high-resolution monitor

* double-density/double-sided disk drive * "intelligent"
keyboard * dot-matrix printer with near-letter-quality
mode * NRI Discovery Lab* to teach circuit design and
operations * digital multimeter * logic probe * spread
sheet * word processing software—and more.

SEND COUPON TODAY FOR FREE NRI CATALOG!

3939 Wisconsin Avenue, NW, Washington, DC 20016	City/State/Zip Accre	edited by the National Home Study Co	puncil 202-028
Sade Part Part	Street		HI TO THE BOOK OF THE PARTY OF
3939 Wisconsin Avenue, NW, Washington, DC 20016	Name (Please print)		Age
approved under GI Bill	We'll give you tomorrow. CHECK ONE FREE CATALOG ONLY Computer Electronics with Microcomputers TV/Audio/Video Servicing Satellite Electronics Robotics & Industrial Controls	gton, DC 20016	Appliance Servicing Small Engine Repair Air Conditioning, Heating, & Refrigeration Locksmithing & Electronic Security Building Construction

Their talented design team has not only brought *Defender of the Crown* to the C-64 game screen, but it has actually improved on the original design!

The player assumes the role of one of four Saxon nobles. Each character has a different blend of leadership, dueling, and jousting abilities.

As one of the six great lords vying for control of the country, the computerist attends tournaments, raids neighboring castles, rescues fair ladies, commands the army, and generally works toward the reunification of battle-ravaged England.

The legendary Robin Hood and his merry band, patriots all, are willing to help the player achieve the goal, but their limited power must be used judiciously. Robin can only lend a hand twice during the whole game, so a wise strategist reserves this option for moments of dire need.

Impossible as it seems, the C-64 version has a more fully developed strategic level with a greater number of variable elements than the Amiga version. Dozens of little improvements, easy to overlook individually, combine to make this the best-playing version of the game available today.

The designers have revised and enhanced just about every phase of *Defender of the Crown*. For example, each province now contributes a specific number of vassals and amount of taxes to the lord who occupies it. This gives the player a lot more to ponder before purchasing a campaign army and sending it out to unify Britain under the Saxons by force of arms. The would-be conqueror must choose among provinces which may be important geographically and those who can provide either men to fight or the money to buy catapults and castles.

Defender of the Crown, despite the intriguing background, depends primarily on its arcade games. The designers have upgraded the mini-games tremendously.

In the joust, the player not only aims the lance at the exact center of the opponent's shield, but must now press the button to thrust the weapon at the instant of impact to unseat the rival mounted knight. The old play-mechanic required a lot less skill and, for that reason, was less challenging.

The siege system is also better on the

C-64 than the Amiga. The attacking force now has a choice of ammunition for the catapult. Depending on the situation, the costly but powerful weapon can throw Greek fire, disease bombs, or boulders.

The Amiga siege is merely a race against time to knock down a wall by hitting it with rocks. The C-64 version lets the attacker choose between trying to destroy the defensive power the fortress contributes to the province in which it is located or reducing the defending garrison.

While it is too much to expect the audiovisual effects to be as good as on the Amiga, few other Commodore games rival the sights and sounds of *Defender of the Crown*. Programmers have learned some new tricks while adapting products created for the Amiga to the C-64. The musical score sounds beautiful, and some of the full-screen illustrations will make jaded Commodore owners rub their eyes in disbelief.

CinemaWare has made an outstanding game even better and, in the process, has created a classic. It is indisputably a landmark in the history of C-64 entertainment software.

Mindscape, Inc., 3444 Dundee Rd., Northbrook, IL 60062 (phone: 312-480-7667). —Arnie Katz


CHUCK YEAGER'S ADVANCED FLIGHT TRAINER Electronic Arts Commodore 64

Commodore 64 Disk; \$34.95

Saddle 'em up, barnstormers, there's finally a new flight simulator that's worth getting excited about. Ned Lerner and General Chuck Yeager's Advanced Flight Trainer produces a realistic simulation with plenty of user options and first rate graphics.

AFT fields a selection of 14 different aircraft, including a trio of "Experimental" planes. There's a single four cyl. engine Cessna 172 Skyhawk and a Piper Cherokee; a Douglas X-3 Stiletto with two turbojet engines; a Bell X-1, another rocket plane; an F-16 Fighting Falcon and the F-18 Hornet; Lockheed's SR-71, a supersonic reconnaissance jet; a P-51 Mustang (the best fighter of WWII); and the British Spitfire. There's even a Sopwith Camel for all the Snoopy and/or Red Baron fans.

SOFTWARE SECTION



Chuck Yeager offers onscreen advice. READER SERVICE NO. 292

The Experimental aircraft are an XPG-12 Samurai (described by Yeager as a "test pilot's fantasy"); the Hilleman Ltd. XRH-4 MadDog ("a test pilot's nightmare"); and Lerner Aeronautics XNL-16 Instigator ("...never built, and after flying it you know why.").

Once the user chooses his wings, he selects among the flight options: Intro Flight (Demo), Test Flight, Airplane Racing, Formation Flying, and Flight Instruction.

In the Test Flight mode, the user can take out any of the 14 aircraft for any period of time. The objective for the Commodorian test pilot is to discover the capabilities and limitations of that vehicle.

Airplane Racing is exciting stuff, with five courses, each of which calls for a specific aircraft over a customized gate layout. (The Slalom is flown in the Avion Spad while the 2MileBox course tests the Spitfire.)

Formation Flying lets users try the fancy stuff, the stunt flying or "aero-batics" barnstormers have loved since the earliest days of flight.

AFT uses the joystick as its primary device to control ailerons and rudder, augmented by a series of keyboard commands controlling the speed and the views. In addition to the traditional views (tower, cockpit, belly, rear, chase plane), AFT adds a "Satellite" overview. There's also a zoom function, plus an instant replay command for checking out one's aerobatic perfor-

Brush Prairie, Washington 98606 12305 N.E. 152nd Street

Orders taken 24 hrs. a day; seven days a week.

If you wish to place your order by phone, shipping & handling; \$2.00 for COD on all orders. Visa, M/C accepted. please call 206-254-6530. Add \$3.00 Dealer Inquiries Invited.

WORLD'S BIGGEST PROVIDER OF C64/128 UTILITIES

We are looking for HACKER STUFF: print utilities, Software Submissions Invited

We now have over 1,000 parameters in stock!

parameters, telecommunications, and the unusual.

SUPER PARAMETERS 500 PAK

At a time when many programmers are cutting back on writing parameters. we are going full steam! After getting several requests for parameters on many "oldles but goodies" WE DID JUST THAT! ANOTHER 1st: 500 DIFFERENT PARAMETERS all in one pack. And these parameters are not on \$49.95 any of our regular 100 paks. This FANTASTIC 5-DISK SET is a value of over \$100 for less than 1/2.

YOU GET 100 OF THE BEST PARAMETERS, ANYWHERE. Professionally SUPER PARAMETERS 100 PAKS: 1 thru 4 *

done, easy to use, reliable, fast and full of performance. This package can

all major software publishers for the C64/128. remove all protection. Includes titles from

These are the early releases for your convenience until we have enough for SUPER PARAMETERS 10 PAKS: 1 thru 40 *

\$4.95@

ALL PARAMETERS ARE TOP QUALITY-NO FILLER OR JUNK

****** PARAMETERS CONSTRUCTION SET The company that has THE MOST PARAMETERS is about to COMPARE and WRITE PARAMETERS FOR YOU; it will also do something UNBELIEVABLE. We are giving you more of our secrets. Using this VERY EASY program, it will not only READ, as your friends. The "PARAMETER CONSTRUCTION SET" is like nothing you've ever seen. In fact you can even READ CUSTOMIZE the disk with your name. It will impress you as well PARAMETERS that you may have already written; then by using your construction set rewrite it with your new CUSTOMIZED

MENU. DON'T WAIT for months for that one \$34.95

****** REMEMBER FOLKS, YOU SAW IT HERE FIRST!

C-64 and C-128 THE #1 SELLING CARTRIDGE IN EUROPE! After reviewing all utilities of this type. THE FINAL CARTRIDGE III

CARTRIDGE is just that: THE LAST CARTRIDGE THAT YOU WILL EVER NEED. EXTENSIVE programming utilities for both beginner and the hardcore programmer shot by a dealer. It is our opinion that they only printed the few items they felt were in its favor (NOT ACCURATELY) and failed to list all THE FAR SUPERIOR FEATURES including: Icepick, Capture, and super snap shot, we determined that THE FINAL alike. The most impressive utility for MEMORY-TO-DISK BACKUP that we have ever seen. We were able to copy almost every program we tried with just the PRESS OF THE BUTTON. Now, you may have seen a comparison of FINAL CARTRIDGE to super snap OF THE FINAL CARTRIDGE. Come on guys, let's be fair. To get a much better UNBIASED OPINION, see great reviews of FINAL CARTRIDGE in:

RUN: Sept. 87, pg. 78-80: "A conventional review doesn't do The Final Cartridge GAZ: July 87, pg. 44: "I can't begin to think of a cartridge which does so many useful justice—fun at this price is a raritu

AHOY: Nov. 87, pg. 63: "Overall :ve were quite pleased." INFO: Aug. 87, pg. 33: "!!A super hacker's cartridge!!"

READ THEM, THEN YOU DECIDE! ONLY \$54.95

SIMILAR PRODUCTS MAY APPEAR ELSEWHERE LATER; JUST REMEMBER YOU SAW THEM HERE FIRSTII

SUPER NIBBLERS COMBO! *

for those who need a really super nibbler copier, for those hard to and it works well with both C64 or C128. This package includes both backup programs, we give you the *ULTIMATE COPY PROGRAM * a Super Fast File copier and 100 parameters.

ONLY \$24.95

SUPER PARAMETERS—GEOS PAK

This #1 seller will standardize your GEOS series utilities to work with anyone else's GEOS. Parameters are included for these: FONTPACK GEOFILE. THE ORIGINAL STANDARDIZER for just \$9.95 1. DESKPACK 1. WRITERS WORKSHOP, GEODEX &

THE 128 SUPERCHIP (Another first!)

There is an empty socket inside your 128 just waiting for our SUPER CHIP to give you 32k worth of great BUILT-IN UTILITIES, all at just the TOUCH OF A FINGER. You get built-in features, FILE COPIER, NIBBLER, TRACK & SECTOR EDITOR, SCREEN DUMP, and even a 300/1200 baud TERMINAL PROGRAM that's 1650, 1670 and Hayes compatible. Best of all, it doesn't use up any memory. To use, simply touch a function key, and it responds to your command. All this for \$29.95

ALSO INCLUDES 100 parameters—FREE!

ADULT GAME & GRAPHICS DATA DISKS

GAME: A very unusual game to be played by a very OPEN MINDED adult. It includes a CASINO and HOUSE OF ILL REPUTE. Please, you MUST BE 18 to order EITHER ONE. DATA * : This POPULAR disk works with PRINT SHOP and PRINT MASTER. \$24.95 ea.

DIGITAL SOLUTIONST V-MAX, RAPID LOCK

\$3.95

SECURITY KEYS: lost your dongle?

(For golf or bowling games)

SUPER SPECIALS—PRICED TO MOVE

64 MODEM prg.: w/wargames auto dialer 64 MODEM prg.: w/wargames auto dialer 65 N-CODER & D-CODER: together for only 67 GRAPHIC LABEL MAKER: the original 67 PLOYPILER: for the famous BLITZ! 67 PLOTO COPY: reviewed in RUN magazine 67 PLOTO COPY: make your MSD hum 67 PLOTO COPY: make your MSD hum 68 Parameter Kruncher 69 PLOTO COPY: make your MSD hum 69 Ploto COPY: make your MSD hum 69 Ploto COPY: make yours model to a faulty power supply. 69 Don't wait; replace yours now!! 61 CLOSE-OUT OF KRACKEN-JAX 64/1128 RESET BOARDS 63 PLOSE-OUT OF KRACKEN-JAX 64/1128 RESET BOARDS 64 PLOSE-OUT OF KRACKEN-JAX 64/1128 RESET BOARDS 64 PLOTO COPE-OUT OF TAX 64/1128 RESET BOARDS	6.4
	ı
64 RRS: for 1 or 2 drives	۶
04 DDS: 101 1 01 2 UIIVES	
	1
	•
a the later of the	
	:
	ļ
	,
	:
	¢
	ì
Country of the countr	
	•
	į
	Ė
	ì
	¢
	•
	֡
	ŧ
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	!
More overage to the same and the same and the same	
The state of the s	
The same of the sa	
The state of the s	
The state of the s	
The second secon	
The state of the s	
COUNTY OF THE PARTY OF THE PART	
	!
	١
	(

C-64 and C-128 BURST ROM CHIPS

Lets your C-64 run in "BURST MODE" when using a 1571 or 1581 disk drive. Loads 100 blks in 6 sec. (1571) and 4 sec. (1581). Features: fast directory, SEQ. and REL. file access and built-in DOS WEDGE. Simple installation Kernal ROM U4 must be socketed. C-128 version has same features as above. For use in 64 mode.

C-64 \$ 29.95

CALL or WRITE FOR FREE CATALOG.

AN IBM and ST VERSION IS ALSO AVAILABLE



Reader Service No. 298

OR BUY BOTH FOR ONLY \$49.95

Re-ink ANY FABRIC RIBBON automatically for LESS THAN 5 CENTS with

MAC INKER



Over 11,000 cartridges and spools supported!

MAC INKER IMAGEWRITER I AND II

\$42.00 UNIVERSAL (cartridge or spool) MULTICOLOR IMAGEWRITER \$68.50 MULTICOLOR ADAPTER ONLY \$40.00 Shipping (first unit)

- Lubricated DM INK EXTENDS PRINT-HEAD LIFE! Black, blue, brown, red, green, yellow, purple, orange - 2 oz. bottle \$3.00; pint \$18.50. Gold, silver, indelible and OCR nks available. Heat transfer MacInkers and ink available plus a complete range of accessories for special applications
- Top quality, GUARANTEED, double density ribbon cartridges and reloads available.
- DEDICATED MACINKERS AVAILABLE OR EXTRA LARGE OR SPECIAL CARTRIDGES.

MERCURY MODEM

\$149.00

Shipping \$4.00



*100% Hayes™ compatible! ■ 24 month warranty. Status lights. Speaker. ■ 300/1200 baud. ■ Call progress detection.

Quick Link communications software \$29.95 MS DOS and Macintosh

\$15.00 with modem \$15.00

*Haves is a trademark of Haves Microproducts

A BUFFER AND A DATA SWITCH! PROTEUS



The "Siamese" Buffer \$199.00 64K \$299.00 256K \$10.00 Cable

shipping \$4.00

- Proteus directs two printers (working simultaneously) and frees your computer for other applications.
- Now you can merge a form letter with your mailing list, set up one printer with letterhead, the other with envelopes, press "START" and **RELAX** while

PROTEUS DOES IT ALL-ALL AT ONCE!

■ Compact. ■ 2 parallel ports. ■ Multiple copy capability. ■ "Flexible Capacity" buffer

1986 "Best Buy of the Year" Award! - Computer

SPECIAL OFFER: For orders of \$100.00 or more. Tell us in which magazine you saw this ad and get a free keychain, beeper, and flashlight combined! A \$15.00 value!

ORDER TOLL-FREE 1-800-547-3303

In Oregon (503) 626-2291 (24 hour line) We are and always will be your

CEmputer riends ®

4250 N.W. Science Park Drive Portland, OR 97229, Telex 4949559 Dealer Inquiries Welcome.

mance during Formation Flying.

The visuals do not include the geographic and man-made attractions found in Flight Simulator II. Instead, AFT is set in a scenically uncomplicated test area. Happily, there's a compensation for fliers, since the simplicity of the graphics allow for greater detail in their visual presentation.

This quality program comes with a command sheet in addition to its detailed, well-written documentation. Especially welcome are the comments by Gen. Yeager, which add an earthy realism to the proceedings.

Advanced Flight Trainer has just about everything but a combat modea combat trainer, according to publisher Electronic Arts, will be turning up on software shelves before very long.

Chuck Yeager's Advanced Flight Trainer is the most entertaining product of its type since Flight Simulator II (SubLOGIC). It's highly recommended for would-be hotdogs, Sunday afternoon flyers, and computerists with "The Right Stuff."

Electronic Arts, 1820 Gateway Dr., San Mateo, CA 94404 (phone: 415-571--Bill Kunkel 7171).

SUB BATTLE SIMULATOR Epyx Commodore 64

Disk; \$39.95


It's hard to get excited about a submarine simulator in light of the many fine programs of that type already in the marketplace. Digital Illusions' Sub Battle Simulator, however, is such an impressive package it will bring even veteran U-Boat commanders to the surface for a look-see.

Sub Battle Simulator, a circa World War II submarine simulation, has three play modes: target practice, single mission, and wartime command (the entire war). The program includes 60 different missions, 24 American and 36 German. The submarines are limited to the territories they actually patrolled, so while German subs traffic mainly in the North Atlantic, the American undersea ships can engage the Germans or the Japanese. The instruction booklet cites the accuracy of the American missions but admits to greater latitude with the German runs, as all their records were destroyed at the end of the war.

One especially nice feature is "Time

ENTERTAINMENT SOFTWARE SECTION

Features practice, wartime command, & single mission modes. READER SERVICE NO. 291







Compression," which allows subs to travel great distances without a corresponding delay in "real" time. The save/ restore command is also a welcome option for gamers who don't complete their goals in one play session.

The main screen consists of gauges (view, heading, speed, depth) set in a vertical strip at the left side of the screen, control commands (for deck guns, torpedo launch, dive, run silent, etc.), a Crew Speech Display (where crew members respond to commands and report on damage and hits), and a View Display Window. The VDW shows the scene through a periscope, through binoculars, and from the tower, sonar display, radar screen, map display, side display (a silhouette rendering of the immediate area), and status readout.

The graphics are quite sharp and the multitude of views permits total visual, sonar, and radar access to enemy ships (which are also depicted in the excellent and thorough documentation).

Sub Battle Simulator is a state of the art combat simulator that is comparable-and in some cases, superior-to any other submarine program ever developed for the Commodore.

Epyx, P.O. Box 8020, Redwood City, CA 94063 (phone: 415-366-0606).

-Bill Kunkel and Arnie Katz

ML RANGER

Object Code Relocator for the C-64

By John Fedor

t happens occasionally. Your machine language program exceeds the area of its original memory location. Your assembler doesn't allow for a relocation of the program. What can be done? One of three things. One, painstakingly relocate all the JMP, JSR, and other commands based inside your program. Or two, decide that it's hopeless and trash the program and all your effort. Or third, use *ML Ranger*.

With this program, you can easily relocate an ML program or routine to a new location in a matter of seconds. Just enter the program using Flankspeed (see page 81), save it to disk, enter SYS 49152, and answer three simple questions: where is the start of your program/routine, where does it end, and where would you like it to be relocated to? If ML Ranger is in the way of your program, relocate ML Ranger to another part of memory. It is extremely fast and efficient. It takes care of all absolute addressing inside the program's parameters. This includes JMP, JSR, LDA, STA, ORA, AND, and other commands. There is, however, one thing that is not picked up. This is indirect addressing of any sort. For example, if you create a raster interrupt, the values would have to be adjusted manually. But this happens perhaps once within a program, if at all.

Addresses are entered in hexadecimal format, with the starting address first and the ending address last.

This program is simple but very useful. You should add it to your software library just in case you run across such a situation. It is an invaluable utility, since you can save many an hour of manually transferring a program.

SEE PROGRAM LISTING ON PAGE 84



DISK MAGAZINE

The money-saving subscription rates for Ahoy! magazine and the Ahoy! program disk are now even lower!

If you subscribe to the *Ahoy! Disk Magazine* – magazine and disk packaged together – you'll receive the two at substantial savings over the individual subscription prices!

YEARLY SINGLE ISSUE PRICE (12 ISSUES)

SEPARATE SUBSCRIPTION PRICE (12 ISSUES)

Magazine: \$ 35.40 Disk: \$107.40 TOTAL: \$142.80 Magazine: \$ 23.00 Disk: \$ 79.95 TOTAL: \$102.95



Use the postpaid card bound between pages 66 and 67 of this magazine to subscribe. (Canadian and foreign prices are higher.)

The Ahoy! Disk Magazine is also available at Waldenbooks and B. Dalton's bookstores, as well as other fine software outlets.

A Powerful Wordprocessor

for the Commodore 128°



From the author of Fontmaster II comes Fontmaster 128, an enhanced version for the Commodore 128. This powerful word processor with its many different print styles (fonts), turns your dot matrix printer into a more effectual tool. Term papers, newsletters, and foreign languages are just a few of its many applications.

- * Program disk with no protection uses hardware key
- * Supplement disk includes foreign language fonts
- * 56 Fonts ready to use
- * Font editor/creator included
- * On screen Font preview
- * 80 column only
- * Supports more than 110 printers
- * Includes a 102,000 word Spell Checker

Commodore 128 is a registered trademark of Commodore Business Machines, Inc.

ACTO Inc. 2804 Arnold Rd. Salina, Ks. 67401 (913) 827-0685



BRAND NEW AMIGA 500 only \$135

or NEW C128D w/built-in drive only \$19 with trade-in of C128 Computer, 1571 Disk Drive, 1902 Monitor, 1200 Modem.

We buy/sell/trade Commodore, IBM compatible, Atari hardware - software - accessories.

We also carry new and used equipment for Commodore, IBM compatibles, and Atari —
everything from VIC20, C64, Atari 400/800, ST, to the Amiga 2000!

We want to trade for YOUR EQUIPMENT!

If your equipment is not mentioned, then call us now for an instant quote. We also pay cash for used equipment and accessories. CALL for an instant price quote on your equipment. Nothing is too old or obsolete! We also pay cash for damaged equipment!

	NEW EQUIPMENT	
	Commodore 64C	
64C CPU w/GEOS \$165	1351 Mouse \$39	1764k RAM \$129
1581 3-1/2" Drive \$199	1802C Color Mon \$189 Commodore C128	1541C Drive \$169
128D w/built-in drive . \$489	1571 Drive \$219 Amiga	1700 128k FIAM \$ 99
A500 CPU \$589	A501 512k RAM \$169	A1010 3-1/2" drive \$219
A2002 RGB Mon \$299	A2088D Bridgecard \$599 PRINTERS	Full Line!!!!
Star NX-10C \$189	Sar NP-10 \$149 MODEMS	Xetec JR Intfc \$ 39
Avatex 1200 \$ 85	Avatex 2400hc \$189	SmartLink 2400hc \$189
Avatex 1200hc \$ 99	Prac.Per.2400hc\$199	Aprolek Intfc \$ 36
4.77/10 Mhz Phoenix BIOS, Printer/Modem/Game ports, *Add \$89 for mono	mono Hercules & Color (CG/ More than 3x as fast as the IBN Clock/calendar, AT Style keybo chrome monitor, add \$269 for	M XT, 640 K Ram, 360K drive, pard and case. Only \$619* RGB Color monitor
	be 30MB w/cont \$369, 20 MB v POWER SUPPLIES	
·	able power supply only \$39, C1 miga 500 replacement only \$90 USED PRICES	9.
	C128 CPU \$199	
	Mono Monitor \$ 39	
MPS 801 Printer \$ 72	Datacassette \$ 19	Software & books!!!

Quantities of USED products vary. Call before ordering. All used products are guaranteed to be in good working condition. All references to trade-ins in our ad assume equipment to be in good working condition. CALL to place your order and for price quotes on your equipment. Prices are subject to change without notice. SHIPPING/HANDLING: Charges based on actual weight of order. Call for shipping and handling.

2017 13th St., Suite A
Boulder, CO 80302

Computer Repeats, Inc.

MAIL-ORDER DIVISION

VOICE: (303) 939-8144 MODEM (303) 939-8174

MASTERCARD/VISA/CHOICE/C.O.D

128 SMART MERGE

By Shawn K. Smith

s a computer programmer, I find myself using the same routines time and time again. And to avoid retyping the routines over and over, I store them on disk and combine them together as needed. This way I save typing and debugging time.

But combining programs on the Commodore 128 is not as easy as on more expensive computers with commands available for this purpose. There are two methods of combining programs on the 128: appending and merging. But both these methods are deficient in one area: intelligence! With appenders, if the first line of the program being appended is not greater than the last line of the program it's being appended to, the line numbers will be out of sequence and the program won't function correctly. With merges, you don't have that problem; but you do have to worry when one program has line numbers identical to those of the program it's being merged with, in which case the program becomes unrecognizable, unpredictable, and unusable.

Of course, I would not have mentioned this dilemma if 128 Smart Merge did not eliminate it. 128 Smart Merge is a short, 256 byte machine language utility in the form of a BASIC loader. The ML is contained within the data statements and is POKEd into RAM when the program is run. (Before running the program for the first time, save a copy to disk.) By default the ML code will be stored in free RAM starting at 5120/\$1400, but you are given a chance to enter an alternate starting address. 128 Smart Merge is relocatable on even-page boundaries. That is, the address you choose must be evenly divisible by 256. You can use decimal or hexadecimal numbers when entering an address. Hex numbers should be preceded by a dollar sign (\$). For example, 2816 and \$B00 are both acceptable.

Since 128 Smart Merge is kept separate from BASIC when it's run, you can load and run it before you begin your programming session. And when you are ready to combine a program (module, routine, etc.) with the program in memory, SYS to the starting address of the utility. A filename is requested. The file should be in drive 0, device 8. The line numbers of the file on disk do not matter. 128 Smart Merge scans the program in memory, determines the last line number, loads the file from disk, renumbers the file using increments of ten from the last line in the original program, and merges the two together. An error such as a GOTO referencing a non-existing line will cause 128 Smart Merge to abort the merge, leaving your original program untouched.

128 Smart Merge was designed to live peacefully with BASIC and other utilities which may be sharing space in the computer. For instance, two vectors on page three (IMAIN, IERROR) are changed and restored to their original values before 128 Smart Merge returns complete control back to BASIC. Undesirable results may ensue, however, if the RUN STOP key is pressed while the program being merged is loaded from disk.

I believe 128 Smart Merge is as intelligent a program combiner as your Commodore 128 system will ever need. Should you think differently, I'm interested in hearing about it. □

SEE PROGRAM LISTING ON PAGE 98

SUPER 81 UTILITIES

Super 81 Utilities is a complete utilities package for the 1581 disk drive and C128 computer. Among the many Super 81 Utilities features are:

Copy whole disks from 1541 or 1571 format to 1581

partitions
Copy 1541 or 1571 files to 1581 disks

Copy 1581 files to 1571 disks

Backup 1581 disks or files with 1 or 2 1581's

 1581 Disk Editor, Drive Monitor, RAM Writer
 Supplied on both 3½" and 5¼" diskettes so that it will load on either the 1571 or 1581 drive

 Perform many CP/M and MS-DOS utility functions Perform numerous DOS functions such as rename a disk, rename a file, scratch or unscratch files, lock or unlock files, create auto-boot and much more!

Super 81 Utilities uses an option window to display all choices available at any given time. A full featured disk utilities system for the 1581 for only \$39.95

SECURITIES ANAYLSYST-128

Securities Analyst-128 displays text information in 80 column mode while simultaneously displaying charts and graphs in 40 column mode. Stock data may be saved on disk or printed on a dot matrix or 1520 Printer/Plotter. Among the many types of charts which may be prepared are weekly performance, moving average, accumulation/distribution, trailing stops, point and figure. Analysis includes P/E ratios, co-efficient of variability, beta factor and more. Use the investment tool of the prest Only \$49.95. the investment tool of the pros! Only \$49.95.

SUPER DISK UTILITIES

The ultimate utilities disk for the 1571 disk drive and C128 computer. Copy whole disks (with 1 or 2 drives), change disk format (without affecting data), perform CBM, DOS, CP/M, and MS-DOS utility functions, contains disk editor, drive monitor, RAM Writer and more for only \$39.95.

GALACTIC FRONTIER

Exciting space exploration game for the C64. Search for life forms among the 200 billion stars in our galaxy. Scientifically accurate. Awesome graphics! For the serious student of astronomy or the casual explorer who wants to boldly go where no man has gone before. Only \$29.95.

MONDAY MORNING MANAGER

Statistics-based baseball game. Includes 64 all-time great major league teams. Realistic strategy. Great sound & graphics! Apple II systems - \$44.95, C-64 & Atari systems - \$39.95.

OUTPOST

Arcade action for the C64. Defend your outpost from enemy lasers, sweepers and shield bombs. \$19.95.

THE GREAT WAR

WWI strategy game for the C128 in 128 mode & 1571 drive. Armies of 17 countries on hi-res maps of 1914 Europe. Weather, terrain, combat effectiveness, mobility and your strategy determine the outcome. \$29.95.

SPIRIT - WRITER

Word processor for the C64. Contains 30,000 word spelling checker. \$24.95.

MR. QUIZZER

Test making program for the C64 or 128. Ideal for teachers or students. \$19.95.


BASICally SIMPLE 64

Tutorial program on C64 Basic 2.0. \$14.95.

BASICALLY SIMPLE 128

Tutorial program on C128 Basic 7.0. \$19.95

"...excellent, efficient program that can help you save both money and downtime." Compute!'s Gazette, Dec., 1987



1541/1571 Drive Alignment

1541/1571 Drive Alignment reports the alignment condition of the disk drive as you perform adjustments. On screen help is available while the program is running. Includes features for speed adjustment and stop adjustment. Complete instruction manual on aligning both 1541 and 1571 drives. Even includes instructions on how to load alignment program when nothing else will load! Works on the C64, SX64, C128 in either 64 or 128 mode, 1541, 1571 in either 1541 or 1571 mode! Autoboots to all modes. Second drive fully supported. Program disk, calibration disk and instruction manual. Only \$34.95

THE COMMUNICATOR

Fastest, easiest, most efficient, feature-packed terminal program available for the C64! Terminal emulation includes VT52, Tektronix-4010 & more. Supports Commodore & Hayes compatible modems. \$39.95.

SUPER DISK LIBRARIAN

Disk Cataloger for the C128 in 128 mode. \$29.95

SUPER 64 LIBRARIAN

Disk cataloger for the C64. \$29.95

ENVELOPE ADDRESSER

Address one or a dozen envelopes in a jiffy with the C64! \$9.95

MONEY SPIN

Computerized version of TV's most popular word puzzle show. C64, Apple II, Atari \$14.95

FUN BIORHYTHMS

Print personalized biorhythms with your C64 & printer. \$9.95

FLAGS OF THE WORLD

Hi-res color pictures of flags of 180 nations on the C64. View on monitor or print on color printer or C1525 compatible. \$9.95

MUSIC DISKS

Each contains approx. 1 hr. of music plus text and/or graphics for the C64.

Christmas Classics \$9.95 Gospel Greats \$9.95 English & Scottish Songs I & II \$9.95 ea. both \$17.95 Best of Scott Joplin I & II \$9.95 ea. both \$17.95

Order with check, money order, VISA, MasterCard, COD. Free Shipping & Handling on U.S, Canadian, APO, FPO orders. COD & foriegn orders add \$4.00. Order from:

Free Spirit Software, Inc.

VISA

905 W. Hillgrove, Suite 6 La Grange, IL 60525 (312) 352-7323



"SOMETHING TO BYTE INTO"

			THE RESERVE OF THE PARTY OF THE
ABACUS	MICROPROSE		
Basic 128 \$38.95	Conflict in Vietnam 24.95	ACCESSORIES	ACCOLADE
Basic 64	Crusade in Europe 24.95	Infocom Invisiclues \$ 6.00ea	Dambusters
Cadpak 128	F-15 Strike Eagle	AICP Disks (12) 7.95	Fight Night 18.95
Chartpak 128	Silent Service 21.95	Disk Notcher 5.95	Hard Ball
Chartpak 64	Top Gunner 18.95	Disk Storage Case (70) 8.95	Law of the West 18.95
Cobol 64	SPRINGBOARD	Drive Cleaner	PSI 5 Trading Comp 18.95
Cobol 128 37.95	Certificate Maker \$29.95	Flexidraw Light Pen 74.95 Messenger Modem 35.95	Kill Until Dead
Speed Term	Clip Art I	WICO Boss Joystick 11.50	Deceptor
Super C Compiler 64/128 38.95 Super Pascal	Clin Art II 24.95	WICO Bat Handle	Comics
BRODERBUND	Clin Art III 24.95	Joystick 15.50	The Beautiful County of the Property of the County of the
	Newsroom	WICO Three Way	ACTIVISION
Where in the USA is Carmen Dandiago \$25.95	Graphic Expander	Joystick 18.95	Aliens \$21.95
Where in the World		Xetek Graphic Interface 54.95 Xetek Graphic Jr 34.95	Alter Ego 29.95
is Carmen Sandiago 21.95	ACCESS	Xelek diapilic di 54.55	Cross Country Road Race 19.95 Gamemaker Bundle
P/S Library 1-2-3 ea 15.95	Leader Board	NEW NEW NEW	Hacker II
Print Shop	L.B. Tournament Disk 14.95	Rad Warrior 15.95	Labyrinth 21.95
Print Shop Companion 21.95	Mach 128	Revs + 15.95	Murder on the Mississippi 21.95
Toy Shop	10th Frame	Sanxion	Music Studio 21.95
P/S Holiday Library 15.95	Triple Pack 14.95	Silicon Dreams	Rocky Horrow Show 18.95
MICROLEAGUE	World Class Leader Board 25.95	Street Sport Basketball 24.95	Shanghai 21.95
Box Score/Stat Compiler \$16.95		Sub Battle	Tass Times in Tonetown 21.95 Titanic
General Manager Disk 24.95	HOT SELLERS	Top Fuel Eliminator	Transformers 21.95
Micro League Baseball 24.95 Team Disks	California Games \$24.95	4th & Inches 18.95	
	Defender of the Crown 21.95	ELA	EPYX
RIBBON	Family Feud	America's Cup\$22.95	Fast Load \$23.95
(Min. 6 per order)	Ghosts-n-Goblins 19.95	Artic Fox	World Karate Championship 18.95
Axiom Elite 5 LCD\$ 5.95	Jeopardy	Auto Duel	World's Greatest
Brother 15, 25, 35, 5.95	Pirates	Bard's Tale 24.95	Baseball
Commodore 1525 6.95	Phantasie III 24.95	Bard's Tale II	Super Cycle
Commodore 1526	Rush-n-Attack &	Chessmaster 2000 26.95	World Games 24.95
Epson 185 6.95 Epson 85 4.95	Rush-n-Attack & Yie Ar Kung Fu 19.95	Legacy of the Ancients	World's Greatest Football
Epson mx, fx, rx 100 6.95	Star Fleet 1	Marble Madness	Movie Monster
Epson mx, fx, rx 80 4.95	Street Sports Baseball 24.95 Strike Force Cobra 13.95	Mind Mirror 21.95	Championship
Gorilla Banana	Super Star Ice Hockey 24.95	Moebius	Wrestling 24.95
Juki 6000 4.95	Tag Team Wrestling 21.95	Movie Maker 24.95	Destroyer
Juki 6100	Uchi Mata 19.95	Murder Party 29.95	Winter Games 23.95
MPS 801	Wheel of Fortune	Orge	FIREBIRD
MPS 803	X-15 Alpha Mission 19.95	Scrabble	Elite
OKI 182, 192 7.95	DATASOFT	Illtima 1	Colossus Chess-IV 21.95
OKI 82, 92, 83, 93 2.25	Alternate Reality \$24.95	Illtima IV	Music Systems 24.95
SG 10-15	Mind Pursuit 18.95	Ultimate Wizard 22.95	Advance Music Systems 49.95 The Pawn
Panasonic 1081, 1091 8.95	Never Ending Story 18.95	MINDSCAPE	StarGlider 24.95
DATAEAST	Gunslinger 19.95	Bon and Wrestle \$18.95	Tracker
Express Raiders \$22.95	221B Baker St 21.95	Fairlight 18.95	
Commando	NEW NEW NEW	Fist 19.95	331
Karate Champ 21.95 Kung Fu Master 21.95	Air Rally	High Roller 18.95	Battle of Antietam \$29.95 Carrier Force 36.95
Tag Team Wrestling 21.95	Arctic Antics	Indoor Sports 18.95 Infiltrator 18.95	
GAMESTAR	Boulder Dash Cons. Set 15.95 Cholo	Lords of Midnight 17.95	
	Chuck Yeager Flight Trainer . 24.95	BERKELEY SOFTWARE	Wizard's Crown 24.95
Baseball	Dan Dare 15.95		Roadwar 2000 24.95
Football	Delta Patrol	GEOS\$36.95	auni 0010
	Druid 15.95	GEO File	
TIMEWORKS	Gauntlet	GEOS Desk Pack	Flight Sim II\$34.95 Football
Data Manager 128	GEOS 128	Geodex	let 27.95
Data Manager II	Heartland 15.95	Writer Work Shop 31.95	Pure Stat Baseball 34.95
Swift Calc 128 w/Sideways 42.95	Last Ninia		Scenery Disk 1-6 ea 14.95
Swift Calc 64 w/Sideways 29.95	Maniac Mansion 21.95	640.00	Stadium Disk (baseball) 14.95
Word Writer 128 w/Speller 42.95	Mini Putt 18.95	S.B. Sunday Stat Compiler 16.95	11- Parincens 19 05
Word Writer 3 w/Speller 29.95	Paperboy	Team Disk	
Partner 641			

CALL US TOLL FREE Orders 1-800-634-AICP Only

D

Customer Service 718-351-1864 ₹ 10AM to 6PM E.S.T.



P.O. Box 13-1861
Staten Island, N.Y. 10313-0010

Reader Service No. 255

In stock items shipped within 24 hours for prepaid orders (cert. Check, visa, mc) C.O.D. Orders accepted, please add \$4.00, must be cash or cert. check ONLY. NYS residents add 81% sales tax. Advertised prices reflect a 4% discount for cash, credit card add 4%. All orders add \$3.50 shipping and handling withing the Continental U.S. Personal checks allow 2 wk. for clearance Availability and pricing subject to change without notice. Free shipping in Continental U.S. on software orders over \$150.00. DEFECTIVE EXCHANGE ONLY FOR SAME PRODUCT. Restocking fee on unopened no-defective items returned. Returns accepted within 15 days of shipping date only. All returns require Return Authorization numbers. WE DO NOT GUARANTEE COMPATIBILITY.

A MIGA SECTION

C-64 EMULATORS FOR THE AMIGA

Text and Photos by Morton Kevelson

The concept of having one computer mimic another has been around almost from the time the first computer was replaced by a more powerful machine. In fact one of the Amiga's original selling points was its ability to mimic the IBM PC. Although *The Transformer's* mimicry was somewhat limited, it has proved adequate for running certain applications.

The emulation of one computer by another can take many forms. Perhaps the most difficult method, and the one which offers the most limited success, is software emulation. This approach attempts to re-create the hardware and software functions of the emulated computer entirely in the software of the host machine. *The Transformer* took this approach.

At the opposite end of the spectrum is hardware emulation. With this approach nearly the entire hardware and firmware of the emulated computer is physically assembled. The host computer does little more than act as an intelligent terminal and display device

THE 64 EMULATOR ReadySoft Inc. Amiga with 512K Price: \$39.95

The 64 Emulator is provided on a copy protected disk in three possible configurations. It is available as a pure software product, or it may be had with a serial bus adapter cable for the Amiga 1000 or the Amiga 500/2000. The adapter cable is a passive device which connects to the Amiga's parallel port at one end and terminates in a C-64 male serial port connector at the other end. This cable may thus be plugged directly into a 1541 or 1571 disk drive. Serial port printers may be daisy chained off the disk drive in the usual C-64 fashion.

The program disk is inserted at the

for what is virtually an independent machine. This is the approach used by the Sidecar for the Amiga 1000 and by the Bridge Card for the Amiga 2000. In general the hardware emulation is so complete as to include a microprocessor, dedicated RAM, an operating system in ROM, and a completely independent I/O section.

We feel it is significant that the Commodore 64 was chosen by developers other than Commodore as the first machine for emulation by the Amiga. It tells us that a significant number of the eight million or so Commodore 64 owners are expected to move up to the Amiga. In fact we have already received not one but two working C-64 emulators, with a third one rumored to be not far behind. We would have liked to report that these C-64 emulators are a resounding success. Unfortunately it is just not so. However, what we have seen is very encouraging. We expect future releases of these products to substantially improve upon their present performance.

Workbench prompt, upon which it autoboots and takes complete control of the computer. As a result. multitask-

COMF16U	RATION EDITOR
DI	SK DRIVES
Device 8 C64 Device 9 DF0 Device 10 DF0 Device 11 DF1	Serial Cable 8 1541 Emulation Mmiga Standard Mmiga Standard
PS	RIMTERS
Device 4 PAR Device 5 C64	
Monochrome Off Borders ON	ALT Chars OM 1764 RAM OFF
Porti:Paddles	Port2: Joystick
LOAD COMFIG	SAUE COMFIG

RE 64 BASIC V2 ####


Featured This Month: C-64 Emulators for the Amiga The 64 Emulator......53

Both of these products are software emulators with adapter cables to allow the use of C-64 serial bus peripherals such as the 1541 disk drive, serial port printers, or printer interfaces. The lack of any additional hardware precludes the use of C-64 cartridges, cartridge port peripherals, or user port peripherals such as the 1670 modem.

At first glance the C-64 would appear to be a machine which might be easily emulated on the Amiga. After all, the C-64's microprocessor is a piddling eight bit engine running off a clock which plods along at merely one MHz. By comparison the Amiga sports a 16/32 bit engine chugging along at more than seven times the speed of the C-64. Not unexpectedly, first impressions can be deceiving.


The C-64 also contains some fancy support hardware such as a sophisticated graphics display chip with several text and graphics display modes. Add to this the C-64's full-fledged three voice synthesizer on a chip and a complex memory management scheme, and the Amiga finds its work to be cut out for it.

ing is disabled. For C-64 users, the opening screen will have a familiar look to it. The usual light blue blocky



Top left: options currently available with 64 Emulator. Bottom left: the Emulator's easy-on-the-eyes alternate character set. Above: introductory screen.

READER SERVICE NO. 125



HAS EVERYTHING!

SUBSCRIBE TO AHOY! Twelve Issues for \$23.00 (\$30.00 Canada and Elsewhere) Twenty-four Issues for \$44.00 (\$55.00 Canada and Elsewhere) Name Address City Send coupon or facsimile to: ION INTERNATIONAL INC. 45 West 34th Street, Room 407, New York, NY 10001

characters on a dark blue background present the unforgettable two line C-64 message with 38911 bytes free. A third line proclaims this program's true origin. A C-64 reset, such as by an SYS 64738, brings back only the generic C-64 message.

The only really noticeable discrepancy with the C-64's original display is the lack of side borders. The display screen of *The 64 Emulator* is dark blue from edge to edge, while the top and bottom borders still remain. The creators of *The 64 Emulator* felt the lack of side borders was justified in view of the increased operating speed which could be had at their expense. The Amiga's video display hardware makes it difficult, and time consuming, to create a distinctly colored side border.

Although the display looks like a C-64's, a single vestige of the Amiga's multitasking capability remains. The simultaneous depression of the CONTROL and HELP keys immediately brings forth *The 64 Emulator's* Configuration Editor screen. This lets you customize *The 64 Emulator* for the hardware configuration that best suits your needs.

The Configuration Editor supports up to four physical disk drives with a variety of disk formats. To begin with, standard C-64 drives, such as the 1541 configured as device numbers 8 through 11, may be plugged into the serial cable adapter. Within *The 64 Emulator* any logical drive number may be set to any hardware drive number. For example, the C-64's device number 8 may be assigned to a 1541 drive which has been set to a hardware device number 9. This is an interesting concept that may be useful to C-64 users with several disk drives.

On the Amiga side any Amiga disk drive, including hard drives and RAM:, may be selected for use by *The 64 Emulator*. In this case an Amiga drive may be configured to emulate a 1541 or it may be used as a standard Amiga drive. In fact both configurations can exist on a single physical Amiga disk drive.

When emulating a 1541 on an Amiga drive, *The C-64 Emulator* actually creates a single AmigaDOS file with the capacity of a 1541 formatted disk. This file is even organized with the 1541's track and sector configuration, and may be edited with a track and sec-

tor editor. The 1541 emulation file supports all standard 1541 file formats including program, sequential, user, and relative files. Once the 1541 emulation file is created we are still left with over 700 kilobytes of space on an 880K Amiga disk. The remaining space may be used in standard Amiga format.

When using standard Amiga format, all files show up on the C-64 directory listing as types PRG or DIR. The DIR type of course represents an Amiga-DOS directory. If you wish to access the files in an AmigaDOS directory, the Assign command can be used to assign the directory to a C-64 logical device. To utilize the standard Amiga disk format from *The C-64 Emulator* simply SAVE or LOAD files to it just like any other 1541 disk drive. Of course you will have a much greater capacity than a 1541 disk.

The 1541 emulation file is best used for programs which randomly access sectors on the disk. The 64 Emulator's distribution disk is provided with a transfer program which copies an entire 1541 disk into the 1541 emulation file on an AmigaDOS disk. Operation of the transfer program, like all 1541 operations under The 64 Emulator, is slow. It took over 20 minutes to copy an entire disk. In general fast loaders will not work under The 64 Emulator. As a result we felt as if we had gone back three years in the history of the 1541 drive. We used the whole disk duplicate technique to successfully copy and run an Infocom adventure game. When running an Infocom program under The 64 Emulator be sure to answer no to the question regarding the use of a 1541 drive, even if you are using a 1541 disk drive. Incidentally, the 1541 transfer program may be used to copy individual files from a 1541 disk to a standard Amiga disk.

Two printers are supported as C-64 devices 4 and 5. These may be configured to run from the Amiga's serial port or parallel port or from the C-64's serial port. The joystick ports have to be specifically configured for the intended input device due to the differences in the way the Amiga's game ports operate as compared to the C-64. The game port options are joystick, paddles, 1350 mouse, and 1351 mouse. The default game port configuration is for paddles in Port 1. This lets you leave the Amiga's mouse plugged in while

AMIGA

running The 64 Emulator.

The 64 Emulator requires a minimum of 512K to run. However, if your Amiga has at least one megabyte of RAM, 256 kilobytes may be set aside to emulate the 1764 RAM module as well. The remaining settings in the Configuration Editor are primarily cosmetic. An alternate character set, based on a single pixel format, may be chosen. This results in a very crisp display on a 1080 monitor. Finally the screen borders and color may be turned off entirely. The latter results in a green screen display. Turning off color should also result in a speeding up of the operation of The 64 Emulator.

For most applications there will be a noticeable slowing down of the program's operation. According to the manual, some applications will run at full speed while others will slow down from two to five times. We will not dispute these claims.

The Amiga and C-64 keyboards are not identical, which means that some key reassignment was inevitable. Whenever possible The 64 Emulator makes use of the corresponding key symbols on both machines. Thus the quotes symbol, which is a SHIFT-2 on the C-64, becomes a SHIFT-[APOS-TROPHE] on the Amiga. The up arrow, which has its own key on the C-64, is assigned to the caret, which is the SHIFT-6 on the Amiga. The cursor keys are individually assigned on the Amiga. In fact the SHIFT key has no effect on the cursor key assignments. The following table shows the remaining keyboard assignments between the C-64 and the Amiga 1000:

C-64	Amiga
RUN STOP	ESC
RESTORE	DEL
CONTROL	TAB
COMMODORE	Left Amiga
CLR/HOME	F10
INST/DEL	BACK SPACE

In addition, the combination of the CONTROL, Left ALT and HELP keys should reset *The 64 Emulator* to C-64 BASIC when all else fails.

We are sure that the real question on everyone's mind is just how well *The 64 Emulator* works with commercial software. We hate to disappoint you, but it just was not possible to try out every program in our library in time

for this review. In fact, at the standard loading speeds of the 1541 disk drive which we must use with *The C-64 Emulator*, we would probably spend many weeks just booting each program once. We did have the opportunity to take a random sampling and present the results forthwith.

The 64 Emulator's package claims that it will work with Paper Clip. We were unable to verify this with two different versions of Paper Clip, possibly due to a problem in configuring the joystick port to work with Paper Clip's security key. However, we did see Paper Clip running at AmiEXPO. We must assume that this was the unprotected release of the program. We were able to run GEOS version 1.2; however, the program's response was so sluggish as to be practically unusable. On the other hand we were able to get satisfactory results running Easy Script and Super Script, but had no luck with Paperback Writer.

Micromon, the popular public domain machine language monitor, worked without a hitch. We were able to examine the copies of the C-64's BASIC and Kernal ROMs which The 64 Emulator incorporates as part of its program code. We were even able to bank out the BASIC ROM and access the underlying RAM by changing the contents of the 6510 microprocessor's I/O register at location 1.

For the pure joy of it we ran the Swinth sample demo program, which exercises both the bit map graphics and sound facilities of the C-64. The program ran a bit slow but was otherwise its usual impressive self. We gave The Music Studio a shot with no success and QuantumLink version 4.0 balked on the disk load. On the other hand both the high resolution and multicolor bit map graphic programs of The Advanced OCP Art Studio worked a bit slow but otherwise just fine. We next went after some Electronic Arts material in the form of The Bard's Tale, which failed to perform. We thought that Realm of Impossibility was going to make it after a ten minute load, but it locked up part way through the opening screen.

At this point we thought we detected a hint of smoke from our 1541 disk drive and decided to call it quits. Overall we feel that all C-64 BASIC 2.0 programs should work with *The 64*

Emulator. Machine language programs, which do not rely too much on raster interrupts, should function properly. We did notice some evidence of problems with C-64 sprites. For commercial programs we feel that unprotected software as well as standard DOS protection should work. The advanced DOS protection used by some programs, as well as fast loaders, are apt to cause trouble.

The 64 Emulator does incorporate some intelligence in its loading routines. The ability to recognize, load, and run certain packages, such as GEOS, has been included. The custom loader approach seems to be the only way to handle the wide variety of protection and loading schemes which exist for the C-64. We expect that Ready-Soft will add more custom routines to future releases of the program.

ReadySoft Inc., P.O. Box 1222, Lewiston, NY 17092 (phone: 416-731-4175). In Canada: 3520 McNicoll Avenue, Unit 2-238, Scarborough, ONT MIV 2TO.

— Morton Kevelson

GO 64! Software Insight Systems Amiga with 512K Price: \$69.95

We examined three versions of GO 64! in as many weeks before starting this review. We first looked at a prerelease version, followed by a distribution copy which we obtained at Ami-EXPO, and finally a prerelease copy of the first upgrade. Our initial reaction was to hold off reviewing GO 64!, as many of its features were not yet implemented. We decided to go ahead with the review after lengthy discussions with the manufacturer regarding their plans for GO 64!

If you have come to the Amiga from the Commodore 128, the source of the GO 64! monicker will be obvious. It derives from the command used by the C-128 to switch over to C-64 mode. Under the circumstances, we do not think Commodore will object to SIS's use of the look and feel of this command for the title of this product.

The GO 64! package consists of a copy protected disk and the GO 64! interface. It is the latter component which allows the use of Commodore 64 serial port peripherals, in particular the 1541 disk drive, with the Amiga. The GO 64! interface is essential to the op-

eration of the accompanying software. As such it acts as a security key for additional copy protection. We were unable to examine the internals of the GO 64! interface, as they were encased in epoxy. However, an SIS spokesman indicated that the GO 64! interface did contain pull-up resistors on the serial port lines to the five volt supply. The presence of the pull-up resistors should allow the use of serial port peripherals, such as printer interfaces, without the use of a 1541 disk drive in the chain.

The GO 64! interface, which plugs directly into the parallel port, is configured for the Amiga 500 or the Amiga 2000. An adapter cable is required to use the GO 64! interface with the Amiga 1000. The output of the GO 64! interface is to a standard C-64 serial port connector, for which the user must supply the serial port cable.

The program may be booted from its own copy of Workbench or from the user's copy. Simply click upon the GO 64! icon and it takes complete control of the Amiga. Once in GO 64!, the only way out is to reboot the machine. Before starting you have the option to set some of its operational parameters via the GO 64! Preferences. Some of these settings are purely cosmetic, such as the choice of default colors for the screen, border, and text. Incidentally, GO 64! does display the complete border of the C-64's screen. Most of the settings are critical to GO 64!'s performance and as such are deserving of a detailed description.

Perhaps the most noteworthy setting is the selection of the Hyper-Code file. Hyper-Code is SIS's trademark for their custom crafted parameter files. Due to the wide variety of protection schemes, in particular the number of fast load methods currently employed by C-64 software packages, it is impractical to develop an emulation which can accommodate them all. To get around this, SIS will be continuously developing Hyper-Code files to accommodate a variety of C-64 software titles. The new Hyper-Code files, as well as generic program improvements, will be released as a regular series of upgrades. According to an SIS spokesperson, upgrades will be distributed free to all registered users with no time restraints. Simply send in the original program disk and receive an upgrade by return mail. This seems to supersede the upgrade policy as stated in the manual, which requires a \$15 upgrade fee after 30 days.

As of this writing there was a single Hyper-Code file on the distribution disk for GEOS V1.2. This did enable GO 64! to load and run GEOS; however, the program's response to user input was so sluggish as to be virtually unusable. We suspect that the true purpose of the GEOS support was simply to prove that GO 64! could do it.

The current version of GO 64! works best with software which uses the C-64's raster interrupts for timing. The C-64's VIC chip may be set to generate an interrupt which corresponds to any position of the video beam on the display. The alternative timing method, which uses the CIA timers, is not fully implemented in the current version of GO 64! To optimize the speed at which a particular program may run, GO 64! lets you set the raster rate at which interrupts occur to 15, 30, or 60 times per second. For programs which do not use raster interrupts, they may be turned off entirely. For example, with GEOS we found a rate of 30 times per second seemed to work best.

Many of the options on the GO 64! Preferences screen are not yet implemented. As of this time GO 64! does not emulate the C-64's sound capabilities (the SID chip). Only a single 1541 disk drive is currently supported, although the menus show options for up to four drives including the 1541, the Amiga 1010, and the Amiga 1020. Some confusion may result, as the unimplemented functions are not ghosted on the menus. A notepad file on the distribution disk provides the current status of GO 64!'s options.

The supported C-64 game port devices are the joystick, paddles, and light pen, with the default being the joystick. All devices may be active at the same time; however, emulating unused input devices will needlessly slow down the operation of the program.

The current version of GO 64! requires that the Preference settings be saved to disk before they take effect. Since the settings include the current Hyper-Code file selection, this could mean a resave of the Preferences every time you boot up. At best we feel this is a risky procedure for a copy protected disk. Future versions of GO 64!



Top left: introductory screen from GO 64! Top right: GO 64! Preferences screen for customizing the system. Bottom right: cartridge internals have been smothered in epoxy for durability and immunity from prying eyes. READER SERVICE NO. 129

will permit direct implementation of the Preferences settings without first saving them to disk.

Once GO 64! is started there is no way to change the Preferences without rebooting the system. This made it awkward to fully test the program for this review. A typical test required us to reboot the Amiga, change Preferences, save Preferences, restart GO 64!. load the C-64 program, and observe the effect if any. To try another setting we had to reboot via a CONTROL-AMIGA-AMIGA. The GO 64! manual mentioned the LEFT ALT-AMIGA-AMIGA key combination as a way to reset the C-64 emulation; however, this feature was not yet implemented.

Except for the opening message, the C-64 display looks just like the real thing. In deference to copyright concerns, GO 64! does not provide a copy of the C-64's BASIC and Kernal ROMs on the distribution disk. Instead a pair of pseudo ROM files are included on the GO 64! program disk. If you wish, these may be renamed and replaced by actual copies of the C-64's ROMs. The Notepad file contains a brief BASIC program for copying your C-64's ROMs to disk. You then have to transfer the files to the Amiga via modem or some other means. After the ROM files are installed on the GO 64! disk, the C-64 display is exactly like the original, with a slight improvement in terms of compatibility.

The GO 64! keyboard assignment has been kept as close to the C-64's as possible. For example, the quotes are the SHIFT-2 key combination just like on the C-64. This resulted in endless





confusion with keys which were on both the C-64 and the Amiga but in different locations. Keyboard input seemed to be a bit sluggish at times. The most disconcerting thing was the tendency of text to appear in groups or clumps on the video display, lagging behind the actual input on the keyboard. An SIS spokesperson indicated that the cause of these apparent anomalies was GO 64!'s perfect emulation of the C-64's direct keyboard scan for maximum compatibility with programs that use this capability. A future release may include the ability to turn off this option, as well as the screen's borders, to speed up the operation of programs which do not need this capability.

As before we did a cursory run through of several C-64 programs. In general all programs ran slower than on an original C-64. According to SIS the best performance they expect from most C-64 software is on the order of 70 to 85 percent of actual speed. In fact some programs ran so slow that we were able to observe the updating of the bit map display.

With regard to the actual program tests, we were unable to get Micromon to work; however, Jim Butterfield's Supermon and Supermon + seemed to work just fine. The latter even let us bank out the BASIC ROMs and observe the underlying RAM. We got Easy Script to run but failed with Superscript. Infocom games worked just fine as long as we did not accept the 1541 disk drive option. The public domain Disk Doctor program looked good, while Jumpman would not get started. We got the Advanced OCP Art

Studio programs up and running but were unable to access the 1541 disk drive once we were into the program. Our Art Gallery slide show programs worked nicely. Specifically, GO 64! did not exhibit any problems with C-64 sprite emulation. Sprites are done via software in the bit map. According to SIS, up to 64 pseudo sprites may be on the screen at one time.

Software Insight Systems, Inc., 16E International Drive, East Granby, CT 06026 (phone: 203-653-4589).

-Morton Kevelson

Conclusions

While the temptation is strong to indicate one of these products the winner we are not going to do so. We feel that both these products have a way to go. The 64 Emulator clearly has more implemented features at this time; however, we were not impressed with the overall compatibility of either program with the vast library of existing C-64 software. We strongly feel that it will be the long term support of these products by their manufacturers which will determine their success. In fact we predict that what you will actually get about three months from now will bear only a passing resemblance to the products we looked at for these reviews.

Victimized by Compulsive Gambling?

Today, over 5 million Americans suffer with the addiction of compulsive gambling. Spending house payments in trying to win back losses... borrowing from friends, relatives and employers, even stealing. This disease destroys marriages, careers...entire lives.

Now there's help, hope and a tomorrow for these millions. And, helpful suggestions for those friends and family members close to the gambler who are also suffering, personally or business-wise. A growing dilemma? Yes! Is HELP AWAILABLE? Yes!

Recovery! is published monthly in magazine and newsletter form.

This publication is tailored to help spouses, relatives and employers of known or suspected compulsive gamblers...and the recovering gambler, him or herself. The information and articles in *Recovery!* can help you un-

stand and help cope with this growing addiction and will most beneficial to other related addictions. Monthly issues offer expert advice on:

- . How to help the compulsive gambler stop
- · Spotting danger signs in a loved one
- · Self-help for the spouse in coping
- How to successfully support and deal with the emo-tional needs of children in the gambler's family
- · True life stories and how the recovery was affected
- · Gambling's effect on corporations and businesses
- · Financial guidance and investment tips
- · Health and fitness for full recovery and relief of stress
- · Meeting places, seminars through the U.S. and abroad for both the gambler and spouse
- · Current treatment centers
- · Correspondence section to exchange ideas across the
- Toll-Free Hotline Number
- · Ideas for constructive substitutions....and much, much

Special Corporate Seminars Available Upon Request

YES! Please se information on he compulsive gamb	elping a	Pecovery! P.O. Box 280 Throggs Neck Station Bronx, NY 10465-9998
NAME		
ADDRESS		
CITY	STATE	ZIP
If Applicable: Co. Name		
Address_		
# Employ	eesCompar	ny Contact

FACC, A FLOPPY ACCELERATOR **ASDG** Incorporated Amiga with 512K Disk; \$34.95

There's very little that we can accomplish with our computers that cannot be done without them. Games might be less fun, writing more tedious, and number-crunching a downright pain; but we could still do all those things. Computers open new vistas, but mainly, they make things easier and faster.

Choosing between two otherwise identical computers, most people would choose the faster one. Now you have that choice, without learning a new operating system, without reinstalling all your software, and without spending a lot of money.

Facc, A Floppy Accelerator from ASDG won't turn your Amiga into a screamer, but it will speed up the most common bottleneck-disk access. For all the speed and power of the 68000 CPU, it can only work with new data as fast as it can be loaded from a disk (or typed at the keyboard).

Facc allows you to create a disk cache, which is simply a chunk of RAM that is set aside to store data that would otherwise be found on a diskette. A disk cache starts off empty. Whenever the computer asks the disk drive to send over some information, it is stored in the cache and sent to the program that requested it. If the program later asks the drive for the same information, the request is stopped by the cache. The cache knows it holds the requested information, so it zips that info back to the program at RAM speed, without the drive ever knowing anything happened.

The electronic signals from the cache can respond much faster than the physical disk drive. This holds true even for hard disks; a cache can almost always speed things up.

Based on this description, you can see that a disk cache will not speed up all floppy operations. The physical disk drive does not actually read or write data any faster. It's just that certain (duplicate) "read" requests do not have to be handled by the drive at all.

So, copying 100 files from one disk to another won't be affected by a cache. Neither will formatting blank diskettes. Most games will not benefit either (unless you waffle back and forth between two screens that are each loaded from the disk). And since a cache is just another software program, you must load it, then load your application. Some games won't allow this.

Where you will benefit from a cache is in using applications software that moves data to and from the disk. A spreadsheet that is limited to available memory does not fall in this category. It loads a data file, lets you edit it in RAM, then saves it. Word processors, databases, and accounting programs are more likely candidates to benefit from disk caching.

If you use applications like these that regularly write to and from the disk while you're working on your data, you need a disk cache. You may remember that the ADDBUFFERS in the Startup-Sequence file command creates a small cache whenever you boot up. But it doesn't remind you how big a cache it has created or give you an easy way to change the size of that cache.

Instead, use Facc. Just like the Amiga's RAM disk, Facc is dynamic. You can increase or decrease its size while you are running a program. Facc will also show you its size and how effective it has been at reducing access to the physical disk drive.

Whether you run Facc by clicking on its icon or from the CLI, it opens a window that shows the RAM left for your programs, the number of buffers (about ½K each), and data on the cache. To increase or decrease the size of the cache (the number of buffers), you would click on the "More" or "Fewer" buttons.

To get an indication how much time the cache is saving you, read the data in the center of the *Facc* window. It shows the number of read and write requests made by the program, the number of read requests stopped by the cache, and the number of buffers used by each disk drive. It also shows the percentage of total read requests served from the buffer (the higher this percentage, the more the buffer is speeding things up).

With Facc, it is easy to increase the size of the cache so it will do the most good with your program. If the next application you run needs more memory, just decrease the size of the cache. With ADDBUFFERS, I had always limited myself to 50 buffers, or about 25K, so I wouldn't use up too much RAM. With Facc, I commonly use 200

or more buffers-whatever RAM the application does not need.

You can get a good example of the effect of a cache by just listing the directory of your WorkBench disk (with its 160+ files) twice in a row. The first time, the directory must be read from the disk; the second time, it can be read from the cache.

By typing "DIR DF0: OPT A" you'll get a listing of all the files in all the subdirectories. With no cache, this will take 30 seconds. With a small cache (50 buffers) it will still take 30 seconds. But with a big cache (256 buffers), the screen directory listing will be much faster. Using *Facc*, the directory will list in only 8 seconds. With ADD-BUFFERS, it will take 15.

Facc has another leg up on ADD-BUFFERS too. Facc will always use Fast memory if it is available; ADD-BUFFERS will use Chip memory, the first 512K bytes of RAM in your Amiga. Fast memory is everything above that. You want to preserve Chip memory when possible because the special Amiga hardware chips cannot address RAM above 512K.

Is Facc safe? After all, it's storing your data in volatile RAM. Yes, because Facc only buffers disk reads. Disk writes are immediately passed through to the floppy, where your data is safe and snug.

Facc protects you when you change diskettes. It senses the change and immediately clears all buffers assigned to that drive so you don't "read" data from the old diskette. If you decide you do not want a cache, just click Facc's close gadget and it will wipe itself out, freeing up all the memory it had used. To stay out of your way while you are using an application, Facc can be hidden behind the application or shrunk to a two-line window on top.

Could Facc be improved? I see four ways. First, although Facc can cache four floppies, it will not allow you to assign a certain number of buffers to each drive—it dynamically allocates all the buffers. I would prefer to be able to allocate a minimum number of buffers to certain drives.

Second, Facc's data display is in four columns, one for each drive. The first column will correspond to the first drive accessed after Facc is loaded, not necessarily to DF0:. This could get confusing. I find myself loading Facc

A MIGA SECTION

from DF0:, then immediately accessing DF1: to keep them in the "right" order on *Facc's* display.

Third, I would love for Facc to know how many buffers I want to use with certain applications. It could default to the current 256 (about 128K) but then "remember" that with my favorite word processor, I only use 150 buffers and decrease its size accordingly. I'd have to figure out how many buffers the first time, but after that, why should I have to tell Facc every time?

Fourth, Facc provides no way to reset its data display to all zeros. When testing Facc with a new application, I'd like to start with a fresh display. To do so, I have to exit from Facc, then restart it.

The Facc disk also includes four bonus programs-FastMem, SysMon, DropCloth, and RunBack. FastMem will allow some older Amiga programs to run on upgraded machines by "removing" all Fast memory while the program loads. SysMon shows how your Amiga is performing, including I/O interrupts per second (keyboard and disk), number of tasks loaded, number of tasks waiting, percent of CPU time actually doing something, free Chip memory, etc. DropCloth creates a blue and white 8X8 dither mask for your WorkBench surface. You choose one of 64 different patterns, several of which make a pleasing and distinctive background. RunBack lets you start certain programs (like Facc or DropCloth) from a CLI window and exit that CLI while the program is still running.

Face is a quality utility from a company that has supported the Amiga well. ASDG has released shareware and hardware products and its president has published tutorials to help us all understand our computers better.

Using Facc will provide Amiga users with a considerably faster disk system overall, as well as a product that is both convenient and reliable.

ASDG Incorporated, 280 River Road—Suite 54A, Piscataway, NJ 08854 (phone: 201-540-9670).


-Richard Herring

Most back issues of Ahoy! are available at \$4.00 each.
See page 70.

MARAUDER

For the C-64

By Cleveland M. Blakemore



he chopper lifts off the pad in a flurry of dust as the lethal rockets race overhead into the mouth of the cave tunnel. You leave the airfield without even a clearance from ground control.

The enemy has fired a barrage of highly sophisticated cruise missiles into the cavern where your secret headquarters is located. Your turbo-driven helicopter, code name *Marauder*, is the only aerial vehicle in the world that can fly through the narrow labyrinth and destroy the missiles before they wipe out the base.

Marauder is a fast, nonstop action arcade game for the C-64 in machine language. Plug a joystick into Port 2.

After the theme music plays, choose a tunnel (1-4) using the function keys. The first tunnel is the easiest, with subsequent tunnels being narrower, longer, and containing a greater number of rockets between you and the base.

Fire your heatseekers with the joystick button. Your range is limited to the first ¾ of the screen, so wait until the rockets are in range before firing a missile.

The only way to keep your fuel indicator bar up is to continue to hit rockets, so don't stop firing for long! Each missile hit will boost your fuel bar up a few notches. If you run out of fuel, your chopper will sink to the floor of the cavern in flames.

The cavern is very hard to negotiate, especially at the beginning. Pull all the way to the left of the screen to get the fullest amount of time to anticipate twists and turns. Most difficult is the opening of the cavern, which missiles may be entering at the same time you are!

If you wipe out a whole battery of rockets (6), you will have saved the base. After Tunnel 1, you will need to wipe out more than one barrage to win. The tunnel gets narrower with each new barrage. At Tunnel 4, only the most talented pilots will be able to worm through the cave without splashing the chopper against the walls.

A high score is maintained at right, with the current score at lower left. Faster moving rockets are worth more points. A bonus is awarded for reaching the base safely.

The game is completely in machine language, so you'll need to enter it using *Flankspeed* (see page 81). SYS 49152 to start. Now get going, those rockets just flew by overhead!

SEE PROGRAM LISTING ON PAGE 93



DUNIERT REPOR

Continued from page 40

This chart puts in one place all of the commands, their parameters, the ranges of the parameters, and notes indicating which commands are affected by others.

The parameters which are underlined in the command line are mandatory and must be specified each time the command is used. The others are optional and retain their previous or default values until they are explicitly changed.

The parameters are "place sensitive." This means, for example, that Step Size in the SOUND command must always be in the same place in the parameter list, namely sixth. If you don't want to change parameters 4 or 5, you don't have to specify them, but you must still identify their places in the list. Since the parameters are normally separated by commas, just use adjacent commas to signify unchanged parameters. The statement

SOUND 1,1640,60...200

gives voice 1 a frequency of 100 Hz (1640/16.4) and a duration of 1 second (60/60). It does not change the previous or default values of step direction, minimum frequency, waveform, or pulse width. It sets the step size of the frequency sweep to 12 Hz (200/16.4). Notice that commas do not have to be added for unspecified parameters at the end of the list.

We need another month or two to discuss all of these sound commands in detail. Here are some generalities that may clear up some of the confusion.

PLAY v. SOUND: The two primary audio commands are SOUND and PLAY. SOUND is most useful for sound effects. PLAY is most useful for producing tunes. The frequency sweeping parameters of the SOUND command cannot be duplicated with the PLAY command. On the other hand, the sound quality capabilities provided by the EN-VELOPE command affect only the sounds produced by the PLAY command. The PLAY command allows individual, named notes to be played with well-defined rhythms and tempos. SOUND is more of a free-form sound generator.

ENVELOPE v. FILTER: These are fundamentally different commands. ENVELOPE affects the amplitudes of individually played notes as well as specifying a particular waveform. Since the SOUND command does not deal readily with individual notes, ENVELOPE is not appropriate for it and does not affect it. FILTER limits the frequency content of every sound produced by any voice with either SOUND or PLAY whenever it is enabled for that voice. It may affect any or all of the voices, but only one set of filter parameters are in effect at any one time. FILTER reduces the number of harmonics in a waveform. ENVEL-OPE, by dynamically altering the amplitudes of individual notes, increases the harmonic content of the waveform. There are ten predefined ENVELOPES, although any parts of any of them may be changed as desired. The PLAY "T" command tells which envelope is to be used. ENVELOPE 0 is a piano by default, but it could be changed to a zither if you prefer.

VOL and TEMPO: These simple commands affect the

volume and rhythmic speed of notes produced by PLAY. The PLAY "U" command can override the VOL command. Since SOUND does not deal with individual notes, TEM-PO is not relevant and does not affect it. VOL is used for setting the volume of the SOUND output, although the PLAY "U" command will change the volume of SOUND outputs as well.

These charts and generalizations are not necessarily complete. There are many fine points yet to be covered. I recommend that you read the two sections in the C-128 Programmer's Reference Guide (starting on pages 336 and 599) for very informative discussions of the commands and the electronics as well as the nature of sound.

We can't do justice to the ENVELOPE and FILTER commands this month. You might enjoy running the program ENVELOPE and FILTER Sampler to get a taste of their capabilities. Hopefully that will encourage you to investigate these commands yourself.


I strongly urge you to connect your computer to an external amplifier and loudspeaker. It is very easy to do, and the difference in sounds you hear can be truly incredible. Use a 5 or 6 pin circular DIN plug (Radio Shack numbers RS 274-003 or 274-020). Connect a pair of wires (preferably the shield and inner wire of coaxial cable terminated with a phono plug such as RS 42-2371) to pins 2 (ground) and 3 (audio out) respectively of the connector.

Plug the phono plug into the AUX input of an audio amplifier connected to a decent speaker, and hear some truly impressive sounds. Even a small external amplifier (Radio Shack and others sell them for under \$15) and speaker will make a noticeable improvement. The better the speaker you use, the better the sounds will be.

We have covered most of the basics. There are many exotic topics left to discuss. ENVELOPE and FILTER are some heavy duty commands with which to experiment. Analyzing the frequency components of complex sounds (Fourier analysis) is an interesting challenge. Constructing complex waveforms from simpler ones (Fourier synthesis) is also enlightening. Ring modulation, beats, synchronization, and assembly language interfacing are other topics which we will investigate in future issues.

There is a world of physics to explore in the sound generator of your Commodore computer. If you get tired of the physics, you can always sit back and let it play you a tune. SEE PROGRAM LISTINGS ON PAGE 82

DARK FORTRESS II



See page 77 for information on ordering this month's Ahoy! Disk. If you'd like a master map for Dark Fortress II, along with hints for completing the adventure, send a SASE with \$1.00 to Cleve Blakemore, clo Ahoy! Magazine, 45 West 34th Street—Suite 500, New York, NY 10001.





Kracker Jax

THE REVOLUTIONARY ARCHIVAL SYSTEM!

Kracker Jax is the powerful parameter-based copying system that has taken the country by storm! What IS a parameter? It's a custom program that allows your 1541 or 1571 disk drive to strip ALL copy protection from your expensive software, leaving you with UNPROTECTED, TOTALLY BROKEN BACKUPS that can even be copied with a simple fast copier.

We declare Kracker Jax to be the best system of its kind on the market today! A bold claim?

Maybe.

But don't take our word for it—if you want the REAL story on how good Kracker Jax is, just ask one of our customers. Don't worry. You won't have any problem finding one.

■ Easy to use—no special knowledge is required! ■ Powerful—will easily back up titles that nibblers can't! ■ Superfast—strips protection in a matter of seconds! ■ Great value—each volume has approx. 100 parameters! ■ Current—new Kracker Jax volumes released quarterly!

ALL NEW VOLUME SEVEN IS NOW AVAILABLE—ORDER TODAY!

Kracker Jax Volumes 1-6 are still available. All Kracker Jax Volumes are \$19.95 each.

Hacker's Utility Kit

USE THE SAME TOOLS THAT THE EXPERTS USE!

Are you ready to take control of your software? Let us help! Our Hacker's Utility Kit contains

the most impressive array of tools ever assembled in a single package!

Our top Kracker Jax programmers put together a "wish list" of tools that they wanted to work with—and then went to work creating the perfect set of utilities. The result: The Hacker's Utility Kit. Now YOU can use the same powerful utilities that WE do—at a fraction of their true development costs! Here's what you'll get:

Gevelopment costs: Here is want you it get:

■ WHOLE DISK SCANNER—usage, error, density into fast! ■ GCR EDITOR—view raw data the way your system sees it! ■ FAST DATA COPIER—absolutely will NOT write errors! ■ 1 OR 2 DRIVE NIBBLER—tast & powerful/state of the art! ■ FILE TRK/SCTR TRACER—find any serink in a file fast! ■ BYTE PATTERN FINDER—finds any pattern anywhere! ■ CUSTOM COPIER CREATOR—the ONLY one of its kind! ■ RELOCATABLE M/L MONITORS—including drive monitor! ■ FAST FORMATTER—programmable tracks or whole disk! ■ DISK FILE LOG—quickly find file start/end addresses!

Professional mechanics and programmers have one thing in common: they both use the finest

Professional mechanics and programmers have one thing in common: they both use the finest tools available. These tools were developed specifically to meet the demanding needs of our Kracker Jax programmers. They are utilities created by experts, refined under constant use, and

Only \$19.95



ELITE V4.0

OUR POWERFUL UNDERGROUND COPIER SURFACES!

Find out why our regular customers are able to back-up the toughest protected titles on the market. Previously available only to a selected few, the ELITE SERIES has been an affordable way to archive those titles considered "Impossible" to back-up. Introducing ELITE V4: A Series of parameters created for those titles that are protected to the

MAXI If you've been trying to back-up one of your favorite games and had no success, then ELITE V4 is for you. Also included as a Free Bonus is the SHOTGUN I, the First Nibbler of its kind on the market

market.

Although ELITE V1 and ELITE V2 have been discontinued, we are still offering ELITE V3. This copier is capable of backing-up one of the toughest copy protections ever created. It will back-up V2.0 of a popular 64/128 word processor, planner, and filer (64 only).

ELITE V4.0 with Shotgun I Only \$14.95 **ELITE V3.0 Only \$6.95**



Kracker Jax Revealed:



LEARN ABOUT COPY PROTECTION FROM THE EXPERTS!

Our knowledge of protection schemes has made us famous. And we can pass that knowledge on to you! Kracker Jax Revealed: BOOK II is our latest release in a series of tutorial guides designed to instruct you in the fascinating areas of copy protection schemes and how to defeat

them.

BOOK II continues the tradition which began with the original: with nothing more than a basic grasp of machine language, you can learn to control some of the newest, most advanced copy protection routines on the market today! Here's what you'll get with BOOK II: ■ Detailed into using 20 current new programs as examples! ■ An enhanced, all new utility disk with 20 new parameters! ■ The famous Rapidlok™ copy system REVEALED! ■ EXTRA BONUS—The legendary Hes Mon™ cartridge!

Don't be intimidated by complex protection routines. Learn how to take control of your expensive software. After all, knowledge IS power.

BOOK I IS STILL AVAILABLE!

Only \$23.50 each. Please allow 2 weeks for delivery.

Orders outside of North America must add \$7.50 for shipping

The C128 Cannon

IT'S JUST WHAT YOU'VE BEEN WAITING FOR!

Here's the package that you C128 owners have been waiting tor! The C128 CANNON gives you more power than you ever hoped for! Just look at some of these utilities:

- you ever noped fo!' Just look at some of these utilities:

 NIBBLER—Works with single or dual 1571/1541 drives!

 FAST COPIER—Use for data disks or Kracker Jax!

 FILE COPIER—Easy tile maintenance and manipulation!

 1581 FAST COPIER—B1 to 81, 8 to 8, or 8 to 9 1581

 FILE COPIER—For high speed tile manipulation! MFM
 COPIER—Copies unprotected IBM & CP/M disks! T/S

 EDITOR—Works with 1541, 1571, and new 1581 drives!

 ERROR SCANNER—Complete with on-screen display!

 DENSITY SCANNER—Find altered densities track by track! DIRECTORY EDITOR—Alter & organize disk directories! KRACKER JAX BONUS—100 of our hottest parameters!

You've seen nibblers alone that sell for thirty-five or forty dollars. And the 100 KRACKER JAX parameters are a twenty dollar value. Yet the entire C128 CANNON package sells for dollar value. Yet the entire C128 CANNON package sells for just \$34,95. Never before has this much power been integrated into a single, affordable product. If you own a C128, you don't need to feel left out in the cold anymore. Other companies may ignore you, but at KRACKER JAX, we know a powerful machine when we see one. Let US show YOU just how powerful your C128 really is. Order your C128 CANNON today!

Only \$34.95 1581 Disk Version Available

Shotgun II



THE DOUBLE BARRELED NIBBLER IMPROVED!

We've taken The Shotgun, our popular nibbler, and completely rewritten it to provide more power, more speed, and even more features than before! The result is **Shotgun II**, the new standard in high powered nibblers.

- Capable of making copies using one or two drives!

 Shotgun II can easily copy data clear out to track 40!

 Auto density detection can easily be toggled on or of!

 The single drive copier has an on screen GCR display!

 Allows you to list directories from either disk drive!

 Superfast new "True Dual" two drive copier mode!

 Capable of copying RapidlokTM programs automatically!

And here's the good part: we've increased the performance WITHOUT increasing the price! Like the original, Shotgun II is available in either of two formats. 1) The Shotgun II, which is the utility described above. 2) The Loaded Shotgun II, which is the same utility packaged along with 32 of the hottest Kracker Jax parameters ever produced! And if you already own the original Shotgun, just send us your disk along with \$9.95 for Shotgun II.

Either way you order it, Shotgun II will do the job for you!

The Shotgun II: Only \$14.95 The Loaded Shotgun II: Only \$19.95

OThe Bull's-Eye O

SO GOOD, EVEN WE CAN'T BELIEVE IT!

RapidlokTM. It's one of the toughest copy protection routines on the market today, and it's being used by several major software houses to copy-prohibit some of the finest

major software nouses to copy-pronion some of the linest titles available for the C64.

Now, you could go broke buying expensive "official" backups of programs you've already paid for. Or, you can exercise your legitimate right to make your own backups. No special knowledge or experience is required. All you need are a few blank disks and five minutes of time. Bull's-Eye lets you create your own custom RapidlokTM copiers to backup your

expensive software!

We've included several custom RapidlokTM copiers that
we created ourselves, just to get you started. **Buil's-Eye** also
leatures a powerful new GCR nibbler developed specifically

teatures a powerful new GLR nibbler developed specifically for this system!

And if all that isn't enough, Bull's-Eye also contains a revolutionary new copy system for GEOS™! It is the first copy system to be used exclusively within the GEOS™ environment. Fully icon driven, it runs directly from the GEOS™ destrop! And our utility doesn't just standardize GEOS™ programs, it actually neutralizes them; your GEOS™ programs, it actually neutralizes them; your GEOS™

programs are completely unprotected!
We've taken careful aim at your archival needs and hit the target dead center—right in the **Bull's-Eye!**

Only \$19.95

GEOS™ is a registered trademark of Berkeley Softworks.™



Mail your order to: Software Support Int. - D13 2700 NE Andresen Road/Vancouver, WA 98661 Phone orders welcome: 206-695-1393

Need more into? Call or write for our free catalog.

PLEASE READ BEFORE ORDERING:

ORDERING is simple: we accept money orders, certified checks, personal checks only on prior approval, VISA, MC, Discover and COD. Please add \$3.00 shipping and handling per order. \$2.00 additional for COD orders. Orders outside of North America please call for shipping charges. Defective items will be replaced at no charge. In stock orders are processed within 24 hrs. Returns are not accepted without authorization #. Washington Residents please add 7.3% sales tax.



DEALERS—WE HAVE THE SUPPORT YOU'RE LOOKING FOR!

PHOTOS: MORTON KEVELSON

SEVIEWS


We now forge ahead in our coverage of the C-64's expansion port (see December and January Ahoy!'s) by presenting two unique products to be applied thereon. For those of you who feel we're getting into a digital rut, rest assured that we are not neglecting the computer's other aspects. We simply felt that the subject was so broad that it deserved this detailed attention. Even so we have barely scratched the surface, leaving many worthwhile products untouched. For example, Commodore's own memory expansion devices (the 1750 and the 1764) may be the most significant expansion port accessories for the C-128 and the C-64.

BLOWUP Data Share, Inc. Commodore 64 Cartridge; \$59.95

Blow up: to explode, to inflate, to erupt in anger, to enlarge, to be a cartridge for your C-64. *Blowup*, the subject of this review, is aptly described by the last two definitions. It is a cartridge for the C-64 and it does have the ability to enlarge what is on the screen onto your printer. As a C-64 cartridge, *Blowup* is a close cousin to the memory dumpers we reported on in the November 1987 issue. It remains invisible to the computer until its button is pushed, at which time it takes complete control of the machine and displays its menu.

As a memory dumper *Blowup* is highly specialized. It reacts to only a small portion of the contents of the C-64's memory, that part which is responsible for what was displayed on the screen at the moment the button was pushed. Once in control, *Blowup* gives you the option to send the screen to the printer or the disk drive. It recognizes all of the C-64's display modes including text, graphics, and sprites. Its menu tells you exactly what sort of display type you are dealing with and where in memory it is located.

All of *Blowup's* functions are controlled from its menu screen. Simply move to the option you wish to change and use the cursor keys to set the option. Some choices, such as disk saves,



Top: Blowup comes stocked with 16K of ROM. Right: press Blowup's push button and you'll see what's shown (except for default to the 1525).

READER SERVICE NO. II3

present a separate input line. There is no way to permanently set any of the options. The default settings appear every time its button is pushed. This means that if you are doing a series of dumps from a variety of screens you have to go back and reselect all the parameters such as printer type, magnification, orientation, and so on. On the positive side, *Blowup* returns to its menu screen after a screen dump, allowing you to modify any of the parameters and try again.

As a screen dump utility we found Blowup to be full-featured and flexible. The supported print styles are a gray scale representation of the screen or a direct black and white representation of the bit map. The dot patterns used for the gray scale are fixed and not subject to modification by the user. The horizontal and vertical magnifications range from 1 to 99 and are independently set. Of course there is no printer which supports so large a range of magnification for a full size screen dump. The extreme magnifications are for use with Blowup's crop feature. Any part of the screen, even an area as small as a single pixel, can be printed.

Printer selection includes the ubiquitous Commodore 1525 and its workalike the Okimate 10, Seikosha, Okidata, and of course Epson. Depending



on printer type, a variety of dot densities are supported. The Epson is the most flexible in this respect, with six unique print densities. These include the Epson's single density (60 dots per inch), double density (120 dots per inch), and quad density (240 dots per inch). Printouts can be flipped, rotated in 90 degree increments, left or right justified, centered, or indented by a user-specified number of dots.

Screens can also be saved to or loaded from disk. For text screens only the screen codes are saved. For bit map graphics the options depend on the type of display. The fundamental graphics save consists of only the bit map. High resolution screens can also be saved in DOODLE! format. Multicolor screens can be saved in Koala format. Saved files can be loaded back into the computer for subsequent printout. To view the file you simply go into the crop picture mode.

File naming with *Blowup* was a bit quirky, mostly due to the explanation in the manual. A maximum of 15 characters is allowed, which can create a small problem with *DOODLE!* files for which the manual tells you to type a

single leading "D". All DOODLE! files start with two "D"s. We had to resort to wild card characters to load in DOODLE! files with 16 character file names. The manual also neglects to inform you that Koala files must be exactly 15 characters long, with trailing spaces used to make up any shortage. To make up for these minor eccentricities, Blowup includes an option which displays the disk directory.

Once you have finished working with Blowup you have two ways to exit back to the computer. The first is a cold start, which apparently clears RAM and resets the machine. The second is a warm start, which is supposed to return control to the program at the point at which it was interrupted. We found the latter feature to be unpredictable. For programs which worked well with Blowup we were able to exit gracefully most of the time. Occasionally the computer would go off to never-never land.

The inability to always return control to the initiating program was not unexpected, as *Blowup* contains no onboard RAM in which to preserve key



parts of the computer's memory. The interactive nature of *Blowup*'s operation, as well as the calculation-intensive process of most of the screen dumps, requires that *Blowup* utilize some of the computer's RAM. The possibility of memory conflicts with commercial software will always exist. *Blowup*'s own operating system is contained in 16 kilobytes of onboard ROM.


Conclusion

We found *Blowup* to offer a wide range of screen dump options, especially to owners of Epson-compatible printers. In particular, we emphasize *Blowup's* crop feature, size control, and printer density control. The lack of onboard RAM of course limits *Blowup's* ability to return control to the running program.

Data Share, Inc., 717 South Emporia, Wichita, KS 67211 (phone: 316-264-6118). — Morton Kevelson

64K QUICK BROWN BOX Brown Boxes, Inc. Commodore 64/128 Price: \$129

The 64K Quick Brown Box is the latest in the relatively new product line from Brown Boxes, Inc. The original, 8K Quick Brown Box was shortly followed by a 16K version known as the Double Quick Brown Box. We were first introduced to the Quick Brown



Boxes and their creator, S. Brown Pulliam, at last summer's MARCA convention. Since that time Mr. Pulliam has increased the capacity of his *Quick Brown Boxes* to 32K and finally to the 64K version which is the subject of our review. The way things are going, we wouldn't be surprised to see even bigger *Quick Brown Boxes* before too long. The little critters have a way of growing on you.

In the interest of clarity we will refer to the 64K Quick Brown Box simply as the Quick Brown Box. The generic class of Quick Brown Boxes, which encompasses all memory capacities, will be referred to in the plural.

Interestingly enough, Quick Brown Boxes are not brown. The cartridge can be described as a box, but its finish is the usual crinkly black. The monicker is the signature of the designer.

If you haven't figured it out by now, the *Quick Brown Box* is a cartridge for the C-64 and the C-128 which contains 64 kilobytes of memory. In particular, all the *Quick Brown Boxes* contain static RAM in which the continuity of memory is assured by the presence of a 3 volt lithium battery.

The combination of RAM and battery effectively combines the long term permanence of ROM with the ease of revision provided by RAM. As if to emphasize this point, the *Quick Brown Boxes* are provided with all their application and supplementary utility software in the cartridge itself. The first task for the end user is to save the contents of the box to disk. This activity

Right: programs supplied with early release of Quick Brown Box. Below: boards from 16K QBB, with battery (left); and from 64K QBB (right). READER SERVICE NO. 114



serves the dual purpose of emptying out and freeing the *Quick Brown Box* for other applications and introducing the operation of the box to the user.

What Quick Brown Boxes Are Made Of

Externally the *Quick Brown Box* looks like any other ROM cartridge with the exception of a couple of switches. In the upper left hand corner is a miniature slide switch which selects between C-64 and C-128 mode. To the right is a miniature push button which serves as a reset switch. Of course, on the C-128 the computer's own reset switch may be used as well.

Inside the box resides the specified quantity of CMOS RAM, some support circuitry, and a 160 milliamperehour, 3 volt lithium battery which can maintain the contents of the RAM in a standby state for a period of seven to ten years. As we all know, this is a virtual triple lifetime in the microcomputer world. The long battery life should spare most of you the hassle of ever changing the battery, which is soldered in place.

In C-64 mode the Quick Brown Box appears to the operating system like any other 8K ROM cartridge which lives in the \$8000 to \$9FFF bank. For machine language, the 64K of RAM can be banked in 16K increments into the \$8000 to \$BFFF range by swapping out the BASIC ROM. The hardware configuration of all the Ouick Brown Boxes is controlled by a write-only 8 bit latch at \$DE00 (56832), which appears in the computer's I/O block. This address was chosen so as not to conflict with the control register of Commodore's own expansion RAM, with which the Quick Brown Boxes are compatible.

In C-128 mode the *Quick Brown Box* appears in the memory configuration known as Bank 13. In either C-64 or C-128 mode the functions of the *Quick Brown Box* are available on reset or power up. The C-64/C-128 selector switch may also be used to disable the *Quick Brown Box* in C-64 mode.

What Quick Brown Boxes Can Do

When powered up in C-64 mode, the *Quick Brown Box* takes over the computer just like any other autostart ROM cartridge. A menu of the program in the box is displayed and the control is turned over to BASIC with two significant changes. 8 kilobytes of RAM is

no longer available to BASIC, as the \$8000 block is taken over by the cartridge. In exchange 64 kilobytes, with management for up to 30 programs, becomes instantly available to the user. Access to the programs is via a wedge into the C-64's error routine. This adds the asterisk (*) to the computer's command repertoire. Simply type the asterisk followed by a program's one- or two-character ID code and it will be instantly transferred to the computer's RAM.

The first time you use the 64K Quick Brown Box, you verify its contents via the provided checksum program. The resulting number should match what is written on the box. You then proceed to use the provided loader utility to save the entire contents of the box to disk. The box's contents are then saved a second time in single file format, after which the provided programs may be removed from the box to make room for your own routines.

Programs may be individually placed in the box, or an entire block of programs may be booted up at once. The latter operation is facilitated by a fast loader utility. The ability to rapidly boot up entire program blocks makes it possible to maintain files of related utilities. If you order the optional utility disk you will receive several collections of utilities organized in bootable blocks.

We examined the 16K and 64K versions of the Quick Brown Box. As of this writing, the software for the 64K version was still in the preliminary stages. One of the available options which has been added to the 64K box is the RAM DOS. This lets you save programs from the computer's RAM to the box without the use of the loader program. The original method of stocking the Quick Brown Box with a loader program required that the file to be transferred to the box be loaded from the disk. The RAM DOS supports the bidirectional transfer of both BASIC and ML programs. Existing programs can be easily deleted to make room for new programs.

The advantages of the RAM DOS are readily apparent. The speed of the RAM DOS transfers makes it possible to conveniently back up the program under development at frequent intervals. Once in nonvolatile, battery-backed RAM, the security of your pro-

REVIEWS


gram is no longer subject to the whims of your computer's power supply. The supplementary loader utility also makes it convenient to back up the contents of the box to disk as well. This makes the *Quick Brown Box* the closest thing we've seen to an automatic save on power down for the C-64. Many users will be thankful for this capability.

The earlier release of the Double Ouick Brown Box included a C-128 utility which provided for a single keystroke transfer of a BASIC program into the Quick Brown Box. This utility was omitted from the 64K Quick Brown Box. We suspect that it will be reinstated due to popular demand. Those who will be using the Quick Brown Box in both C-64 mode and C-128 mode should note that the box has to be configured differently for each mode of operation. This can be easily done by loading the appropriate set of routines at the start of the session. The Quick Brown Box can then be restarted by pressing the reset button. The C-

Keep Your Collection Looking Shipshape with

Ahoy! Binders

Don't be caught at sea the next time you need valuable programming information from a back is-



To order, send \$12.45 (US funds) for each binder desired to:

Ahoy! Binders

45 West 34th Street - Suite 407 New York, NY 10001

(Outside Continental US add \$2.50 per binder. Allow 4 to 6 weeks for delivery.)

128's autoboot from disk on power up is effectively disabled by the presence of the *Quick Brown Box* in C-128 mode. When in C-64 mode we found that a quick tap of the RESTORE key served to redisplay the *Quick Brown Box's* menu of stored programs.

As a final exercise we searched for a method to disable the *Quick Brown Box* without physically removing it from the expansion port. The following procedure did the trick:

1. Reset the C-64's error vector with

POKE 768,139: POKE 769,227

2. Disable the Quick Brown Box with

POKE 56832,128

 Flick the Quick Brown Box's selector switch to C-128 mode. We didn't think this step was needed, but it seems to be required.

4. At this point SYS 64738 will bring back the computer with the *Quick Brown Box* out of the picture.

As a final word of warning, do not operate the *Quick Brown Box* in an expansion chassis with the power to its

COMMODORE AUTHORIZED SERVICE

POWER SUPPLY (C-64)	\$29.95
C-64 REPAIR	44.95
1541/1571 ALIGNMENT	35.00
1541 REPAIR & ALIGNMENT	75.00
C-128 REPAIR	75.00
1571 REPAIR	95.00
POWER SUPPLY (C-128)	84.95
EXTENDED WARRANTY	CALL

Free Return Freight - Continental US Add \$10 for APO, FPO, AIR Save COD charge - send Check or Money Order. (Purchase Order Accepted)

Second Source Engineering

2664 Mercantile Drive Rancho Cordova, CA 95670 (916) 635-3725 slot turned off. This will increase the drain on the battery to 25 times the normal amount when the computer is turned on. Normally the battery is not used at all while the computer is on.

Conclusion

The Quick Brown Box is a worthy product whose availability is long overdue. The ability to rapidly secure your work in non-volatile RAM will easily justify the Quick Brown Box for any programmer. In this case the 64K Quick Brown Box's option of online libraries is just icing on the cake. The use of the Quick Brown Box with commercial software will of course be somewhat limited. Most commercial programs will require access to the RAM which is hidden by the Quick Brown Box in its active state. Thus the Ouick Brown Box will be most attractive to programmers on the C-64 and the C-128 computers.

Brown Boxes, Inc., 26 Concord Road, Bedford, MA 01730 (phone: 617-275-0090). — Morton Kevelson

CAR SIGN DESIGNER Zebra Systems, Inc. Commodore 64 Price: \$29.95

Just when we think we've seen every possible application for the C-64, someone comes up with a new idea. In this case it involves those little yellow diamonds, complete with witty phrases, which wiggle in automobile windows all across America. Now you will no longer have to depend upon the wit and wisdom of the commercial purveyors. With the *Car Sign Designer* you can propound your own philosophy from your back window.

The Car Sign Designer comes with everything you will need to design and install your own car signs: 50 sheets of printer paper in regulation yellow, a pair of reusable sign holders complete with suction cups, and of course a program disk. You will have to supply your own C-64 and a compatible dot matrix printer.

The resolution of your printer will have some effect on the quality of the car signs created. However, even a 1525 printer with a fresh ribbon should give satisfactory results. The program's printing routines may be customized for a selection of 17 popular printers.



Car Sign Designer permits a maximum of four lines of 15 characters each. READER SERVICE NO. 142

We tried out our sample on the Star Micronics Gemini 10X with perfectly satisfactory results. In our case the printing required more than 18 minutes. This time is a direct indication of the cogitation required to generate the high resolution characters which are the mark of quality of a properly crafted car sign.

The message space on a sign created with *Car Sign Designer* is limited to a maximum of four 15 character lines. Although this may cramp the style of some designers, it should be more than sufficient for many others. As of this writing we know of no standard for car sign capacity. The permissible character set consists of the upper case alphabet, punctuation, numbers, a heart, some musical notes, and a smile face.

The onscreen editor, although rather limited when compared to most word processors, was more than adequate for the task. We did not consider the lack of a text save feature to be a major shortcoming for this application. The size of the onscreen characters is automatically reformatted to accommodate the length of the line. Readability of the top and bottom lines suffers as the 15 character limit is approached. This is purely a problem of limited screen resolution, as the printed sign comes out just fine.

If you're looking for a special gift for your computer friend who already seems to have every type of software you can think of, *Car Sign Designer* may be just the thing.

Zebra Systems, Inc., 78-06 Jamaica Ave., Woodhaven, NY 11421 (phone: 718-296-2385). — Morton Kevelson

C-128 HELPER Computer Mart Commodore 128 Price: \$24.95

The C-128 may very well be the best eight bit computer ever produced. Part and parcel of the machine is its extended BASIC 7.0 programming language. The HELP command that's included in BASIC 7.0 provides some after the fact programming support. In the event of a SYNTAX ERROR, the HELP command can be used to highlight the offending part of a program line. The C-128 even includes a dedicated function key for this purpose.

Although any sort of programming help is not to be sneered at, the fact is that the most help is required while actually writing a program. The extended command set of BASIC 7.0 results in many a trip to the reference section of the *C-128 System Guide*. The *C-128 Helper*, among other things, assigns a complete reference section to the C-128's HELP key.

The C-128 Helper is provided on a flippy formatted 1541 disk. Side one of this disk contains the BASIC 7.0 help files, while side two is filled with generic C-128 system information. To install C-128 Helper simply run the BASIC loader program on the disk. This loader program can be modified by the user to customize the operating environment such as screen colors. The loader program installs C-128 Helper's machine language driver into the RAM bank 0 at \$1300 to \$1BFF. This block is set aside by the operating system for machine language utilities such as C-128 Helper. In addition, 12 kilobytes at the top of RAM bank 1 is also reserved for C-128 Helper's main menu screen, current help screen, and a work screen.

As a result *C-l28 Helper* does not affect the size of a BASIC 7.0 program; however, it does reduce the space allocated for variable storage. This should not be cause for concern, as *C-l28 Helper* is intended for use during program development when memory requirements for variable storage may be kept to a minimum. When the completed program is run without *C-l28 Helper*, the full variable storage capacity will be restored.

After installation, control is returned to the C-128's operating system and

REVIEWS

BASIC 7.0. The only difference is the assignment of the HELP key. Pressing the HELP key issues a SYS command which invokes C-128 Helper. If the cursor is on the last screen line when HELP is pressed, the screen will scroll up one line. Otherwise the appearance of the screen will not be affected when C-128 Helper is exited. C-128 Helper actually tidies up the screen by erasing the SYS command which was used to invoke it. In addition, if you had defined a window before asking for help, it will still be there when you get back. Note that BASIC 7.0's original HELP command can still be invoked by entering directly from the keyboard.

When invoked, the first thing C-128 Helper does is display the current main menu which actually represents the contents of the help files on the currently selected help disk. Note that C-128 Helper requires the use of the 80 column display. The amount of information which C-128 Helper is designed to display does not fit on a 40 column screen. If you are working in 40 column mode, C-128 Helper will prompt you to switch to the 80 column display. Any time you have a help file on the 80 column screen it can be sent to the printer with a touch of the C-128's COMMODORE key.

If required, you can display additional instructions on how to use C-128 Helper by simply pressing the HELP key a second time. If you wish help on one of the topics displayed on the main menu, simply enter enough of its name, followed by an asterisk, to uniquely identify the topic. In the case of the BASIC 7.0 command, you will be presented with a screen full of information. This screen includes the syntax of the command, a brief description of its function, a page reference to the C-128 System Guide, one or more examples of how the command is used, and a reference to related commands.

Each help file is recalled from the disk when it is required. On a 1571 disk drive the recall process takes only two or three seconds. Even on a 1541 the recall time will be only four or five seconds, as the files are saved in compressed format and usually occupy less than one kilobyte of disk space. Since the number of help topics may exceed 144, the limit to the number of files on a 1541 disk, *C-128 Helper* uses a

READER SERVICE INDEX

Page		Svc. No
C-4	Access Software, Inc.	10
52	American Int'l. Computer	
16 64	Avantgarde 64 Brown Boxes, Inc.	12
50	Cheatsheet Products, Inc.	11
44	Cinemaware/Mindscape	29
15	Complete Data Automatio	
6	CompuServe	23
24-29	Computer Direct	29
48 50	Computer Friends Computer Repeats, Inc.	29
17	Cosmi	138
11	Covox, Inc.	127
C-3	Data East USA Inc.	105
63	Data Share, Inc.	113
12	Dune Systems	117
10	Electronic Arts	126
12 46	Electronic Arts	130
12	Electronic Arts Feed-A-Form	292 131
51	Free Spirit Software Inc.	296
7	Grapevine Data Products	137
75	Intelligence Simulation	109
11	Jason-Ranheim	121
4,5	Lyco Computer	293
10	Master Software	120
45	McGraw Hill	-
13	Mindscape Mirage Research Int'l	289
41	Montgomery Grant	259 111
21	Origin Systems Inc.	240
22	Q-Link	106
64	Quail Electronics	-
53	ReadySoft	125
58 10	Recovery!	-
12	Rent-A-Disc Richwood Software	119
9	S&S Wholesalers, Inc.	118 128
66	Second Source Engineering	134
37	Seikosha	108
C-2	Soft Disk Inc.	107
56	Software Insight Systems	129
34 38	Software Support Int'l	122
62	Software Support Int'l	102
68	Software Support Int'l Software Support Int'l	123 139
14	Supra Corporation	143
19	Surfside Components Int'l	170
71	TC Electronics	201
14	Trident Software	141
76 60	Ultrabyte USS Photo	110
47	USS Photo Utilities Unlimited	116
30	Value Soft Inc.	298
The same of the sa	Verbatim News Services	295 140
	Wedgwood Rental	299
49	Xetec Inc.	112
66	Zebra Systems, Inc.	142
49	Ahoy! Disk Magazine	10-10-1
	Ahoy! Subscription	
65	Ahoy! Binders	
70	Ahoy! Back Issues	-
77	Ahoy! Disk	-
The pub	olisher cannot assume responsi or errors in the above listing.	bility

REVIEWS

custom directory format to handle a larger number of files. This means that although C-128 Helper is not copy protected, you will still have to use a whole disk copier to back up the disk.

C-128 Helper is not a closed system. It includes the ability to modify its own help files, to create new help files, and to create entirely new help disks to go with it. It is provided with two disk sides full of help files. A new help disk may be logged in by pressing the C-128's ALT key. To provide for the creation of your own help files, an Editor program is included on the distribution disk. The Editor lets you create a new help screen or modify an existing screen, which of course is always limited to a single screen full of text.

All of the C-128's full screen editing features, including the new ESCape code sequences, are available in the Editor. In addition, all of the 80 column display features, such as flashing characters, colors, underlining, and the alternate character set, can be used to dress up the display. The Editor even lets you define a single macro to help speed up screen creation. Finally, the Editor lets you "drag" the cursor across the screen, via the individual cursor keys, to set the attributes of blocks of

C-128 Helper does provide for some flexibility with the use of disk drives. The default drive is a 1541 or 1571 as device number 8. The default device number may be easily changed by POKEing a value into address 4894. For dual drives the drive number is stored in address 4959. For multiple drive users the manual suggests that you program two or more function keys with the appropriate POKE commands to let you easily access the various disk drives. If you have a 1581 31/2" disk drive, Computer Mart will provide you with a copy of C-128 Helper on a 1581 format disk for an additional \$7.50. The 1581 could be an ideal environment for C-128 Helper in view of the drive's faster speed and high storage capacity.

We felt that C-128 Helper should have included additional mass storage support. As presently provided there does not seem to be any way to set C-128 Helper to run from a double sided 1571 format disk. This alone

would double the number of online help files. Then again, there doesn't seem to be enough space on a single 80 column screen for that many help topics. Optional support of the 1750 RAM Expansion Module would also have been a tremendous boon. Transferring the help files to the 1750 would result in virtually instantaneous help at the touch of a key. This would have the added bonus of freeing up the disk drive for other uses.

Overall we feel that C-128 Helper is a well thought out, useful utility for the BASIC 7.0 programmer on the C-128. The ability to expand and customize its help files will insure that C-128 Helper will not become obsolete. In fact C-128 Helper need not be restricted to just help files. Possible applications include appointment calendars, notepads, and online help for other programs. Of course, C-128 Helper may not work with most commercial programs; however, it should work just fine with most BASIC applications.

Computer Mart, 2700 NE Andresen Rd., Vancouver, WA 98661 (phone: 206-695-1393). -Morton Kevelson

Top Selling C64/128 Software

Geos 64	39.95	Newsroom	\$32.95
Geos 128	45.95	Basic 8.0	29.95
Geos Publish 128	45.95	Beginner's Guide to	
Geos Publish 64	39.95	Basic 8.0 w/examples	
Geo Calc 64		on disk	19.95
Geo File 64		Pocket Writer 2	39.95
Geos Writers		Pocket Filer 2	39.95
Workshop 128	45.95	Pocket Planner 2	39.95
Geos Writers		Super Pac 2	64.95
Workshop 64	32.95	Font Master 2	32.95
Printshop	29.95	Font Master 128	39.95
Printshop Companion	22.95	HES Mon 64	9.95
Printshop Libraries	15.95		
Printmaster +	22.95		

We carry all the latest software

-Micropose*

-Access*

- -Mindscape* -FCA* -EPYX* -Firebird
- -Broder Bund* -Data East* -Activision
 - Call for Availability

Computer Accessories

Disk Storage		Joysticks														
Popular Printer Ribbons										4	9	¥				Ca
Mouse Mats																8.9
12" Printer Stands				ž.			á	¥			á					8.9
Aprospand 64												į.				27.9
MW 350 Interface							ř				î					49.9
Avatex 1200 HC Modem			k	i d			ķ	4)								
RS 232 Interface																36.9
C-64 Repairable Power Supply	100					×	×						40			39.9
6 Outlet Surge Protector	000			00			r.		J							16.9
1541 6' Disk Drive Cable		d			Va.	2	Z		d	4	á	۵		G		4.9
C64 Color Monitor Cord																4.9
1541 Power Cords		G	Z	.,		4	i,	0	.,				Ų,			4.9
31/2" Disk Drive Cleaner		Č.					A.S	k								6.9
5¼" Disk Drive Cleaner				. ,						4		7	n (Þ	5.9

Disk Storage	Joysticks						
D 101.95	Slik Stick						
D 508.95	Tac 2 10.95						
D 100 w/lock 12.95	Tac 3						
Disk Notcher 4.95	Quik Shot II 7.95						
Commodore 1581 Disk Drive .	\$204.99						
	\$ 36.99						

Diskettes

-DS/DD Colored Diskettes\$.79 ea	ch
—12 colors to choose from	
—DS/DD Generic Diskettes\$.49 ea	ch
-Tyvec sleeve: write	
protects included	
-100 Ct. Write Protects-Black\$1.	00
-96 Ct. Disk Labels\$1.	
—Tyvec Sleeves	ch
-3½" DS/DD Disks \$1.29 ea	

*100% Full Warranty

Authorized Commodore Service Center

Full Service on: C64, C128, 1541, 1571, 1581 disk drives, and Amiga, plus more.

-Call for Prices-

SOFTWARE SUPPORT INTERNATIONAL:

The newest full service company for all your computer needs



ORDERING is simple: we accept money orders, certified checks, personal checks only on prior approval, VISA, MC, Discover and COD. Please add \$3.00 shipping and handling per order. \$2.00 additional for COD orders. Orders outside of North America please call for shipping charges. Defective items will be replaced at no charge. In stock orders are processed within 24 hrs. Returns are not accepted without authorization #. Washington Residents please add 7.3% sales tax

Mail your order to: Software Support Int. - D13 2700 NE Andresen Road/Vancouver, WA 98661 Phone orders welcome: 206-695-1393

Need more into? Call or write for our free catalog.



HUNDREDS OF TITLES AVAILABLE—CALL FOR COMPETITIVE PRICES

IPS AI-ICY

Compiled by Michael R. Davila

AMIGA TIPS NOW ACCEPTED

Programming tips and hardware hints for the Amiga, as well as for the C-64 and C-128, will henceforth be welcome in *Tips Ahoy!* Send your best work to

Tips Ahoy! c/o Ion International Inc. 45 West 34th Street—Suite 500 New York, NY 10001

If your routine is over 10 lines in length, it must be submitted on disk. If you want your submission returned, it must be accompanied by a stamped and self-addressed envelope.

POINTERFIX

You're in the middle of writing a long BASIC program when you realize you need to load a machine language routine. You know it will mess up BASIC's pointers, and if you do NEW to fix the pointers, that will wipe out the BASIC program. Your options include:

- 1. If your general programming utility is active and has an UNNEW command (perhaps called OLD), go ahead with the load, NEW, and then use UNNEW to recover the program.
- Save the BASIC program, load the ML routine, NEW, and reload your BASIC program.
 - 3. Add two temporary lines to your BASIC program:

O STOP 63999 LOAD"(programname)",8,1

RUN 63999, then delete the two temporary lines.

Or you might prefer to have three or four copies of *Pointerfix* on disk or tape with different load addresses. Choose one that does not conflict with anything else in memory, load it by name with the ,8,1 suffix (,1,1 for tape), and execute it by the proper SYS. That will fix all pointers. Then you can bring in any other ML routine that loads the same way, and execute *Pointerfix* again to fix the pointers again. Your BASIC program will be intact.

This loader/saver program lets you put the 22-byte *Pointerfix* routine anywhere memory space is available and save it to disk or tape. Some good start addresses are 49152; 52201 (just below the Wedge); anywhere in the 679-767 block; or anywhere in the cassette buffer area 820-1023 (if you plan to use disk only). The saving process automatically includes the proper SYS address as a part of the routine's name. If saved from a starting address of 49152, the saved routine's name will be "POINTERFIX 49152".

-C.C. StalderOrlando, FL

- •100 REM "POINTERFIX.BDL" LOADER/SAVER •110 PRINT"ENTER START ADDRESS DESIRED"
- •120 INPUT"FOR MACHINE CODE"; SA:SA\$=STR\$(SA):EA=SA+22

- ·130 FOR N=SA TO SA+21:READ D:CS=CS+D:POK E N,D:NEXT
- •140 IF CS<>1883 THEN PRINT"ERROR IN DATA STATEMENTS. RECNECK": END
- •150 PRINT:PRINT"LOADED OK. TO EXECUTE DO SYS"; SA
- •160 SH=INT(SA/256):SL=SA-256*SH:EH=INT(E A/256):EL=EA-256*EH
- ·170 PRINT: INPUT"SAVE TO DISK OR TAPE (D/T)"; K\$:IF K\$<>"D" AND K\$<>"T" THEN170
- ·180 IF K\$="D" THEN SYS 57812 "POINTERFIX "+SA\$,8:GOTO200
- ·190 IF K\$="T" THEN SYS 57812 "POINTERFIX "+SA\$,1
- •200 POKE 193, SL:POKE 194, SH:POKE 174, EL: POKE 175, EH:SYS 62954
- ·210 PRINT:PRINT"DONE":END
- ·220 DATA 32,51,165,24,165,34,105,2
- ·230 DATA 133,45,165,35,105,0,133,46
- ·240 DATA 32,89,166,76,116,164

RESET

Ye Olde Disk Drive Lockup...the kind that has your drive in a state of rigor mortis. It won't load. It won't save. Heck, it won't even roll over and play dead dog. It just sits there like a lump of plastic trash. Fast load programs and cartridges can really increase the frequency of this fifth dimension scenario. What to do? The common approach is to remove the disk, switch off the drive, switch it back on, reinsert the disk, and continue on. That's fine if it's an occasional lockup. But if it happens with relentless regularity, you may find yourself permanently listing to port, or starboard as the case may be, waiting for the next calamity. Besides, the flashing light that often accompanies lockups can have you launching the first disk drive frisbee in history.

There is a better way. *Reset* is a short little routine that hides in memory awaiting your plea for help. It works with the C-64 and C-128 using either a 1541 or 1571 disk drive. SYS to it and the drive resets itself as if you had just switched it on. It unlocks the rigor mortis and douses any flashing light that may be present. It's great to keep in memory when you're using fast load programs. They definitely have a penchant for jamming the drives.

Reset is fully relocatable by changing the variable S in line 1. It's currently set for location 700 on the C-64. If you're using a C-128 in C-128 mode, be sure to change S to 3072 or 4864 or some other compatible location.

Buck Childress
 Salem, OR

- •1 S=700:REM *** CHANGE TO 3072 FOR THE C -128
- •2 FORJ=STOS+43:READA:POKEJ,A:X=X+A:NEXTJ
 :PRINT

BACK ISSUES OF Ahoy! #6-JUNE '84 Game programming col-#5-MAY '84 Future of Commodore! In-#3 - MAR. '84 Anatomy of the 64! Printer #2 - FEB. '84 Illustrated tour of the 1541! umn begins! Code generating programs! Ruinterfacing for VIC & 64! Educational software side BASIC storage! Memory management on Artificial intelligence! Synapse's Ihor Wolosenpert on inputting! Memory management conseries begins! VIC game buyer's guide! And the VIC & 64! Guide to spreadsheets! Hurray ko interviewed! String functions! And ready tinues! And ready to enter: Post Time for the for arrays! And ready to enter: Math Master! ready to enter: Address Book! Space Lanes! to enter: Music Maker Part II! Screen Manip-64 & VIC! Alpiner! Sound Concept! Air Assault! Biorhythms! VIC Calculator! Random Files on the 64! Dynamic Power! ulation! Night Attack! Relative Files! #9 - SEPT. '84 Program your own text ad-#10 - OCT. '84 C-64 graphics programs! #7-JULY '84 MSD dual disk drive! Data-#8-AUG. '84 Choosing a word proces-Bit-mapped graphics! Joystick programming! venture! Build a C-64 cassette interface! Vidsor! Computational wizardry! Creating your base buyer's guide! Training your cursor! Graphics processing! And ready to enter: VIC own word games! Sound on the 64! And eo RAM! Word processors, part II! And ready Screen displays! File Sleuth! Users Groups! 40 Column Operating System! BAM Read & ready to enter: Micro-Minder! Directory Asto enter: Salvage Diver! DOS! Sound Explorer! And ready to enter: Renumbering! Checklist! Print! Emerald Elephant! Lawn Job! sistance! The Terrible Twins! Words Worth! The Castle of Darkness! Base Conversions! Math Defender! Brisk! What's My Job? #14 - FEB. '85 Printer interfacing! Multi-#13-JAN. '85 VIC and 64 OS exposed! #12 - DEC. '84 Buyer's guide to printers! #11-NOV. '84 Music programs & keycolor sprites! Modems! Bulletin Boards! The-Sprites! Insert a 1541 device # disconnect boards for the 64! Graphics feature contin-1525 printer tutorial! Fast graphics with cusory of game design! Buying a modem! And switch! Ghostbusters! And ready to enter: Ultom characters! User Guide to KMMM Pasues! 2-D arrays! And ready to enter: PTE word ready to enter: Futurewar! Fontasia! VIC Eratra Mail! Music Tutor! Alice in Adventureland! cal! Diving into BASIC! And ready to enter: processor! Block Editor! Alternate Character ser! Insurance Agent! Flankspeed! Telelink 64! Midprint! To the Top! Tape/Disk Transfer! Set for the 64! Tunnel of Tomachon! Construction Co.! Space Patrol! Cross Ref! #18-JUNE '85 Music & graphics entry #17-MAY '85 Disk drive enhancements! #15 - MAR. '85 Creating multiscreen gameboards! Inside the Plus/4! Commodore #16-APR. '85 Assembly language colsystem! How modems work! Inside the 6510! Install a reset switch! Assembler escapades! umn begins! Programming the joystick! 1541 And ready to enter: Quad-Print! Mapping 4.4! And ready to enter: Super Duper! Two-Coldisk drive alternatives! The Kernal! And ready DOS! And ready to enter: Old Routine! Proumn Directory! DSKDU! Raid! DOS Plus! Font Towers of Hanoi! Speedy! Duck Shoot! Bit to enter: Hop Around! Faster 64! Booter! Elegrammable Functions! Automatic Line Nos.! Dumping! Screen Magic! 6510 Simulator! Editor! Tile Time! Interrupt Wedge! check! BASIC Trace! Space Hunt! Home Budget! Salmon Run! Numerology! #22 - OCT. '85 Create cartoon characters! #21-SEP. '85 Inside the 1571 drive and #19-JULY '85 PROM Programming! #20 - AUG. '85 Inside the 128! Real-world Infinitesimal intrigue! Secrets of copy protec-3-part harmonies on VIC/64! Speeding pixels! 128 keyboard! Sprite programming! And simulations! Sound effects! Modems! And tion! And ready to enter: Shotgun! Maestro! ready to enter: Fastnew! Go-lister! File Lock! And ready to enter: Auto-Append! Script Analready to enter: Windows! Formatter! Sound-Solitaire! Mystery at Mycroft Mews! Gravi-Dragon Type! Superhero! Auto-Gen! Moxey's a-Rama! Screen Dump! Selectachrome! Disysis! Wizard of Im! Lucky Lottery! Brainframe! nauts! 1541 Cleaning Utility! Shadey Dump! Etch! Printat! Autos: Leasing v. Buying! integrator! Fidgits! Gators N Snakes! Porch! Fish Math! Ahoy!Dock! Invective! #25-JAN. '86 Build a speech synthesiz-#26-FEB. '86 Windows! Build an auto-#23 - NOV. '85 Guide to adventure gam-#24-DEC. '85 Speech synthesizer! The exec cartridge! Align your 1541! Survey of er! Survey of sports games! And ready to en-IBM Connection! The year's 25 best entertaining! ML sprite manipulation! BASIC for beginflight simulators! Structured programming! ments! And ready to enter: Gypsy Starship! ter: Martian Monsters! Streamer Font! Microners! And ready to enter: Lightning Loader! And ready to enter: Arena! Head to Head! Directory Manipulator! Cloak! Gameloader! sim! Haunted Castle! Knockout! Infraraid! Knight's Tour! Chopper Flight! Rhythmic Bits! Crabfight! Treasure Wheel! Character Dump! Jewel Quest! Lineout! Santa's Busy Day! Alarm Clock! Memory Check! Scratch Pad! Instant Bug Repellent! File Scout! Slither! #30-JUNE '86 Debugging dilemmas! #29 - MAY '86 128 graphic bit map! Epyx #27-MAR. '86 Programming education-#28-APR. '86 Comet catching! Survey Public domain software! Winning at Ultima! strategy guide! 128 commands! ML music al games! Memory dumpers! Choosing a of action and strategy games! Screen dum-Computer Aided Design! And ready to enter: programming! And ready to enter: Bigprint! copy program! Custom characters! And ready ping! And ready to enter: Chrono-Wedge! Mr. LazyBASIC! Got A Match? Star Strike! Queen's Star Search! Failsafe! English Darts! Ski Folly! Mysto! Air Rescue! Notemaker! Screen Winto enter: Ahoy!Term 128! Trivia Game Maker! and Bishop's Tours! Shaker! Trackdown! Free RAM Check! Alchemist's Apprentice! dow! JCALC! Hidden Cavern! Swoop! Brickbusters! Easy Lister! Programmer's Aid! #34 - OCT. '86 Build a digital oscilloscope! #33-SEPT. '86 Windows and viewports! #32-AUG. '86 Inside the Amiga, part II! #31-JULY '86 Inside the Amiga! Condi-Approaching infinity! C-64 war simulations! ML speed techniques! And ready to enter: Sound & music on the 64! COMAL! And ready tional branching! Chess programs! 128 and Vault of Terror! Quick Change! Penguins! At-Pascal for beginners! ML graphics! And ready to enter: The Last Ninja! Speech64! Multi 64 DOS! And ready to enter: Screen Sleuth! tack Force! Disk Checkup! Dvorak Keyboard! to enter: Reversi! Highlight! Disk Cataloger! RAM! Dogcatcher! Trapped! Matchblocks! Skull Castle! Head-on! Nebergall Run! Word-Mountaineer Mack! 128 to 64 Autoboot! Variable Manager! Dual Dump! Mine Canyon! Meteor Run! Trim! Step On It! Flap! count! Crazy Joe! Fidgits' Music School! #38 - FEB '87 Hacking into machine lan-#37-JAN. '87 Pointers and the monitor! #36-DEC. '86 File manipulation! C-128 #35-NOV. '86 C-128 shadow registers! guage utilities! Amiga RAM expanders! And Best games of '86! DOS for beginners! And shadow registers! Football games! And ready Data file handling! PROMAL! Habitat! And ready to enter: Window Magic! Crunchman! to enter: The Artist! Minotaur Maze! Mouse ready to enter: Vortex! Hanger 14! BASIC ready to enter: Teleporter! 128 RAM Check! User Conventions! The Adventurer! More Ahoy! Catacombs! Lixter! Dark Fortress! Perin the House! Lazy Source Code! Rebels and Discs of Daedalus! Guardian! Tenpins! Syntax BASIC 128! Jailbreak! Turtle Rescue! 640! Lords! Speedway! The Editor! Micro City! maLine! Starfighter! Bugout! Screens! Patrol! Deluxe List! Long Lines! Detonation! #42-JUNE '87 Megaflops and microsec-#41-MAY '87 Kernal power! 64 and Am-#39 - MAR. '87 Basic esthetics! Survey #40-APR. '87 Inside the Amiga 2000! onds! Sci-fi braingames! C-64 to Amiga file Fractals! Baseball games! COMAL, turtle iga graphics! Microworlds in COMAL! Brain of video digitizers! Multiplayer games! And transfer! And ready to enter: D-Snap! Wraiths! graphics, and Logo! And ready to enter: Infogames! Dark Fortress master maps! And ready to enter: C-64 Compressor! Wizard Tag! Galactic Cab Co.! Cave of the Ice Ape! ALTflow! Laps! Pieman! List Formatter! Scrambready to enter: Moondog! Startup! Illusion Turbopoke! Rescue 128! Lights Out! Pinball Key 128! Power Squares! 128 Multi RAM! Master! Wall Crawler! Scavenger Hunt! ler! Extended Background Mode! Planet Duel! Arcade! Stow Away! Caverns of Geehonk! #45-SEP. '87 The 128 versus The #46-OCT. '87 A rainbow of data struc-#43 - JULY '87 Real world interfacing! Bit #44 - AUG. '87 Electronic screen swap-Clones! Building an Amiga trackball! MSD uptures! BASIC 8.0 reviewed! Buying guide to ping on the C-128! Science fiction action map graphics tutorial! C-64 graphic conver-COMAL! Tips Ahoy! Art Gallery! And ready to date! CES Report! And ready to enter: Crysgames! The death of GOTO! Amiga reviews! sion! Martial arts software! And ready to enenter: Empire! C-64 RAMDrive! Hotfoot! Plattallus! Spriteshell! Hoops! Chainmail! No And ready to enter: Archer! Banner Print! ter: Wizard Tag II! Data Creator! Plink & Plonk! News! PS to GEOS! Centerfold! Red Alert! forms! Spray-Cam! Jam Attack! Route 64! Steeplechase! Batter Up! Scanner! Univaders! Data Express! 128 Scroller! #47-NOV. '87 The ins and outs of data #48 - DEC. '87 Exploring artificial intelli-#49 - JAN. '88 Iterative mathematics and Supply of certain gence! Expansion port tutorial! Memory exorganization! Overview of C-64 memory exgraphics! Expansion port tutorial, part II! The issues is very limited panders! And ready to enter: Redirect! Silhoupanders! Commodares! And ready to enter: best C-64 and Amiga games of 1987! And Orbit! RAMCO! A-Maze-Ing! Line Sentry! Desette! Fueling Station! Take Two! Pizza Boy! ready to enter: Infoflow 64! TextSave! Clone-...order now! ert Front! Paper Route! Flash Flood! Sprite-On! Warship! Cliffhanger! A-Matic! Ice Titans! Jungle Jake! Please send me Use coupon or __ copies of issue #____ copies of issue #___ __ copies of issue #____ copies of issue #___ ALL ISSUES \$4.00 facsimile. EXCEPT #2, #3, & #21 (\$10.00) Enclosed please find my check or money order for \$_____ (outside the USA add \$1.00 per copy) If ordering more than four NAME

STATE

Send to: Ahoy! Back Issues, Ion International Inc., 45 West 34th Street - Suite 500, New York, NY 10001.

ZIP

issues, list

choices on a

separate sheet.

ADDRESS

CITY

- ·3 IFX<>6140THENPRINT"ERROR IN DATA[3"."]
 ":END
- •4 PRINT"DATA OK * SYS"S"TO RESET DRIVE[3 "."]":END
- ·5 DATA169,15,162,8,168,32,186,255,169,0,32,189
- ·6 DATA255,32,192,255,162,15,32,201,255,1 69,85,32
- ·7 DATA210, 255, 169, 59, 32, 210, 255, 169, 13, 3 2, 210, 255
- ·8 DATA32,204,255,169,15,76,195,255

LISTER-SEEN

Long lists got you down? Are all those lines beginning to look like one great big mud pie? Do your eyeballs feel like they're turning into mush? Well, keep the oatmeal in the bowl and your eyes in their sockets with *Lister-Seen*. Whenever you list a program, *Lister-Seen* prints each line in a contrasting color...easy to tell the lines apart and refreshing to your eyes.

After running *Lister-Seen* to get the data into memory, type SYS 53000 and press RETURN. Now there'll be some zip in the ol' list.

To deactivate *Lister-Seen*, press RUN STOP RESTORE.

SYS 53000 reactivates it.

—Buck Childress
Salem, OR

- ·1 REM *** LISTER-SEEN ***
- •2 PRINTCHR\$(147)"LOADING";:FORJ=53000T05
- •3 READA:POKEJ, A:X=X+A:PRINT".";:NEXTJ
- •4 PRINT:PRINT:IFX<>21349THENPRINT"ERROR IN DATA[3"."]":END
- •5 PRINT"DATA OK [3"*"] SYS 53[3"0"] TO A CTIVATE[3"."]":END
- •6 DATA169,160,162,0,133,252,134,251,142, 158,207,161
- •7 DATA251,129,251,230,251,208,248,230,25 2,165,252,201
- ·8 DATA192,144,240,169,76,162,74,160,207, 141,209,166
- •9 DATA142,210,166,140,211,166,162,140,16 0,207,141,20
- ·10 DATA167,142,21,167,140,22,167,120,169,47,162,54
- ·11 DATA133,0,134,1,88,96,173,33,208,41,1 5,141
- ·12 DATA159,207,174,134,2,173,158,207,208,6,142,160
- ·13 DATA207,238,158,207,138,205,160,207,2 40,6,173,160
- ·14 DATA207,76,121,207,24,105,8,41,15,205,159,207
- ·15 DATA208,3,170,232,138,141,134,2,32,22 5,255,208
- ·16 DATA8,8,32,146,207,40,32,47,168,76,21
- •17 DATA32,146,207,76,134,227,169,0,174,1 60,207,141

·18 DATA158,207,142,134,2,96

TRAPPED

You finally finished typing the last line of your C-128 program. After saving it, you decide to run it. Suddenly, the ominous error occurs. You can hit the HELP key to highlight the error, but what happens if there are errors up to your neck? Your finger might start to get sore from hitting the HELP key all the time. To solve this problem, enter these two lines at the beginning of your BASIC program:

1 TRAP2: GOTO10

2 SCNCLR:HELP:PRINT"TYPE OF ERROR: "; ERR \$(ER):PRINT:PRINT:PRINT"LIST"; EL; CHR\$(145); CHR\$(145);:POKE842,13:POKE208,1:END 10 your BASIC program starts here

Now every time you run your program and an error occurs, the line with the highlighted error is displayed along with the type of error and the original line. The original line is displayed for your editing convenience. Get rid of those bugs without spraining your finger.

-Michael Jaecks Alamogordo, NM

CORKSCREW

Want to add some zing to your screen? Give it some bub-

COMPUTER REPAIR

8	00-2	21-7	770			
AMIGA \$100.00		A \$100.00	AMIGA \$100.00			
Commodore Disk Drive 1541 2031	\$60.00		Commodore Monitor 1701 1702	\$75.00 **		
Commodore SX-64 Portable		1	-\ PET 64			
	\$99.00	VIC 20	\$45.00			
Computer	*	1	Computers			
Commodore			Commodore			
Printer MPS 801 MPS 803	\$50.00		Printer 1526 MPS 802	\$75.00		
MSD SD1, SD2			Commodore			
CBM 128 CBM 1571	\$85.00		Computer 8032	\$85.00		
1371		. .	8050	*		

			0000	-V
WE BUY ALIVE 64 60.00 1541 NEWT 75.00 SX64 150.00 MSD 100.00 APPLE 2E 450.00 MPS801 35.00 SFD 1001 85.00 DEAD 64 40.00 1541 NEWT 60.00 1541 ALPS' 40.00 MSD 75.00 SX64 100.00 MUST BE COMPLETE	CABLES AND REG 6 PIN DIN 12' 6 PIN 12' 6 P	3.95 7.95 9.95 9.95 6 BACK 29.95 6 BACK 24.95 18.95 11.95 ASE 6.25 TION 48.95 295.00 6HIPPING MIN ORDER APO AND	901225-01 901226-01 901227-03 901229-05 7701/8701 8721 8502 82\$100 6502 6532 6520 6522 6526 6567 6581 6510 4164	10.85 10.85 10.85 15.85 15.85 16.85 9.85 9.85 3.85 6.29 3.85 8.85 12.85 9.85 8.85 9.85
TC ELECTRON	VICS * 15.00 BUSIN	APO AND JESS		
HWY 36 PO 1		MENT	205-	5
HARTSELLE, A	AL. 35640		773-	1077

SEND FOR OUR COMPLETE LIST OF PARTS AND SOFTWARE

Reader Service No. 201

bly with *Corkscrew*. Just add *Corkscrew* to your programs and watch the screen come alive with a colorful gyroscopic effect.

Corkscrew is great for title and help screens, or any time you need to add a little pizzazz to those slow moments. It works on both the C-64 and the C-128 with a 40 column display.

You can check out Corkscrew by itself. Just run it the

way it's listed and watch the screen.

Here's something to remember, though. If you GOSUB to Corkscrew from within a program, be sure to change line 63012 to RETURN.

—Buck Childress Salem, OR

- •63000 A=55747:B=55764:C=55867:D=55884
- •63002 PRINT"[CLEAR][BLACK]";:A\$="[RVSON]
 [39" "][RVSOFF]":REM 39 SPACES
- •63004 FORG=1TO24:PRINTA\$:NEXTG:PRINTA\$"[
 HOME]"
- •63006 E=0:FORF=1T010:GOSUB63014:NEXTF
- .63008 A=A-41:B=B-39:C=C+39:D=D+41
- •63010 E=0:FORF=1T010:GOSUB63016:NEXTF
- •63012 GOT063012:REM CHANGE TO RETURN IF YOU HAD A GOSUB COME TO THIS ROUTINE
- •63014 A=A-41:B=B-39:C=C+39:D=D+41:GOT063
- .63016 A=A+41:B=B+39:C=C-39:D=D-41
- •63018 E=E+1:FORG=A+1TOB:POKEG, E:NEXTG
- •63020 FORG=BTODSTEP40: POKEG, E: NEXTG
- •63022 FORG=DTOCSTEP-1:POKEG, E:NEXTG
- •63024 FORG=CTOASTEP-40:POKEG, E:NEXTG:RET URN

WORDWRAP 128

If you'd like to format your information professionally, you might want to try this one-liner to correctly break any string on the border. Pass the string in A\$ to the subroutine at line 110 and watch it roll across your monitor with class. It will also save you memory space in programs, because you'll be able to eliminate needless spaces in lines that adjust the output for the border.

-Cleveland M. Blakemore

- •10 REM WORDWRAP 128
- •20 REM CLEVE BLAKEMORE A.K.A. TEX ARCANE
- · 30 D=39: REM CHANGE TO 79 FOR 80 COLUMNS
- •40 SCNCLR:PRINTCHR\$(13)CHR\$(13)CHR\$(13)CHR\$(14)
- •50 A\$="[s T]HIS IS A ONE-LINE WORD WRAP UTILITY FOR THE [s C]128 THAT ASSURES NO NE OF THIS OR ANY OTHER STRING WILL BREA K ITSELF IN AN UNSIGHTLY MANNER ON THE B ORDER."
- •60 GOSUB110
- •70 A\$="[s I]T IS USEFUL FOR [s B][s A][s S][s I][s C] WORD PROCESSING, TEXT ADVEN TURES, INSTRUCTION PAGES, OR ANY APPLICATI ON THAT USES LONG STRINGS OF INFORMATION [3"."]"

- ·80 GOSUB110: END
- •90 REM ONE-LINE WORD WRAP
- •100 REM PASS STRING IN A\$ TO SUBROUTINE
- •110 L=LEN(A\$):X=1:DO:W\$="":DO:L\$=MID\$(A\$
 ,X,1):W\$=W\$+L\$:X=X+1:LOOPUNTILL\$=" "ORX>
 L:PRINTCHR\$((POS(.)+LEN(W\$)>D)*-13);W\$;:
 LOOPUNTILX>L:RETURN

3-D CITY MAKER

You might just be designing another *Space Invaders* ripoff, but it will look like a whole new game with this nine line program that creates a three-dimensional city of buildings, complete with proper shading. You could try this little ditty with any application that requires a metropolitan backdrop.

—Cleveland M. Blakemore

- •1 POKE53281,.:POKE53280,.:PRINTCHR\$(147) :FORG=9T023STEP4:FORX=.TO7
- $\cdot 2 A = (RND(1)*2)+11$
- ·3 POKE783, .: POKE782, X*5
- $\cdot 4$ D=(RND(1)*8)+1
- •5 POKE781, G:SYS65520:POKE646, A:PRINT"[RV SON][4"[c D]"][c 8][RVSOFF][sEP]":POKE64
- •6 FORC=1TOD:POKE781,G-C:SYS65520
- •7 PRINT"[RVSON][4"[c D]"][c 8] ":POKE646 ,A:NEXT
- *8 POKE781,G-C:POKE782,X*5:POKE783,.:SYS6 5520:PRINT"[RVSON][c 8][sEP][3"[c @]"][s N]"
- ·9 NEXT: NEXT: PRINT"[HOME]": WAIT198,1

SCROLL FADE IN

Need that special touch to your special program? Use this short routine and amaze your friends. The program will scroll and fade in a string of characters to your screen. You must put your message into the variable A\$, the starting screen line location to print into S, and the ending screen line location into E. If that sounds confusing, lines 20-30 are examples to help illustrate this. S must be greater than E. Now, see what it can do for your games.—John Fedor Lindenhurst, IL

- •10 POKE53280,0:POKE53281,0:PRINT"[CLEAR]
 [WHITE]":C\$="[WHITE][c 8][c 5][c 4][BLAC
 K]":D\$="[HOME][24"[DOWN]"]"
- •20 A\$="HELLO":S=24:E=1:GOSUB60000
- •25 A\$="&":S=24:E=3:GOSUB60000
- •30 A\$="GOOD-BYE":S=24:E=5:GOSUB60000
- •40 END
- •60000 FORX=STOESTEP-1:FORY=OTO(S-X)+(X<S-4)*(S-4-X)
- •60010 PRINTLEFT\$(D\$,X+Y)TAB(20-LEN(A\$)/2)MID\$(C\$,Y+1,1)A\$"[HOME]":NEXTY,X
- •60020 FORC=2T05:FORY=1T05-C
- •60025 PRINTLEFT\$(D\$,E+Y)TAB(20-LEN(A\$)/2)MID\$(C\$,C+Y,1)A\$"[HOME]"
- •60030 NEXTY, C
- •60035 RETURN

COMMODARIES

PROGRAMMING CHALLENGES

By Dale Rupert

ach month, we'll present several challenges designed to stimulate your synapses and toggle the bits in your cerebral random access memory. We invite you to send your solutions to:

Commodares, c/o Ahoy! P.O. Box 723 Bethel, CT 06801

We will print and discuss the cleverest, simplest, shortest, most interesting and/or most unusual solutions. Be sure to identify the *name* and *number* of the problems you are solving. Put *your* name and address on the listings as well. Show sample runs if possible. Briefly describe your solutions and tell what makes them unique or interesting, if they are. You must enclose a stamped, self-addressed envelope if you want any of your materials returned. Solutions received by the middle of the month shown on the magazine cover are most likely to be discussed, but you may send solutions and comments any time. Your original programming problems, suggestions, and ideas are equally welcome. The best ones will become *Commodares!*

PROBLEM #50-1: PHONE DECODE

This problem was submitted by Pat McConville (Manassas Park, VA). Write a program to decode the encoding scheme described in *Problem #46-2* discussed below. All letters have a two-digit code. Q has a code value of 77, and Z is number 99. For all other letters, the first digit is the telephone keypad number for that letter. The second digit is a 1, 2, or 3, corresponding to the letter's position on that key. The user enters a sequence of numbers separated by commas. The computer displays the corresponding letters. For example, if the user enters 21, 99, 53, the computer returns AZL.

PROBLEM #50-2: SHORT SOUND

From Ernest Barkman (Athens, NY): What is the shortest program which can generate a continuous sound on the C-64 or the C-128? Ernest's one-liner uses 22 characters (or 18 keystrokes using command abbreviations).

PROBLEM #50-3: TRICKY INDEX

Justin H. Smalley (Boulder, CO) suggested this challenge. Start with this program to print out an array of data.

10 L=17 : NC=5 : NR=INT(L/NC)

20 FOR R=0 TO NR : K=R*NC : FOR C=1 TO N

C

30 I=K+C: IF I>L THEN END

40 PRINT I; : NEXT : PRINT : NEXT

This prints out the array of 17 numbers in 5 columns. NR is the number of complete rows. The result is this:

1 2 3 4 5 6 7 8 9 10

11 12 13 14 15

16 17

Your problem is to replace line 30 so that when the index I is printed in line 40, the result is this:

1 5 9 12 15

2 6 10 13 16

3 7 11 14 17

4 8

It has the same number of columns and complete rows as before, but the numbers are arranged vertically.

PROBLEM #50-4: SIMPLE SIMON

Write the simplest program possible to create the Simon number-sequence memory game. The computer displays three numbers briefly, then erases them. The user must enter the three numbers in correct order. The computer then adds one more number to its list and displays it briefly. The user must enter the four numbers in correct order. This process continues until the user fails to enter the list correctly. Remember, simplicity is the key.

This month we will look at the most interesting solutions to *Commodares* from the October 1987 issue of *Ahoy!* We will start with *Problem #46-1: Color Bars*, by Jim Speers (Niles, MI). The problem was to write a simple program which lets the user move a cursor along a color bar to select border, background, and text colors.

The following program from TBR (Littleton, CO) provides a nice user interface in a short, well-documented program:

•1 REM =======

•2 REM COMMODARES PROBLEM #46-1:

• 3 REM COLOR BAR

• 4 REM SOLUTION BY

•5 REM TBR

•6 REM == C-64 OR C-128 IN 40 COLUMNS ==

- •10 PRINT"[CLEAR][5"[DOWN]"]USE CRSR KEYS
 TO SELECT; <RETURN> CHANGES
- •15 KLR=241 : IF FRE(0)=FRE(1) THEN KLR=6
- •19 REM SET UP COLOR BAR
- •20 FORI=0T015:POKE1144+I,160:POKE55416+I
- •29 REM SET UP SELECTION BAR
- •30 PRINT"BORDER":PRINT"SCREEN":PRINT"CHA
- ·39 REM PLACE ARROWS ON SCREEN
- •40 A\$="[UPARROW]":B\$="[BACKARROW]":GOSUB 80:GETK\$:IFK\$=""THEN40
- •49 REM MOVE ARROWS
- •50 A\$=" ":B\$=" ":GOSUB80:X=X+(K\$="[LEFT]
 ")-(K\$="[RIGHT]"):Y=Y+(K\$="[UP]")-(K\$="[
 DOWN]")
- •59 REM ADJUST MOVEMENT TO LIMITED RANGE
- •60 X=X+(X>15)-(X<0):Y=Y+(Y>2)-(Y<0):IFK\$ <>CHR\$(13)GOTO40
- •69 REM CHANGE COLORS
- •70 IFY<2THENPOKE53280+Y, X:GOTO40
- •75 POKE KLR, X:GOTO10
- •79 REM PLACE/ERASE ARROWS
- •80 PRINT"[HOME][4"[DOWN]"]"TAB(X)A\$:FORI =0TOY:PRINT:NEXT:PRINTTAB(10)B\$:RETURN

Simply move the cursors to choose the function and the color. Press the RETURN key to make your selections. Press RUN STOP when done. I modified the program slightly so that it can be used with the C-128 in 40-column mode as well. The text color value is stored in location 241 in the C-128 and in location 646 for the C-64. The FRE statements in line 15 are equal for the C-64 but usually not for the C-128. The screen foreground and background colors are stored in the same location in both machines, 53280 and 53281.

In line 20 the color bar block character CHR\$(160) is POKEd into screen locations 1144 through 1159. The corresponding color memory locations in 55416 through 55431 are filled with the color values. Notice how the values of the cursor-position variables X and Y are changed in line 50. K\$ is the keyboard input. If it is a "cursor left", the expression K\$="[crsr left]" is true and therefore has the value -1. This decreases the value of X by 1. Likewise, if K\$="[crsr right]", the value of X is increased by 1 because of the minus sign in the formula. A similar formula causes Y to change as the vertical cursor is moved.

Line 60 prevents the cursors from moving outside their limits. If X has just been incremented to 16, for example, the first statement in line 60 reduces it back to 15.

There were multitudes of other solutions to this problem. Some required the use of the function keys. I prefer to leave my function keys the way I set them during bootup. Some other solutions did not cause the color changes to occur immediately. It is nice to get immediate feedback. Good job, TBR (whoever you are).

Edgar Losberg (Huntsville, AL) sent an interrupt-driven routine for the C-64 which uses the function keys to set the colors, even within another program. Edgar sent a well-commented assembler listing as well as a BASIC loader. Timothy Berry (Arlington, TX) sent an interesting solution for the C-128 which uses sprites and a joystick to select the colors. If you would like a copy of either of these listings, send me a self-addressed stamped envelope with your request clearly stated.

Problem #46-2: Phone Code was submitted by Wallace Leeker (Lemay, MO). The problem was to convert a three-character symbol into its telephone keypad code. The keypad is arranged like this:

1	ABC 2	DEF 3
GHI 4	JKL 5	MNO 6
PRS 7	TUV 8	WXY 9

The code for each letter is a two-digit number. The first digit is the key number, and the second digit is the letter's position (1, 2, or 3) on that key. For example, CBM is encoded 23, 22, 61. Q is given the code 77 and Z is 99 since they are not on the keypad.

Here is a compact, no-frills solution from Judy Groth (Brooklyn, NY).

- 2 REM COMMODARES PROBLEM #46-2 :
- 3 REM PHONE CODE
- •4 REM SOLUTION BY
- •5 REM JUDY GROTH
- •10 DIMV(26):INPUTA\$(1),A\$(2),A\$(3):V(26)
- •20 FORKN=20T090STEP10:FORLP=1T03:C=C+1:V (C)=KN+LP:IFC=17THENV(C)=77:LP=LP-1
- •30 NEXT:NEXT:FORY=1T03:FORX=65T090:IFA\$(Y)=CHR\$(X)THENPRINTV(X-64)
- · 40 NEXT: NEXT

You must enter three letters individually or separated by commas. The program returns the three codes. You might enjoy modifying this program to handle an input string of any length. Use the MID\$ function to separate it into its characters. Replace the 3's in lines 20 and 30 with the length of the input string.

A nice feature of Judy's solution is that it doesn't require lengthy DATA statements or strings containing the alphabet, the way many of the solutions did. With fairly uniform data, it is easier to let the computer figure out the encoding mathematically.

The CHR\$ statement in line 30 checks the letters A through Z for a match with the user input characters A\$(). If A\$(1) is "C" for example, the match will be found for

X equal to 67 since CHR\$(67) is "C". The V() array stores the codes for the 26 letters in alphabetical order. The PRINT statement selects element 3 of the V() array by subtracting 64 from the value of X, giving the code for "C".

Notice how the V() array is filled by stepping the key number KN by 10's while incrementing the letter's place value LP from 1 to 3. The last statement in line 20 is executed only for the 17th letter "Q".

Eddie Byrd (Caruthersville, MO) created an array of code values C() this way as part of his program:

1 FOR K=2 TO 9: FOR P=1 TO 3
2 N = K * 10 + P : REM CODE NUMBER
3 L = L + 1 - (N=72) : REM LETTER

4 C(L) = N : NEXT : NEXT

5 C(17)=77 : C(26)=99

The statement in line 3 normally increments L by one every time through the loop except for the code number 72. In that case (N=72) is true and has the value -1. Therefore L is incremented by 2. That takes care of the gap created by the missing letter Q. Line 5 stores the correct codes for Q and Z.

Jim Speers used the INSTR ("in-string") function on the C-128 to find the position of K\$, the chosen letter, in A\$ where A\$ is "ABCDEFGHIJKLMNOPRSTUVWXYQZ":

X = INSTR(A\$, K\$, 1) - 1

This gives X a value from 0 to 25. The encoded value is then calculated from this expression:

$$C = 10 * (INT(X/3) + 2) + (X - 3*INT(X/3) + 1)$$

Q and Z must be handled separately.

Problem #46-3: Line Locator was a small challenge to find the location in memory of any specified program line. Craig Ewert (Crystal Lake, IL) sent the following solution for the C-64:

•1 REM ==========

•2 REM COMMODARES PROBLEM #46-3:

•3 REM LINE LOCATOR

•4 REM SOLUTION BY

•5 REM CRAIG EWERT

•6 REM ===== C-64 ONLY =======

·10 AD=2049 : INPUT"LINE SOUGHT";L : IF L

•20 LP=PEEK(AD)+256*PEEK(AD+1) : LN=PEEK(AD+2)+256*PEEK(AD+3)

·25 REM PRINT AD, LP, LN

·30 IF L<LN OR LP=0 THEN PRINT"LINE"L"DOE S NOT EXIST":GOTO 10

•40 IF L=LN THEN PRINT"LINE"L"STARTS AT"A D:GOTO 10

·60 AD=LP : GOTO 20



Program memory starts at address 2049. (Use PEEK(45) + 256*PEEK(46) instead of 2049 for the C-128.) The instructions in each program line are preceded by 4 bytes. Two are pointers to the next line and two are the current line number. Line 20 first calculates the pointer LP to the start of the next line. The pointer is stored in bytes 0 and 1. Then it calculates the line number of the current line LN. This is stored as bytes 2 and 3.

Craig's program is unique among those submitted because of line 30. This line tests to see if the chosen line number has already been passed. For example, if the user wants to locate line 500 (L=500), the statement in line 30 checks to see if the current line number LN is already greater than 500. If so, the "Line does not exist" statement is executed. That can be a timesaver if this utility is used with a long program. Craig had a separate line for the LP=0 test which I combined with line 30 to shorten the program. Recall from last month's discussion that the end of the program is found when the pointer value is zero.

If the selected line number is found, line 40 displays its starting address. You may terminate the program by entering a negative line number. The conditional test in line 10 handles that case.

You might find it interesting to watch the program in action. Remove the REM from line 25, then search for a large, non-existent line number. You will see three columns of numbers. The first column is the memory address. The second column shows the pointer value stored at that address.

ULTRABYTE DISK NIBBLER

POWERFUL NEW GCR NIBBLER FOR COMMODORE 64 and 128 (in 64 mode)

- Automatically copies most disks in 2 minutes or less including variable density and rapid locked protection
- 105 new parameters to make unprotected copies of recent disks. Send stamped envelope for list
- Copies up to 40 tracks using 1 or 2 1541 or 1571 drives. Copies both sides on 1571
- · Copies itself (for this reason, no refunds given)

SPECIAL — BUY A NIBBLER V4.0 AND GET YOUR CHOICE OF A FREE \$14.95 PROGRAM \$39.95 plus \$4.00 shipping

1.	Disk	Surgeon	V2.0 new	disk	utility	 \$14.95
						L-46 6-

- 2. Ultramail -- mail list and labels..... both for Handy-Capper -- race handicapper
- 3. McMurphy's Mansion -- text adventure ... both for Soluware -- solutions to 10 adventures ... \$14.95
 - Above may be ordered separately for \$14.95 plus \$4.00 shipping. Foreign orders add \$2.00)

Mastercard, Visa, Check or M.O., Calif. add 6.5% (\$2.60) sales tax. Foreign orders / COD add \$2.00. Payment must be in U.S. funds UPDATES - Return original Ultrabyte disk with \$15.00 plus \$4.00 shipping. Foreign add \$2.00. No free disk with update

To order, write or call 24 hr. order line. For info. write.

ULTRABYTE (818) 796 - 0576 P.O. Box 789 LaCanada, CA 91011 USA

DEALERS & DISTRIBUTORS WANTED

The third column gives the line number of the line starting at the given address. Notice that the pointer value in one row equals the address value of the next row. Also notice that the pointer value at the last address is zero. The last number shown for that address is not really a line number.

Jim Speers took advantage of a user-defined function to arrive at this even simpler solution for the C-64 or the C-128.

- • 2 REM COMMODARES PROBLEM #46-3: • 3 REM LINE LOCATOR · 4 REM SOLUTION BY
- 5 REM JIM SPEERS
- •6 REM ============== •1000 L=43-2*(FRE(0)<>FRE(1)):DEFFNV(X)=P
- EEK(X)+256*PEEK(X+1)
- •1010 INPUT"[DOWN][DOWN]LINE NUMBER";LN
- •1020 L=FNV(L)
- •1030 REM PRINT L, FNV(L), FNV(L+2)
- •1040 IF FNV(L)=0 THEN PRINT"LINE NOT FOU ND": END
- •1050 IF FNV(L+2)=LN THEN PRINT"LINE";LN" STARTS AT LOCATION"; L: END
- •1060 GOTO 1020

Jim uses a logical expression in line 1000 to calculate the Start of Program Text address. It is contained in addresses 43 and 44 for the C-64 and in addresses 45 and 46 for the C-128. Since FRE(0) equals FRE(1) for the C-64, the logical expression (FRE(0) < > FRE(1)) is false and has a value of 0. Therefore L is given a value of 43. Since the two FRE functions are not in general equal for the C-128, the inequality is true and has the value -1. Therefore the expression -2 * (FRE(0) < > FRE(1)3) is equal to two, giving L the value 45.

The user function FNV calculates the value of a twobyte pointer or of a two-byte line number, since both are stored the same way. Again you may delete the REM in line 1030 to watch the program in action. You could use this program as a subroutine within another program if you replace the END statements in lines 1040 and 1050 with RETURN statements.

Cecil Woods (Norton, OH) sent this BASIC loader for his C-64 assembly language solution to the problem:

- •1 REM ==============
- 2 REM COMMODARES PROBLEM #46-3: •3 REM LINE LOCATOR
- · 4 REM SOLUTION BY
- CECIL WOODS • 5 REM
- •6 REM ==== C-64 ONLY =============
- · 10 PRINT"WORKING"
- •20 FOR X=40960 TO 49151
- · 30 POKE X, PEEK(X): NEXT
- •40 POKE 41151,79:POKE 41152,195
- •50 FOR X=43429 TO 43448
- •60 READ A:POKE X,A:NEXT
- •70 POKE 1,6:PRINT"DONE":NEW
- •80 DATA 32,107,169,32,19,166,165,95
- •90 DATA 133,99,165,96,133,98,32,209

Ahoy! DISK

Why type in the listings in this month's Ahoy! when we've done it for you? All the programs in this issue are available on the current Ahoy! Disk for \$8.95. Isn't your time worth more than that?

Use the coupon at the bottom of this page to order disks for individual months, a disk subscription, or the special anthology disks described below.

(You can also subscribe to the Ahoy! Disk Magazine—disk and magazine packaged together at a spe-

cial reduced rate. See the card bound

between pages 66 and 67.)

BEST OF '84 Address Book (3/84) Air Assault (5/84) Alpiner (6/84) Checklist (7/84) Construction Co. (12/84) Emerald Elephant (10/84) DOS (9/84) I Got Biorhythm (5/84) Lawn Job (10/84) Lunar Lander (4/84) Math Master (5/84) Micro Minder (8/84) Multi Draw 64 (1/84) Name That Star (4/84) Post Time (6/64)
Salvage Diver (9/84)
Space Lanes (VIC) (3/84)
Space Lanes (64) (3/84)
Space Patrol (12/84)
VIC 40 (10/84) Post Time (6/84)

Ahoyl Dock (9/85)
Alto Line Numbers (3/85)
Auto Line Numbers (3/85)
Directory Manipulator (12/85)
File Lock (9/85)
Fontasia (2/85)
Futurewar! (2/85)
Gameloader (12/85)
Gameloader (12/85)
Home Budget (3/85)
Home Budget (12/85)
Jewel Quest (12/85)
Jewel Quest (12/85)
Lightning Loader (11/85)
Midprint (1/85)
Midprint (1/85)
Music Tutor (1/85)
Salmon Run (3/85)
Salmon Run (3/85)
Telelink (2/85)
Tile Time (5/85)

BEST OF '86

Disk Cataloger (8/86)

Dogcatcher (9/86)

Dogcatcher (9/86)

City of the property of the property

BEST UTILITIES

Auto Append (7/85)
BASIC Trace (4/85)
Base Conversions (9/84)
Booter (4/85)
Commodore Font Editor (5/85)
Commodore Font Editor (5/85)
Commodore Font Editor (5/85)
Commodore Font Editor (5/85)
Commodore (8/85)
Fastnew (9/85)
Formatter (8/85)
Lucky Lottery (7/85)
Maestro (10/85)
Maestro (10/85)
Maestro (10/85)
Maestro (10/85)
Screen Magic (6/85)
Screen Magic (6/85)
Screen Magic (6/85)
Start & End File Address (9/85)
Two Column Directory (5/85)
Two Column Directory (5/85)
Windows (8/85)
Unidows (8/85)

Action
Alarm Clock (1/86)
BASIC Relocator (1/86)
Bigprint (5/86)
Chrono-Wedge (10/86)
Disk Checkup (10/86)
Pallsafe (5/86)
Long Lines (11/86)
Programmer's Aid (3/86)
Screen Window (4/86)
Screen Window (4/86)
Screen Window (4/86)
Screen Window (4/86)
The Editor (1/2/86)
Trackdown (6/86)
Trackdown (6/86)
Very-Able (3/86)
128 to 64 Autoboot (10/86)

BEST GAMES

Alpiner (6/84)
Construction Co. (12/84)
Disintegrator (8/85)
Dragon Type (9/85)
Duck Shoot (8/85)
Duck Shoot (8/85)
Emerald Elephant (10/84)
Emerald Elephant (10/85)
Gators N Snakes (8/85)

Gators N Snakes (8/85)

Avycroft Mews (10/85)
Mystery at Mycroft (18/84)
Name That Star (4/84)
Name That Star (4/84)
Post Time (6/84)
Salvage Diver (9/84)
Script Analysis (7/85)
Space Patrol (12/84)
Space Patrol (12/84)
Tile Time (5/85)
Wizard of Im (7/85)

Actionauts (4/86)
Air Rescue (4/86)
Brickbusters (3/86)
Crabfight (2/86)
English Darts (5/86)
Got a Match? (6/86)
Haunted Castle (1/86)
Head On (7/86)
Knockout (1/86)
Micro City (12/86)
Miroto City (12/86)
Minotaur Maze (1/86)
Penguins (10/86)
Ski Folly (5/86)
Star Search (5/86)
Swoop (4/86)
The Last Ninja (9/86)

Ahoy/Term (3/86)
Ahoy/Term (3/86)
Dark Fortress (1/87)
Dual Dump (9/86)
Extended Background Mode (4/87)
Extended Background Mode (4/87)
List Formatter (4/87)
List Formatter (4/87)
More BASIC 128 (2/87)
More BASIC 128 (2/87)
Nebergall Run (7/86)
Planet Duel (4/87)
The Artist (1/86)
Variable Manager (9/86)
Variable Manager (9/86)
Vordcount (7/86)
Vordcount (7/86)
128 to 64 Autoboot (10/86)

We've collected Ahoy! 's best programs onto the Anthology Disks described here.
Please note that many of these programs will be unusable without the documentation printed in the issues of Ahoy! listed in parentheses.

(Postage and Han		BSCRIPTION I U.S.A.	PRICES	ELSEWHERE	BACK ISSUES \$8.95 In Canada add \$2.00 per issue; outside US
☐ February '88 A	Ahoy! Disk	\$ 8.95	\$ 12.95	\$ 13.95	and Canada add \$4.00 per issue.
☐ 12-Month Disk	Subscription	\$ 79.95	\$ 99.95	\$124.95	\$8.95 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
24-Month Disk	Subscription	\$149.95	\$179.95		\$8.95
ANTHOLOG	Y DISKS \$10	.95 EACH			\$8.95 \(\bigcup \) \$8.95
Best of '84 Best Utilities Best of '85 Best Utilities II Best of '86 Best Games Best of C-128 Best Games II		NAME	Send	coupon or fac	esimile to: Ahoy! Program Disk Ion International Inc. 45 West 34th Street, Suite New York, NY 10001
MC and	2	ADDRESS			
Accepted	3	CITY	THE REAL PROPERTY.	STA	TE ZIP

Cecil said that lines 20-30 dump BASIC ROM into RAM. Line 40 changes the "ET" in "LET" into "OC" giving "LOC". Lines 50-60 put his routine into memory, and line 70 turns BASIC ROM off to enable the modified RAM version. The DATA statements store the machine language code.

The commented assembler listing describes the routine.

·1 I	REM ===			
•2]	REM	COMMO	DARES	PROBLEM #46-3:
.3 1			E LOCA	
-4]	REM	ASSEM	BLER I	LISTING
•5]	REM		CIL WOO	
•6	REM ===			.ү =======
•10	:A9A5			GET LINE NUMBER
• 20	:A9A8		The Art of the Party of the Par	;LOCATE LINE ADDR
•30	:A9AB		\$5F	;PICK UP 1/2 OF ADDR
·40	:A9AD		\$63	; FOR DECIMAL CONVERT
• 50	:A9AF	LDA	\$60	; PICK UP OTHER HALF
0	F ADDR			
•60	:A9B1	STA	\$62	;USED FOR CONVERSION
•70	:A9B3	JSR	\$BDD1	; CONVERT AND PRINT
	DDR			
	: A9B6	JMP	\$E386	GOTO WARM START
(READY)			

To use this program, type in the BASIC loader. Next, and very important, SAVE the program before you run it (since it erases itself). Then RUN the program. Now to locate the starting address of line 30, for example, just type LOC 30. This can be done at any time in direct mode with any program loaded.

Cecil mentioned a couple of minor shortcomings of this program. If you type L(shift-O) for the LOAD function, it picks up the LOC routine instead. Simply POKE 1,55 (reenable the ROM BASIC) and try again. Another minor problem is that if you request line 45 and your program has only lines 40 and 50, the LOC function returns the address for line 50. Also if you request a line number greater than any in your program, the routine returns the address of the start of variable storage at the end of your program text storage). Thanks for a very interesting solution, Cecil.

We will wrap it up this month with the shortest solution to Problem #46-4: Character Billiards. The problem was to create the simplest program to move the letter "O" around on the screen like a billiard ball. This program is a composite of the solutions from Manfred Klocek (Moodus, CT),

SILHOUETTE (December '87)

Due to a printing error, POKE 781,X of line 860 of Silhouette looked more like POKE 781.X. POKE 781,X is the correct way to type the line. We apologize for the inconvenience.

Jim Lostetter (Kelseyville, CA), and Larry Schafer (Westphalia, MI).

•1 REM ===================================
•2 REM COMMODARES PROBLEM #46-4:
• 3 REM CHARACTER BILLIARDS
• 4 REM SOLUTION SUGGESTED INDEPENDENTLY
•5 REM BY LARRY SCHAFER
•6 REM AND JIM LOSTETTER
•7 REM AND MANFRED KLOCEK
•8 REM =============
·10 PRINT"[CLEAR]":DX=1:DY=1
•20 G=1024+X+40*Y :POKE G,87 :FORI=1T015
:NEXT :POKE G,32
•30 Y=Y+DY:IF Y<1 OR Y>23 THEN DY=-DY
•40 X=X+DX:IF X<1 OR X>38 THEN DX=-DX
•50 GOTO 20
5, 0010 27

Their three solutions were so similar that I couldn't select one over the others. The program calculates screen locations for POKEing in line 20. The ball character is POKEd followed by a brief pause, and then a space character (32) is POKEd to erase it. Then the next horizontal and vertical screen locations are calculated in lines 30 and 40. If the ball is beyond any of the edges of the screen, the direction of motion (DX or DY) is changed to the opposite value. This creates the rebound effect.

You can have some fun with this idea. Instead of POKE G,32 in line 20, Rich Jones (Throop, PA) suggested that you POKE any other character value to see the interesting trail left by the ball. You might experiment with changing the color of the ball as Jim Speers did. You might also change its location or its direction of travel at random. The numbers in lines 30 and 40 define the size of the box in which the ball moves. You may change them as well.

The solutions from Bob Renaud (Pittsfield, MA), Nolan Whitaker (Jeffersonville, KY), and Jim Speers were all similar to this solution as well.

Not really a Commodare is this problem from Lew Lambros (Montgomery, AL). Lew wants to convert C-64 Print Shop graphics over to the Apple or IBM PC computers. If you have information on this, let me know and I will forward it to him.

Keep those challenges and solutions coming. The problems are as easy or difficult as you make them. See you next month.

The following people not already mentioned this month are also to be congratulated for their solutions:

Irwin Aschkenas (Avondale Estates, GA) Thomas Bermingham (Pine Hill, NJ) Jim Besso (APO NY) Rick Briggs (Porterville, CA) Matthew Brock (Tucson, AZ) David Clarke Harlan Clussman (Wausau, WI) Curt Donofrio (Shelton, CT) Edward Grove (El Cajon, CA) John Ward (Poulsbo, WA)

Robert Groysman (Fairlawn, NJ) Alan Gutierrez (Forest Hills, NY) Dale Ickes (Uhrichsville, OH) Gary Jones (Williamsport, IN) Yeechang Lee (Riverdale, NY) John Newell (San Antonio, TX) Jim Schuster (Fairpoint, OH) Tab Trepagnier (Kenner, LA)

ROGRAM LISTING

Attention new Ahoy! readers! You must read the following information very carefully prior to typing in programs listed in Ahoy! Certain Commodore characters, commands, and strings of characters and commands will appear in a special format. Follow the instructions and listings guide on this page.



n the following pages you'll find several programs that you can enter on your Commodore computer. But before doing so, read this entire page carefully.

To insure clear reproductions, Ahoy!'s program listings are generated on a daisy wheel printer, incapable of printing the commands and graphic characters used in Commodore programs. These are therefore represented by various codes enclosed in brackets []. For example: the SHIFT CLR/HOME command is represented onscreen by a heart

The code we use in our listings is [CLEAR]. The chart below lists all such codes which you'll encounter in

our listings, except for one other special case.

The other special case is the COMMODORE and SHIFT characters. On the front of most keys are two symbols. The symbol on the left is obtained by pressing that key while holding down the COMMODORE key; the symbol on the right, by pressing that key while holding down the SHIFT key. COMMODORE and SHIFT characters are represented in our listings by a lower-case "s" or "c" followed by the symbol of the key you must hit. COMMODORE J, for example, is represented by [c J], and SHIFT J by [s J].

Additionally, any character that occurs more than two times in a row will be displayed by a coded listing. For example, [3 "[LEFT]"] would be 3 CuRSoR left commands in a row, [5 "[s EP]"] would be 5 SHIFTed English Pounds, and so on. Multiple blank spaces will be noted in similar fashion: e.g., 22 spaces as [22 ""].

Sometimes you'll find a program line that's too long for the computer to accept (C-64 lines are a maximum of 80 characters, or 2 screen lines long; C-128 lines, a maximum of 160 characters, 2 or 4 screen lines in 40 or 80 columns respectively). To enter these lines, refer to the BASIC Command Abbreviations Appendix in your User Manual.

On the next page you'll find our Bug Repellent programs for the C-128 and C-64. The version for your machine will help you proofread programs after typing them. (Please note: the Bug Repellent line codes that follow each program line, in the whited-out area, should not be typed in. See instructions preceding each program.)

On the second page following you will find Flankspeed, our ML entry program, and instructions on its use.

Call Ahoy! at 212-239-6089 with any problems (if busy or no answer after three rings, call 212-239-0855).

WHEN YOU SEE	IT MEANS	YOU TY	YPE WIL	OU L SEE	WHEN YOU SEE	IT MEANS	YOU TYPE	YOU WILL SEE
[CLEAR]	Screen Clear	SHIFT	CLR/HOME		[BLACK]	Black	CNTRL 1	
[HOME]	Home		CLR/HOME	S	[WHITE]	White	CNTRL 2	
[UP]	Cursor Up	SHIFT	† CRSR ↓		[RED]	Red	CNTRL 3	£
[DOWN]	Cursor Down		† CRSR +		[CYAN]	Cyan	CNTRL 4	
[LEFT]	Cursor Left	SHIFT	← CRSR →	11	[PURPLE]	Purple	CNTRL 5	
[RIGHT]	Cursor Right		← CRSR →		[GREEN]	Green	CNTRL 6	0
[SS]	Shifted Space	SHIFT	Space		[BLUE]	Blue	CNTRL 7	
[INSERT]	Insert	SHIFT	INST/DEL		[YELLOW]	Yellow	CNTRL 8	π
[DEL]	Delete		INST/DEL		[F1]	Function 1	FI	
[RVSON]	Reverse On	CNTRL	9	R	[F2]	Function 2	SHIFT FI	5
[RVSOFF]	Reverse Off	CNTRL	0		[F3]	Function 3	F3	
[UPARROW]	Up Arrow		1	1	[F4]	Function 4	SHIFT F3	L
[BACKARROW]	Back Arrow		-	-	[F5]	Function 5	F5	
[PI]	PI		π	π	[F6]	Function 6	SHIFT F5	7
[EP]	English Pound		£	£	[F7]	Function 7	F7	-
					[F8]	Function 8	SHIFT F7	

BUG REPELLENT FOR THE 64 & 128 By BUCK CHILDRESS

Please note: the Bug Repellent programs listed here are for Ahoy! programs published from the May 1987 issue onward! For older programs, use the older version.

Type in, save, and run Bug Repellent. You'll be asked if you want automatic saves to take place. If so, you're prompted for the device, DISK (D) or TAPE (T). You then pick a starting file number, 0 through 99. Next, you enter a name, up to 14 characters long. At this point, Bug Repellent verifies your entries and gives you a chance to change them if you want. If no changes are needed, Bug Repellent activates itself. (Pressing RETURN without answering the prompts defaults to disk drive and begins your files with "00BACKUP".)

Type NEW and begin entering an Ahoy! program. As you enter program lines and press RETURN, a Bug Repellent code appears at the top of your screen. If it doesn't match the code in the program listing, an error exists. Correct the line and the codes will match.

If used, automatic saves take place every 15 minutes. When the RETURN key is pressed on a program line, the screen changes color to let you know that a save will begin in about three seconds. You may cancel the save by pressing the RUN STOP key. The file number increments after each save. It resets to 00 if 99 is surpassed. After saving, or cancelling, the screen returns to its original color and the timer resets for 15 minutes.

When you've finished using Bug Repellent, deactivate it by typing SYS 49152 [RETURN] for the Commodore 64 or SYS 4864 [RE-TURNI for the Commodore 128.

C-64 BUG REPELLENT

- ·10 PRINTCHR\$(147)"LOADING AND CHECKING THE DATA[3"."]":J =49152
- ·20 FORB=OTO11:READA:IFA<OORA>255THEN40
- · 30 POKEJ+B, A: X=X+A: NEXTB: READA: IFA=XTHEN50
- ·40 PRINT:PRINT"ERROR IN DATA LINE: "PEEK(64)*256+PEEK(63)
- •50 X=0:J=J+12:IFJ<49456THEN20
- .60 POKE198,0:POKE49456,0:A\$="Y":B\$=A\$:C\$="D":D\$="DISK":D =8:PRINTCHR\$(147)
- •70 INPUT"DO YOU WANT AUTOMATIC SAVES (Y/N)"; A\$:PRINT:IFA \$="Y"THEN90
- ·80 PRINT"NO AUTOMATIC SAVES[3"."]":GOTO150
- •90 POKE49456,1:INPUT"DISK OR TAPE (D/T)";C\$:IFC\$<>"D"THE ND=1:D\$="TAPE"
- ·100 POKE49457, D:D\$=D\$+" DRIVE":PRINT:INPUT"FILE NUMBER (
- ·110 N\$=RIGHT\$(STR\$(N),2):IFN<10THENN\$=CHR\$(48)+CHR\$(N+48
- ·120 F\$="BACKUP":PRINT:INPUT"FILENAME";F\$:F\$=N\$+LEFT\$(F\$, 14):L=LEN(F\$)
- *130 POKE49458, L: FORJ=1TOL: POKE49458+J, ASC(MID\$(F\$, J, 1)): NEXTJ:PRINT
- *140 PRINT"SAVING DEVICE ** "D\$:PRINT"STARTING WITH ** "F
- ·150 PRINT: INPUT"IS THIS CORRECT (Y/N)"; B\$:IFB\$<>"Y"THEN6
- ·160 POKE770,131:POKE771,164:SYS49152:END
- ·170 DATA169,79,32,210,255,162,38,160,192,204,3,3,1507

- *180 DATA208,10,162,131,160,164,169,70,32,210,255,44,1615
 *190 DATA169,78,32,210,255,142,2,3,140,3,3,76,1113
 *200 DATA36,193,32,96,165,134,122,132,123,32,115,0,1180
- ·210 DATA170, 240, 243, 162, 255, 134, 58, 144, 3, 76, 150, 164, 1799
- ·220 DATA32,107,169,32,121,165,173,0,2,240,5,169,1215
- ·230 DATA79,141,2,3,76,162,164,169,0,133,2,133,1064
- -240 DATA251,133,252,133,254,24,101,20,69,254,230,254,197
- ·250 DATA24,101,21,69,254,170,230,254,164,252,185,0,1724
- ·260 DATA2,133,253,201,34,208,6,165,2,73,255,133,1465 ·270 DATA2,201,32,208,4,165,2,240,8,138,24,101,1125
- ·280 DATA253,69,254,170,44,198,254,230,252,164,253,208,23
- -290 DATA213,138,41,240,74,74,74,74,24,105,129,141,1327 -300 DATA44,193,138,41,15,24,105,129,141,45,193,162,1230
- ·310 DATAO, 189, 43, 193, 240, 12, 157, 0, 4, 173, 134, 2, 1147
- ·320 DATA157,0,216,232,208,239,169,38,141,2,3,173,1578
- ·330 DATA48,193,240,23,165,161,201,212,176,4,165,160,1748
- +340 DATA240, 13, 238, 32, 208, 160, 0, 32, 225, 255, 208, 6, 1617
- *350 DATA32,33,193,76,38,192,232,208,242,200,208,239,1893
- ·360 DATA32,68,229,169,0,168,174,49,193,32,186,255,1555
- *370 DATA173,50,193,162,51,160,193,32,189,255,169,43,1670 *380 DATA166,45,164,46,32,216,255,162,1,189,51,193,1520
- ·390 DATA168,200,152,201,58,144,2,169,48,157,51,193,1543
- ·400 DATA201,48,208,3,202,16,234,32,33,193,76,116,1362
- ·410 DATA164, 206, 32, 208, 169, 0, 170, 168, 76, 219, 255, 160, 1827
- ·420 DATA1,1,160,0,0,65,72,79,89,33,0,0,500

C-128 BUG REPELLENT

- ·10 PRINTCHR\$(147)"LOADING AND CHECKING THE DATA[3"."]":J =4864
- 20 FORB=0T011:READA:IFA<00RA>255THEN40
- · 30 POKEJ+B, A: X=X+A: NEXTB: READA: IFA=XTHEN50
- ·40 PRINT:PRINT"ERROR IN DATA LINE: "PEEK(66)*256+PEEK(65) :END
- •50 X=0:J=J+12:IFJ<5213THEN20
- .60 POKE208,0:POKE5213,0:A\$="Y":B\$=A\$:C\$="D":D\$="DISK":D= 8: PRINTCHR\$(147)
- ·70 INPUT"DO YOU WANT AUTOMATIC SAVES (Y/N)"; A\$:PRINT:IFA \$="Y"THEN90
- ·80 PRINT"NO AUTOMATIC SAVES[3"."]":GOTO150
- .90 POKE5213,1:INPUT"DISK OR TAPE (D/T)";C\$:IFC\$<>"D"THEN D=1:D\$="TAPE"
- ·100 POKE5214, D:D\$=D\$+" DRIVE":PRINT:INPUT"FILE NUMBER (0
- ·110 N\$=RIGHT\$(STR\$(N),2):IFN<10THENN\$=CHR\$(48)+CHR\$(N+48
- ·120 F\$="BACKUP":PRINT:INPUT"FILENAME";F\$:F\$=N\$+LEFT\$(F\$, 14):L=LEN(F\$)
- ·130 POKE5215, L: FORJ=1TOL: POKE5215+J, ASC(MID\$(F\$, J, 1)): NE
- ·140 PRINT"SAVING DEVICE ** "D\$:PRINT"STARTING WITH ** "F
- ·150 PRINT:INPUT"IS THIS CORRECT (Y/N)"; B\$:IFB\$<>"Y"THEN6
- ·160 POKE770, 198: POKE771, 77: SYS4864: END
- ·170 DATA32,58,20,169,41,162,19,236,3,3,208,4,955
- ·180 DATA169,198,162,77,141,2,3,142,3,3,224,19,1143 ·190 DATA208,7,32,125,255,79,78,0,96,32,125,255,1292

- •200 DATA79,70,70,96,162,0,134,251,189,0,2,1053 •210 DATA240,19,201,48,144,9,201,58,176,5,133,251,1485 •220 DATA232,208,238,134,252,165,251,208,3,76,198,77,2042
- ·230 DATA169,0,166,235,164,236,133,253,133,254,142,47,193
- ·240 DATA20, 140, 48, 20, 24, 101, 22, 69, 254, 230, 254, 24, 1206
- ·250 DATA101,23,69,254,170,230,254,164,252,185,0,2,1704
- ·260 DATA133,251,201,34,208,6,165,253,73,255,133,253,1965

- ·270 DATA201,32,208,4,165,253,240,8,138,24,101,251,1625 ·280 DATA69,254,170,44,198,254,230,252,164,251,208,213,23
- ·290 DATA138,41,240,74,74,74,74,24,105,65,141,88,1138
- .300 DATA20,138,41,15,24,105,65,141,89,20,32,79,769
- ·310 DATA20, 189, 85, 20, 240, 6, 32, 210, 255, 232, 208, 245, 1742
- ·320 DATA174,47,20,172,48,20,24,32,240,255,173,93,1298 ·330 DATA20,240,27,165,161,201,212,176,4,165,160,240,1771

- -340 DATA17,32,65,20,238,32,208,238,1,214,32,225,1322 -350 DATA255,208,6,32,49,20,76,198,77,232,208,242,1603 -360 DATA200,208,239,32,66,193,173,95,20,162,96,160,1644
- ·370 DATA20,32,189,255,169,0,170,32,104,255,169,0,1395
- *380 DATA174,94,20,168,32,186,255,169,45,174,16,18,1351
 *390 DATA172,17,18,32,216,255,162,1,189,96,20,168,1346
- .400 DATA200,152,201,58,144,2,169,48,157,96,20,201,1448 .410 DATA48,208,3,202,16,234,32,49,20,141,0,2,955
- -420 DATA76,183,77,58,59,32,65,20,206,32,208,206,1222
- .430 DATA1,214,169,0,170,168,76,219,255,32,79,20,1403 .440 DATA169,26,141,0,214,173,0,214,16,251,96,162,1462
- -450 DATAO, 142,0, 255, 96, 19, 18, 32, 32, 32, 32, 146, 804
- ·460 DATAO, 1,0,0,65,72,79,89,33,0,0,0,339

FLANKSPEED FOR THE C-64 By GORDON F. WHEAT

Flankspeed will allow you to enter machine language Ahoy! programs without any mistakes. Once you have typed the program in, save it for future use. While entering an ML program with Flankspeed there is no need to enter spaces or hit the carriage return. This is all done automatically. If you make an error in a line a bell will ring and you will be asked to enter it again. To LOAD in a program Saved with Flankspeed use LOAD "name",1,1 for tape, or LOAD "name",8,1 for disk. The function keys may be used after the starting and ending addresses have been entered.

f1-SAVEs what you have entered so far.

NT ":J

55)

IFA

EN

48

NE

N6

f3-LOADs in a program worked on previously.

f5-To continue on a line you stopped on after LOADing in the previous saved work.

f7—Scans through the program to locate a particular line, or to find out where you stopped the last time you entered the program. It temporarily freezes the output as well.

1-10 DRESS299, 12 PRINTED 15 PRINTED 15 PRINTED 15 PRINTED 16 PRINTED				
	•100 POKE53280,12:POKE53281,11			IK
PRINT* RVSON 9" GREATED BY G. F. WHEAT 9" 1" 74 795 FRINT* FRINT* TOT ZERO PAGE OR ROM "B-#]:GOTOA15 JR VALUE 120 PRINT* RVSON 3" COPR. 1987, ION INTERNATIONAL INC.	105 PRINT"[CLEAR][c 8][RVSON][15" "]FLANKSPEED[15" "]";	FP	· 390 PRINT: PRINT"ADDRESS NOT WITHIN SPECIFIED RANGE!": B=0:	
110 PRINT" (RYSONI) " CORRATED BY G. F. WHEAT[9" "]"	I" INTERIOR TO THE STANDARDOR WIT EVILKE LEGGRAM[9			
1-10 PRINT" PRINT PRIN			•400 PRINT"?ERROR IN SAVE".COTO(15	
39 13 1416 PRINT: PRIN	·120 PRINT"[RVSON][3" "]COPR. 1987, ION INTERNATIONAL INC.	* **	·405 PRINT"?ERROR IN LOAD":GOTO415	
1-15 PORR-3-2/2-1008-4-99-POREAL //: PORES-277, /: POR	[3" "]"		·410 PRINT: PRINT: PRINT"END OF ML AREA": PRINT	
1-10 TOR.5-32/2,4; TOR.5-32/3,48; TOR.5-32/7,4; PORES-32/7,4; PORES-32/8,249; PORES-32/8,2	•125 FORA=54272TO54296:POKEA, 0:NEXT	ND	·415 POKE54276,17:POKE54276,16:RETURN	
**************************************	130 POKE54272,4:POKE54273,48:POKE54277,0:POKE54278,249:PO		·420 OPENI5,8,15:INPUT#15.A.A\$:CLOSE15:PRINTA\$:RETURN	
146 DATA169, 251, 166, 253, 166, 255, 366 145 DATA169, 7, 166, 251, 164, 252, 32, 213, 255, 96 145 DATA169, 7, 166, 251, 164, 252, 32, 213, 255, 96 145 DAS—STRATING ADDRESS IN HEX**(GOSUBA30; AD—B: SR=B) 146 DRAFEDING ADDRESS IN HEX**(GOSUBA30; AD—B: SR=B) 147 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 148 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 149 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 140 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 140 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 140 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 141 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 142 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 144 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 145 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 146 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 147 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 148 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 149 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 140 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 141 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 142 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 144 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 144 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 145 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 146 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 147 DRAFEDING ADDRESS IN HEX**(GOSUBA30; EN—B) 148 DRAF			•425 REM GET FOUR DIGIT HEX	IM
ASS DATA169, 0, 166, 251, 164, 252, 32, 213, 255, 66	140 DATA169 251 166 253 164 254 32 216 255 06		· 430 PRINT: PRINTB\$;: INPUTT\$	
SB_** STARTING ADDRESS IN HEX** GOSUBA39; Ab=R:SR=B	·145 DATA169.0.166.251.164.252.32.213.255.96		•455 IFLEN(1\$)<>41HENGUSUB389;GUT0430	JD
1-155 (OSUB-480); FIPE-OTHEN150 1-165 (POKE251, T(4)+T(4))*161; FOKE252, T(2)+T(1)*16 1-165 (POKE251, T(4)+T(4))*161; FOKE252, T(2)+T(1)*16 1-165 (POKE251, T(4)+T(4))*161; FOKE252, T(2)+T(1)*161; FOKE254, T(2)+T(2)*161; FO	·150 B\$="STARTING ADDRESS IN HEX":GOSUB430:AD=B:SR=B		380:GOTO430	
1-15 1-15	·155 GOSUB480: IFB=OTHEN150			
PE 4-55 FASS, "ANDRESS HEN-"GOSDB4-391:RN-B PE 4-55 FASS, "ANDRESS CHECK ADDRESS CHECK ADDR	·160 POKE251, T(4)+T(3)*16:POKE252, T(2)+T(1)*16	AM	·450 IFA\$>"@"ANDA\$<"G"THENT(A)=ASC(A\$)-55:RETIIRN	
1.75 POKE254, T(2)+T(1)+T(6):6+T(4)+1+T(3)+16	· 165 B\$="ENDING ADDRESS IN HEX":GOSUB430:EN=B		•455 IFA\$>"/"ANDA\$<":"THENT(A)=ASC(A\$)-48:RETURN	
189 1892557HENBB—2-55:POKE254, PEEK (254)+1	•175 POVE25A T(2).T(1)*16.P_T(A).1.T(2)*16		•460 T(A)=16: RETURN	IC
195 POKE 253 B. PERTIT	•180 IFB>255THENB=B-255:POKE254 PEFK(254)+1			
1-199 REM GET HEX LINE ED 4-469 IFPA_2550R(B_34')96'(ANDB_44')152') ORB>5324'THEN395 DB				
- 209 FORB=/TO1:GOTO259	•190 REM GET HEX LINE			
PM 449 REM ADDRESS TO HEX PM 210 AX(A)=I(I)+I(I))*16:IFAD+A-I=ENTHEN34/)	·195 GOSUB495:PRINT": [c P][LEFT]";:FORA=0T08	KD	•485 RETURN	
Age		100	· 490 REM ADDRESS TO HEX	
215 PRINT" [c P][LEFT]"; EG .505 A=16; COSUB520 LC			•495 AC=AD: A=4096: GOSUB520	
225 REXTA:T=AD_(INT(AD/256)*256):PRINT"	•215 PRINT" [DI[[PPT]".			NF
225 FORA=FITO7:T="T+A%(A):IFT>255THENT=T-255 226 NEXT 227 SYSTHEMGOSUB375:GOT0195 FL	•220 NEXTA:T=AD-(INT(AD/256)*256) • PRINT" "			
-235 [FAX(8) <>TTHENGOSUB375;GOT0195	•225 FORA=0TO7: T=T+A%(A): IFT>255THENT=T-255			
1.23 FRA'(8) \(\) THEKOSUB375; GOT0195 FL \(\) \$22 \$A\$=CHR\$(T4AB) JI	•230 NEXT			
2445 PGM GET HEX INPUT	•235 IFA%(8)<>TTHENGOSUB375:GOTO195	FL	•525 A\$=CHR\$(T+48)	
256 SETAS. FAS=CHR\$(20) THEN305 GA 546 OFENIA T. T. ASS SYS680; CLOSE1 AB	• 240 FORA=0T07: POKEAD+A, A%(A): NEXT: AD=AD+8: GOT0195	IM	•530 PRINTA\$;:AC=AC-A*T:RETURN	
255 FFAS=CHR\$(20)THEN305	OFF. OPPLA TOLA HUMOPHORE		•535 A\$="**SAVE**":GOSUB585	IC
266	OFF FRIA CURA/OCAMINACE	250000	•540 OPEN1,T,1,A\$:SYS680:CLOSE1	
-265 IFA\$=CHR\$(134)THEN560				
-77	·265 IFA\$=CHR\$(134)THEN560		•555 GOTO535	
-275 [FAS=CRR\$(136)THENPRINT" ":GOTO635	•270 IFA\$=CHR\$(135)THENPRINT" ":GOTO620	НО	CCC 14 What Girabill Googneses	
Ses Frass "Annas ("" THENT (B) = ASC (A\$) - 55: GOTO295	·275 IFA\$=CHR\$(136)THENPRINT" ":GOTO635	HE		
-295 PRINTA\$"[c P][LEFT]"; PK -585 PRINT" ":PRINTTAB(14)A\$ KA -580 GOT0205 FA -590 PRINT:A\$="":INPUT"FILENAME";A\$ IO -585 FRINT" ":PRINTTAB(14)A\$ KA -590 PRINT:A\$="":INPUT"FILENAME";A\$ IO -585 FRINT" "IPRINT"APE OR DISK?":PRINT HK -595 FFAS=""THEN590 HK -595 FFAS=""THEN590 HK -695 GETB\$:T=1:FB\$="D"THENT=8:A\$="@0:"+A\$:RETURN NP -605 GETB\$:TB\$="D"THENT=8:A\$="@0:"+A\$:RETURN NP -605 GETB\$:TB\$="D"THENT=BETB\$ -305 PRINT:PRINT":PRINTGHENT=8:A\$="@0:"+A\$:RETURN NP -605 GETB\$:TB\$="D"THENT=BETB\$ -306 PRINT:AB=AD-AB-BB GETB\$ -307 PRINT:PRINT":PRINTGHENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="D"THENT=9:GOT0415 GETB\$="	• 280 1FA\$>"@"ANDA\$<"G"THENT(B)=ASC(A\$)-55:GOT0295		•570 IFST=64THEN195	
-295 PRINTA\$"[c P][LEFT]"; PK .585 PRINT" ":PRINTTAB(14)A\$ KA .500 GOTO205 FA .590 PRINT:A\$="":INPUT"FILENAME";A\$ IO .595 IFA\$="":INPUT"FILENAME";A\$ IO .595		1500		CO
-300 GOTO205 -305 IFA>OTHEN320 -310 A=-1:IFB=1THEN330 -310 A=-1:IFB=1THEN330 -320 IFB=OTHENPRINTCHR\$(20); CHR\$(20); A=A-1 -320 IFB=OTHENPRINTCHR\$(20); GOTO220 -321 GOTO220 -322 IFB=OTHENPRINTCHR\$(20); GOTO220 -323 REM LAST LINE -3340 PRINTCHR\$(20); GOTO220 -325 REM LAST LINE -326 PRINT: ":T=AD-(INT(AD/256)*256) -327 GREM BELL AND ERROR MESSAGES -328 GOTOA-1: T=T+AX(B): IFT>255THENT=T-255 -329 IFB=OTHENPRINT"UYOU ARE FINISHED!": GOTO535 -320 IFB=OTHENPRINT"UYOU ARE FINISHED!": GOTO535 -320 IFB=OTHENPRINT"UYOU ARE FINISHED!": GOTO535 -320 IFB=OTHENF30 -321 IFB=OTHENF30 -322 IFB=OTHENF30 -323 PRINT: PRINT"UYOU ARE FINISHED!": GOTO535 -324 GOTO220 -325 A=A-1 -326 PRINT: PRINT"UYOU ARE FINISHED!": GOTO535 -326 PRINT: PRINT"UYOU ARE FINISHED!": GOTO535 -327 REM BELL AND ERROR MESSAGES -328 PRINT: PRINT"UTH A 4 DIGIT HEX VALUE!": GOTO415 -338 PRINT: PRINT"UNDUT A 4 DIGIT HEX VALUE!": GOTO415 -338 PRINT: PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -338 PRINT: PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -3385 PRINT: PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -3385 PRINT: PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -3385 PRINT: PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -3385 PRINT: PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -3385 PRINT: PRINT! PRINT"UNDUT S LESS THAN STAPPING!" B COTOCOTO415 -3385 PRINT: PRINT! PRI	•295 PRINTA\$"[c P][[EFT]"•			
**315	266. 0000006		- FOG DRIVE A # III TANDUMINT DATE OF THE	
*315 GOTO220 *315 GOTO220 *327 IFB=0THENPRINTCHR\$(20); CHR\$(20); :A=A-1 *328 A=A-1 *330 PRINTCHR\$(20); GOTO220 *331 REM LAST LINE *340 PRINT" ":T=AD-(INT(AD/256)*256) *341 FPRINT" ":T=AD-(INT(AD/256)*256) *342 FORB=0TOA-1:T=T+A%(B):IFT>255THENT=T-255 *350 NEXT *355 IFA%(A)<**TTHENGOSUB375:GOTO195 *360 FORB=0TOA-1:POKEAD+B, A%(B):NEXT *365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535 *370 REM BELL AND ERROR MESSAGES *370 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 *380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *381 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *386 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *387 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *388 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *389 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *380 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *381 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *386 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *387 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *388 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *389 PRINT:PRINT"PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *381 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *386 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *387 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *388 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *388 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *389 PRINT:PRINT" INPUT A 4 DIGIT HEX VALUE!":GOTO415 *381 PRINT:	•305 IFA>OTHEN320		FOR TILLA IIIImitantese	
320 IFB=0THENPRINTCHR\$(20); CHR\$(20); A=A-1 BF 610 IFB\$\$<\text{NTTHEN605} Thenfe0; A\$\$ = \$\text{07}; A\$\$; RETURN PH		ВВ	.600 PRINT:PRINT"TAPE OR DISK?":PRINT	
*325 A=A-1 *330 PRINTCHR\$(20);:GOTO220 *335 REM LAST LINE *340 PRINT" ":T=AD-(INT(AD/256)*256) *345 FORB=(TOA-1:T=T+AX(B):IFT>255THENT=T-255 *350 NEXT *355 IFAX(A)<>TTHENGOSUB375:GOTO195 *360 FORB=(TOA-1:POKEAD+B, AX(B):NEXT *365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535 *370 REM BELL AND ERROR MESSAGES *371 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 *380 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 *381 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT"INPUT A 5 DIGIT HEX VALUE!":GOTO415 *385 PRINT:PRINT"PRINT STAPETNG!"*B (10070704) *385 PRINT:PRINT"PRINT"STAPENDING IS LESS THAN STAPETNG!"*B (10070704) *385 PRINT:PRINT"PRINT"STAPENDING IS LESS THAN STAPETNG!"*B (1007070704) *385 PRINT:PRINT"PRINT"STAPENDING IS LESS THAN STAPETNG!"*B (100707070707070707070707070707070707070			·605 GETB\$:T=1:IFB\$="D"THENT=8:A\$="@0:"+A\$:RETURN	NP
- 330 PRINTCHR\$(20);:GOTO220 - 335 REM LAST LINE - 340 PRINT" ":T=AD-(INT(AD/256)*256) - 345 FORB=(TOA-1:T=T+A%(B):IFT>255THENT=T-255 - 350 NEXT - 355 IFA%(A)<>TTHENGOSUB375:GOTO195 - 360 FORB=(TOA-1:POKEAD+B, A%(B):NEXT - 365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535 - 370 REM BELL AND ERROR MESSAGES - 375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 - 380 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 - 380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 4 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 4 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT"SPINNT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 5 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 6 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 6 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 6 DIGIT HEX VALUE!":GOTO415 - 385 PRINT:PRINT INPUT A 6 DIGIT HEX VAL	- 225 + + 1		CIE provinci	
*335 REM LAST LINE *340 PRINT" ":T=AD-(INT(AD/256)*256) *345 FORB=(TOA-1:T=T+A%(B):IFT>255THENT=T-255 *350 NEXT *360 FORB=(TOA-1:POKEAD+B, A%(B):NEXT *365 PRINT:PRINT"YOU ARE FINISHED!":GOT0535 *370 REM BELL AND ERROR MESSAGES *370 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOT0415 *380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOT0415 *380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOT0415 *381 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOT0415 *385 PRINT:PRINT"ENING IS LESS THAN STAPETNG!" B (COT0704) **CP		FG (757)		
**340 PRINT" ":T=AD-(INT(AD/256)*256)			•625 COSUBA75. TER_CTURNO20	
*345 FORB=()TOA-1:T=T+A%(B):IFT>255THENT=T-255 *350 NEXT *351 IFA%(A)<>TTHENGOSUB375:GOTO195 *366 FORB=()TOA-1:POKEAD+B, A%(B):NEXT *365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535 *370 REM BELL AND ERROR MESSAGES *375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 *386 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 *387 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 *388 PRINT:PRINT"PRINT"SPINT A 5TARETNEL!":B (1-COTO4) *389 PRINT:PRINT"PRINT"SPINT STARETNEL!":B (1-COTO4) *385 B\$="BEGIN SCAN AT ADDRESS":GOSUB430:AD=B *649 GOSUB475:IFB=()THEN635 LN *649 FORB=()TO7:AC=PEEK(AD+B):GOSUB505:IFAD+B=ENTHENAD=SR:G *650 FORB=()TO7:AC=PEEK(AD+B):GOSUB505:IFAD+B=ENTHENAD=SR:G *655 PRINT" ";:NEXTB *666 PRINT:AD=AD+B *665 GETB\$:IFB\$=CHR\$(136)THEN195 *665 GETB\$:IFB\$=CHR\$(136)THEN195	•340 PRINT" ":T=AD-(INT(AD/256)*256)		COC DETUM COMOLOG	
- 350 NEXT - 355 IFAX(A)<>TTHENGOSUB375:GOT0195 - 360 FORB=0T0A-1:POKEAD+B,AX(B):NEXT - 365 PRINT:PRINT"YOU ARE FINISHED!":GOT0535 - 370 REM BELL AND ERROR MESSAGES - 375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOT0415 - 380 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOT0415 - 385 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOT0415 - 385 PRINT:PRINT"INPUT A 5 LESS THAN STAPETIC!" PRINT: PRI	•345 FORB=0TOA-1:T=T+A%(B):IFT>255THENT=T-255			
-360 FORB=OTOA-1:POKEAD+B,A%(B):NEXT -365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535 -370 REM BELL AND ERROR MESSAGES -375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 -385 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 -385 PRINT:PRINT"PRINT"ENDING IS LESS THAN STARTING!".B (1.007074)	OFF TRAME AN ADMINISTRATE COMMANDE		•640 GOSUB475:IFB=OTHEN635	
-365 PRINT:PRINT"YOU ARE FINISHED!":GOT0535 -370 REM BELL AND ERROR MESSAGES -375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOT0415 -380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOT0415 -385 PRINT:PRINT"PRINT"INPUT A 5 DIGIT HEX VALUE!":GOT0415 -385 PRINT:PRINT"PRINT"SPINING IS LESS THAN STAPETNEL" PG 665 GETB\$:IFB\$=CHR\$(136)THEN195 -665 GETB\$:IFB\$=CHR\$(136)THEN195 JD	· 335 IFA%(A)<>TTHENGOSUB375:GOTO195		•645 PRINT:GOTO670	
-370 REM BELL AND ERROR MESSAGES -375 PRINT: PRINT: LINE ENTERED INCORRECTLY": PRINT: GOTO415 -380 PRINT: PRINT: INPUT A 4 DIGIT HEX VALUE! ": GOTO415 -385 PRINT: PRINT: PRINT: PRINT: PRINT: BRINT: PRINT:	·365 PRINT:PRINT"YOU ARE FINISHED!".COTO525			
-375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415 JK -660 PRINT:AD=AD+8 -380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 PG -665 GETB\$:IFB\$=CHR\$(136)THEN195 -385 PRINT:PRINT"FRINTING IS LESS THAN STARTING!".P (1.00704)	- 276 DEM DELL AND EDDOD MEGGLODS		GES DETURN II NEWER	
•380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415 PG •665 GETB\$:IFB\$=CHR\$(136)THEN195	•375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415		AAA maanaa	
*385 PRINT PRINT" PRINT	*380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415		CCE COMPA TODA CUDACACACAMINATA	
	•385 PRINT:PRINT"ENDING IS LESS THAN STARTING!":B=0:GOTO41		(76 COCUMICS PRINTED II SOMECES	

SOUND ENLIGHTENMENT FROM PAGE 32 LOOKING AT SOUR		•1130 GETKEY K\$ •1140 VL=15 : GOSUB 200 •1150 RETURN •2000 REM === FREQUENCY ====================================	HI JJ BA OA HD
**10 GOSUB 5000 :REM INITIALIZE **20 GOTO 6000 :REM KEYBOARD INPUT **100 REM ==== GRAPH CONVERSIONS ==== **110 XS=A*X+B :REM SCALE FACTORS **120 YS=C*Y+D **130 IF XS>VR THEN XS=VR : REM LIMITING **140 IF XS <vn **150="" if="" then="" xs="VN" ys="">VT THEN YS=VT **160 IF YS<vb (x,y)="" **1000="" **170="" **180="" **200="" **210="" **220="" **230="" **240="" **250="" **260="" **270="" **280="" **290="" **300="" **310="" 0="" 1,fq*16.4,dur,,,,wv,pw="" 1,xs,ys="" 100="" :="" :rem="" convert="" do="" draw="" gosub="" graph="" increment="" invert="" k1="VL/15" k2="FQ/122" loop="" make="" plot="" rem="==" return="" sound="" then="" vl="" vol="" volume="===================================</td" while="" x="" x<wr="" y="K1*SIN(X*K2)" y-axis="" ys="200-YS"><td>MP OD JF MG JH LI NAN GGGI NL AF OP NK C KG BC CF MF LF HO LP NO JP AP DC MF AL JH BC AJ BH JF</td><td>*2030 CHAR 1,7,1, FREQUENCY = FITCH " *2030 CHAR 1,7,21,"<= 25 MSEC =>" *2040 PRINT B\$:PRINT "FREQUENCY=40 HZ (LO W PITCH)" *2050 GETKEY K\$ *2060 FQ=40 : VL=8 : DUR=600 : SS=.3 *2070 GOSUB 200 *2080 CHAR 1,11,5,"40 HZ" *2090 PRINT B\$:PRINT "FREQUENCY=120 HZ (H ICHER PITCH)" *2100 GETKEY K\$ *2110 FQ=120 : SS=.3 : DUR=800 *2120 GOSUB 200 *2130 CHAR 1,10,14,"120 HZ" *2140 RETURN *3000 REM === QUALITY ====================================</td><td>KD AM CG EE LD MI EK ID GK ID GP PJ GP PJ KG HH BN NE PH KO PM FI MC CE PM JO BM CJ FB</td></vb></vn>	MP OD JF MG JH LI NAN GGGI NL AF OP NK C KG BC CF MF LF HO LP NO JP AP DC MF AL JH BC AJ BH JF	*2030 CHAR 1,7,1, FREQUENCY = FITCH " *2030 CHAR 1,7,21,"<= 25 MSEC =>" *2040 PRINT B\$:PRINT "FREQUENCY=40 HZ (LO W PITCH)" *2050 GETKEY K\$ *2060 FQ=40 : VL=8 : DUR=600 : SS=.3 *2070 GOSUB 200 *2080 CHAR 1,11,5,"40 HZ" *2090 PRINT B\$:PRINT "FREQUENCY=120 HZ (H ICHER PITCH)" *2100 GETKEY K\$ *2110 FQ=120 : SS=.3 : DUR=800 *2120 GOSUB 200 *2130 CHAR 1,10,14,"120 HZ" *2140 RETURN *3000 REM === QUALITY ====================================	KD AM CG EE LD MI EK ID GK ID GP PJ GP PJ KG HH BN NE PH KO PM FI MC CE PM JO BM CJ FB
• 1070 GETKEY K\$ • 1080 VL=1 : FQ=122 : DUR=800 : SS=.2 : G OSUB 200 • 1090 PRINT B\$: PRINT "VOLUME 5 (MED. AMP LITUDE)" • 1100 GETKEY K\$ • 1110 VL=5 : GOSUB 200 • 1120 PRINT B\$: PRINT "VOLUME 15 (LARGE A MPLITUDE)"	IL IO FG CK	*3240 NEXT J *3250 RETURN *3260 DATA 3,1.57,.8,4.71,8,6.28,0 *3270 DATA 3,3,.8,3.2,8,6.28,0 *3280 DATA 5,0,.8,3.14,.8,3.14,8,6.28,8,6.28,0 *4000 REM === PULSE WIDTH ====================================	HI EM NI GB

·4020 CHAR 1,6,1,"- SQUARE WAVE PULSE W	TD
TH -"	
	PN
•4030 VL=10: DUR=0 :FQ=82 : SS=.5 : GOSI	JB
	HI
•4040 PRINT B\$:PRINT "INCREASING PULSE I	JI
DTHS"	JG
•4050 GETKEY K\$	PB
·4060 PRINT CS\$: PRINT	CP
•4070 X=0 : Y=0 :GOSUB 100 : X0=XS+2 : Y	70
=15	CO
*4080 X=3*PI : Y=.8 : GOSUB 100 : X2=XS	
YI=YS	OC
•4090 X=6*PI : Y=8 : GOSUB 100 : X4=XS	
2 : Y2=YS	CO
•4100 X1=X0+1 : DX=(X4-X0)/16 : D2=DX*8	FE
•4110 VOL 10	FL
•4120 FOR PW=550 TO 4050 STEP 500	CO
·4130 DRAW 0. X0. Y0 TO X0 V1 TO V1 V1 TO	v
1, Y2 TO X2, Y2 TO X2, Y1 TO X3, Y1 TO X3, Y	2
TO X4, Y2 TO X4, Y0	
•4140 X1=X1+DX-1 : X3=X1+D2+1	KN
•4150 DRAW 1, XO, YO TO XO, Y1 TO X1, Y1 TO	PN
1, Y2 TO X2, Y2 TO X2, Y1 TO X3, Y1 TO X3, Y	λ
TO X4, Y2 TO X4, Y0	
·4160 CHAR 1,1,14,"PW ="+STR\$(PW)	NM
·4170 SOUND 1,6400,120,,,,2,PW	GE
·4180 SLEEP 2	CG
•4190 NEXT	KA
·4200 RETURN	PA
•5000 REM===== INITIALIZATION ======	AG
•5010 GR=RGR(1): IF GR>5 THEN GR=5	= HD
•5020 GRAPHIC 0,1 : GRAPHIC 2,1,23	KH
• 5(13() PRINT CURC(27) !!!!! PRIV YOUR	EP
•5030 PRINT CHR\$(27)"M" : REM NO SCROLL	KK
•5040 WINDOW 0,23,39,24 : REM PRINT WINDOW •5050 PI=3.14159265	
• 5(16(1 DEM CDADU CONCENTRAL	AI
• 5070 REM GRAPH CONSTANTS	CN
•5070 WL=0: WR=6*PI: WT=1: WB=-1: REM WORLD COORDS.	i
• 5090 VN 60 VD 050	LM
•5080 VN=60: VR=252: VT=180: VB=40:REM	
VIEWPORT COORDS.	MO
•5090 A=(VR-VN)/(WR-WL) : B=VN-A*WL	EJ
•5100 C=(VT-VB)/(WT-WB) : D=VB-C*WB	EB
•5110 X=0 : Y=0 : XS=0 : YS=0 : SS=.2	GO
•5120 CS\$=CHR\$(27)+"@" : REM CLEAR TO EOS	BD
•5130 B\$=CS\$+"PRESS ANY KEY FOR"	CP
•5140 RETURN	LG
•5150 REM DRAW VIEWPORT	AN
•5160 BOX 1, VN, 200-VT, VR, 200-VB	EI
• 5170 REM DRAW X AXTS	DD
•5180 Y=0 : GOSUB 100 : REM SCALE & LIMIT	LF
DRAW I, VN. YS TO VR. YS	FE
•5200 RETURN	PC
•5210 REM===========	KD
• 5330 GRAPHIC GR.1	LC
6000 REM==== KEYBOARD INDIT	NI
OUTO CHAR 1,1,1,">> LOOKING AT SOUND	IE
100 FOR PW=0 TO 4095 STEP 250	TD
* SOUND 1 2000 100 2 DLI MINUTE	PO
, ,,,-,. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10

HI JJ BA OA HD

LO

IE

KD AM CG EE LD

MI EK ID GK DI PC JG

PJ KG HH ID H 3N VE. PH łK 0) M I 1C E Œ M 10 M

I

I

B

-6000 W 10 TO 1000	
.6030 VL=10 : FQ=1000 : DUR=1000 : WV=2 :	
PW=2048	DD
.6040 PRINT CS\$;"LOOK AT >> VOLUME, FREQU	עע
H'NC'V CHIAT TOV II	
*6050 DDTMM !! OD DVI CO TIME	MC
•6050 PRINT " OR PULSE-WIDTH [V,F,Q,P (X	
IO EXII)]:"	09
•6060 CETVEY DA	VA
• 6070 N_TNCTD (HUDODYH DA)	
• 6080 ON N COCUP 1000 2000 2000	M
•6080 ON N GOSUB 1000, 2000, 3000, 4000, 6100 P	H
•6090 GOTO 6030	N
•6100 REM END	B
.611() DDTNT CUDA(27) III II DTN TILLE	-
- 6100 DDTMMHCHOVER TEXAS	H
AL WINDOW : REM NORM	
	J
•6130 GRAPHIC GR,1 : REM ORIGINAL MODE G	P
TOPE O	1

ENVELOPE AND FILTER SAMPLER

공원 및 보고 교육을 받으면 하면 보고 있는 것이 하는 것이 없는 것이 없는 것이 없는 것이 없다.	
•1 REM====================================	= NM
· 2 REM ENVELOPE AND FILTER SAMPLER	MI
•3 REM RUPERT REPORT #50	OD
•4 REM	JF
•5 REM C-128	JH
•6 REM====================================	: CL
·10 TEMPO 40 : VOL 15	- 570 mm
·20 PRINT"ENVELOPE #"	AH
•30 FOR N=0 TO 9:PRINT N: ENVELOPE N: PL	HE
AY"V1 04 XO T"+STR\$(N)+"CDEFGFED" : NEXT	077
•40 N\$="V1 X1 OO C O1 DC O2 C O4 CDE O5 C	GK
06 C": R\$=CHR\$(13)	
•50 PRINT R\$; R\$; "ENVELOPE 0 - PIANO"	DI
•60 PRINT "LOW PAGE BY THE CHIPPED OF THE PRINT"	DD
•60 PRINT "LOW PASS FILTER CUTOFF VALUE"; R\$;" <increasing treble="">"</increasing>	
•7(1 FOR F-(1 TO 2017 CERP) occ	DJ
•70 FOR F=0 TO 2047 STEP 200: PRINT F; :	
FILTER F,1,0,0,1 : PLAY "TO"+N\$: NEXT	IM
*80 PRINT R\$;"HIGH PASS FILTER CUTOFF VAL	
UE"; R\$;" <decreasing bass="">"</decreasing>	GA
•90 FOR F=0 TO 2047 STEP 200: PRINT F;	
FILTER F,0,0,1,1 : PLAY "TO"+N\$: NEXT	NA
·100 PRINT R\$; R\$; "ENVELOPE 3 - DRUMS"	BI
·110 PRINT "LOW PASS FILTER CUTOFF VALUE"	
;R\$;" <increasing treble="">"</increasing>	CD
·120 FOR F=0 TO 2047 STEP 200: PRINT F; :	
FILTER F,1,0,0,1 : PLAY "T3"+N\$ · NEYT	EJ
·130 PRINT R\$:"HIGH PASS FILTER CUTOFF VA	
LUE"; R\$;" < DECREASING BASS>"	HG
•140 FOR F=0 TO 2047 STEP 200: PRINT F. •	
WILTED E C. C. 1 1 Dr iv then the	AN

PROGRAMS NEEDED!

We always have room for one more top-flight game, utility, or productivity program. Send your best work on disk, accompanied by printed documentation and a self-addressed, stamped envelope to:

Ahoy! Program Submissions Dept. Ion International Inc. 45 West 34th Street—Suite 500 New York, NY 10001

ML RANGER FROM PAGE 49

Starting address in hex: C000 Ending address in hex: C3E7

Flankspeed required for entry! See page 81.

```
01
                                                                        02
                                                                           02
                                                                               B4
                                                 01
                                                     02
                                                         02
                                                             01
                                                                01
                                          C1A8:
SYS to start: 49152
                                                                               C1
                                                     01
                                                         04
                                                             01
                                                                01
                                                                    01
                                                                        04
                                                                           04
                                          C1BO:
                                                 01
                                                                01
                                                                    01
                                                                        02
                                                                           02
                                                                               C3
                                                     01
                                                         02
                                                            01
                                          C1B8: 01
                                                                           04
                                                                               D2
                                                         02
                                                            01
                                                                01
                                                                    04
                                                                        04
                                                  01
                                                     01
                                          C1C0:
                                                                        02
                                                                           02
                                                                               D4
                                                     02
                                                         02
                                                             01
                                                                01
                                                                    01
                                          C1C8:
                                                  01
                                                             01
                                                                01
                                                                    01
                                                                        04
                                                                           04
                                                                               E1
                                          CIDO:
                                                  01
                                                     01
                                                         04
                      DO A9
                              OE
                                  8D
                                     7 A
                  21
 C000: A9
           OC
              8D
                                                                           02
                                                                               E4
                                                            01
                                                                01
                                                                    02
                                                                        02
                                                  01
                                                     01
                                                         02
                                  20 49
                                          C1D8:
                          D2
                              FF
 C008:
        20
           DO
               A9
                   93
                       20
                                                                            04
                                                                              F1
                                                             01
                                                                01
                                                                    04
                                                                        04
                                                     01
                                                         01
                              2E
                                          C1E0:
                                                  01
           CO
               20
                  AF
                      CO
                          20
                                  C1
                                     95
 C010: 24
                                                                        02
                                                                           02
                                                                              F5
                                                                01
                                                                    02
                                          C1E8: 01
                                                     02
                                                         02
                                                             01
                          C1
                              20
                                  AF
                                     97
               CO
                  20
                       3D
        20 AF
 C018:
                                                                               FE
                                                            01
                                                                01
                                                                    01
                                                                        04
                                                                            01
                                  4E F8
                                          C1F0: 01
                                                     01
                                                         04
                   C2
                       A2
                          00
                              BD
           4C
               5A
 C020:
        CO
                                                                           02
                                          C1F8:
                                                  01
                                                     02
                                                         02
                                                            02
                                                                01
                                                                    02
                                                                        02
                                                                               07
                              32
                                  DO
                                     A8
               D2
                   FF
                       E8
                          EO
 CO28:
        CO
            20
                                                     01
                                                         02
                                                             01
                                                                01
                                                                    04
                                                                        04
                                                                            04
                                                                               12
                                          C200:
                                                  01
                                  20
                                     48
                       BD
                          80
                              CO
            60
               A2
                   00
 C030:
       F5
                                                                        02
                                                                            02
                                                                               15
                                                         02
                                                             01
                                                                 01
                                                                    02
                                  60
                                           C208: 01
                                                     02
                                     11
 C038: D2
               E8
                   EO
                      15
                          DO
                             F5
           FF
                                                                    04
                                                                        04
                                                                            04
                                                                               24
                                                             01
                                                                01
                                                     01
                                                         04
                   95
                       CO
                          20
                              D2
                                  FF
                                     E9
                                           C210:
                                                  01
            00
               BD
 C040: A2
                                                                               25
                                                                    02
                                                                        02
                                                                            02
                                  OD
                                     EE
                                           C218: 01
                                                     02
                                                         02
                                                            01
                                                                 01
                       F5
                          60
                              90
           EO
               18
                   DO
 C048: E8
                                                                               32
                                           C220:
                                                 01
                                                     01
                                                         02
                                                             01
                                                                 01
                                                                    04
                                                                        04
                                                                            04
                                  4 E
                                     06
                       20
                          52
                              41
               4D
                  4C
 C050: 0D
            OD
                                                     02
                                                         02
                                                            01
                                                                 01
                                                                    01
                                                                        02
                                                                            02
                                                                               34
                                           C228: 01
                              59
                                  20
                                     OD
                       OD
                          42
 C058:
        47
            45
               52 OD
                                                                            04
                                                                               41
                                                                 01
                                                                    01
                                                                        04
                                                     01
                                                         04 01
                                     80
                                           C230: 01
                       20
                          46
                              45
                                  44
 C060:
        4A
            4F
               48
                   4 E
                                                                               45
                                                     02
                                                         02
                                                             01
                                                                 01
                                                                    02
                                                                        02
                                                                            02
                                                  01
                              53
                                  54
                                      E5
                                           C238:
            52
               OD
                  OD
                       OD
                           OD
 C068:
        4F
                                                                            04
                                                                                52
                                                                 01
                                                                    04
                                                                        04
                   49
                                  41
                                      98
                                           C240:
                                                  01
                                                     01
                                                         02
                                                             01
                       4E
                          47
                              20
           52
                54
 C070: 41
                                                     02
                                                         02
                                                            01
                                                                 01
                                                                    01
                                                                        02
                                                                            112
                                                                                54
                              3 A
                                  20
                                      99
                                           C248:
                                                  01
               52 45
                       53
                           53
 CO78: 44
           44
                                                             01
                                                                 01
                                                                    01
                                                                        04
                                                                            04
                                                                                61
                                      51
                                           C250:
                                                  01
                                                     01
                                                         04
                           49
                              4E
                                 47
                       44
 C080:
        OD
           OD
               45
                   4E
                                                                 C1
                                                                     20
                                                                        A7
                                                                            C2
                                                                                12
                                                          20 4C
                                                  01
                                                      00
                       52
                           45
                              53
                                  53
                                      BO
                                           C258:
        20
           41
                44
                   44
 C088:
                                                                            24
                                                         03
                                                                        90
                                                                                1 D
                                                             CD
                                                                 41
                                                                    03
                                           C260: AD
                                                     45
                       20
                           OD OD
                                  4E
                                      CF
            2B
                31
                   3 A
 C090:
        20
                                                                    44 03
                                                                            CD
                                                                                D6
                                                         BO 08
                                                                AD
                              52
                                  54
                                      E4
                                           C268: FO
                                                     02
        45
            57
                20
                   53
                       54
                           41
 C098:
                                                                A2
                                                                                E5
                                           C270: 40 03
                                                         90 18
                                                                     01
                                                                        38
                                                                            AD
                              44
                                  52
                                      BB
               47
                   20
                      41
                           44
       49
            4E
 COAO:
                                                                     8D 47
                                                          ED
                                                             40
                                                                 03
                                                                            03
                                                                                C8
                           90
                                           C278: 44
                                                      03
                              nn
                                  A9
                                      98
                   3 A
                       20
        45
            53
                53
 COA8:
                                                                 41
                                                                     03
                                                                        8D
                                                                            48
                                                                                7 E
                                           C280: AD
                                                     45
                                                         03
                                                             ED
                                      9E
               C6
                   AG
                      CO
                          98
                              48
                                  20
 COBO:
        00 85
                                                                            03
                                                                                65
                                                                 38
                                                                     AD
                                                                        40
                                                             C2
                                           C288:
                                                  03
                                                      4C
                                                         A1
                               A8
                                  84
                                      DO
 COB8: E4
                   FB
                           68
            FF
                FO
                       AA
                                                                                8C
                                                         03
                                                             8D
                                                                47
                                                                    03
                                                                        AD
                                                                            41
                                           C290: ED
                                                     44
                                      A 2
               FO
                    2D
                       C9
                           14
                               FO
                                  1 E
 COCO: C9
           OD
                                                             03
                                                                        03
                                                                            A2
                                                                                4D
                                           C298:
                                                  03
                                                      ED
                                                          45
                                                                 8D
                                                                    48
                               BO
                                  E5
                                      E4
                   E9
                       C9
                          47
 COC8: C9
            30
                90
                                           C2A0: 00 8E
                                                          46
                                                             03
                                                                4C
                                                                    C1
                                                                        C2
                                                                            AD
                                                                                F6
                                      E2
                       C9
                           41
                               90
                                  DD
            3 A
                90
                   04
        C9
 CODO:
                                                                        04
                                                                            BO
                                                                                A6
                                           C2A8: 43 03
                                                          CD
                                                             41
                                                                03
                                                                    FO
                                      F4
                    D9
                       20
                           D2
                               FF
                                  99
 COD8: CO
            04
                FO
                                                             AD
                                                                 42
                                                                    03
                                                                        CD
                                                                            40
                                                                                55
                                                      90 09
                                           C2BO:
                                                  OA
                              CO
                                  nn
                                      6C
                       B5
                           CO
                C8
                    4C
 COEO:
        3C
            03
                                                                        4C
                                                                                CA
                                                                     68
                                                                            00
                                                      90
                                                          01
                                                             60
                                                                 68
                                           C2B8: 03
                                      23
                           88
                              4C
                                  B5
 COE8: FO
            CB
                20
                    D2 FF
                                                                 85
                                                                     FB
                                                                        AD
                                                                            41
                                                                                E2
                                           C2CO: CO AD
                                                          40
                                                             03
                           A2
                               00
                                  BD
                                      68
                    DO
                       CO
 COFO:
        CO
            CO
                04
                                                                                C6
                                                             AD
                                                                 44
                                                                     03
                                                                        85
                                                                            FD
                                           C2C8: 03 85
                                                         FC
                                      EE
                       30
                           C9
                               OA
                                  90
 COF8: 3C
            03
                38
                    E9
                                                                        00
                                                                            B1
                                                                                9D
                                                          03
                                                             85
                                                                 FE
                                                                     AG
                                           C2D0:
                                                  AD
                                                     45
                                  E8
                                      F1
                       9D
                           3C
                               03
            38
                E9
                    07
 C100: 03
                                                             59
                                                                 C1
                                                                         EO
                                                                            04
                                                                                E7
                                           C2D8: FB
                                                          BD
                                                                     AA
                                                      AA
                               B9
                                  3C
                                      40
                    EB
                       AG
                           nn
         EO
            04
                DO
 C108:
                                                                         B1
                                                                            FB
                                                                                B7
                                                             02 AO
                                                                     nn
                               03
                                  CA
                                      60
                                           C2EO: FO
                                                      OF
                                                          86
                       79
                           3C
                    18
  C110:
        03
            A 2
                OF
                                                                        4C
                                                                            74
                                                                                96
                                           C2E8:
                                                  91
                                                      FD
                                                          C8
                                                             CA
                                                                 DO
                                                                     F8
                       79
                18
                               03
                                   C8
                                      45
            F9
                    C8
                           3C
  C118: DO
                                           C2FO: C3
                                                                     8D
                                                                         3C
                                                                            03
                                                                                DO
                                                          01
                                                             B1
                                                                 FB
                                      F5
                                                      AG
                           3D
                               03
                                   4C
  C120: C0
            04
               FO
                    06
                       8D
                                                                 3D
                                                                    03
                                                                         AD
                                                                            3D
                                                                                28
                                                  C8
                                                      B1
                                                         FB
                                                             8D
                                  3C. OF
                                           C2F8:
            C1
                8D
                    3C
                       03
                           60
                               AD
         OE
  C128:
                                                              03 FO
                                                                     04
                                                                         BO OA
                                                                                C4
                                      7 F
                                           C300: 03
                                                      CD
                                                         41
                               03
                                   8D
  C130: 03
                40
                    03
                        AD
                           3D
            8D
                                                                         40
                                                                           03
                                                                                CE
                                                              3C
                                                                 03
                                                                     CD
                           AD
                                           C308:
                                                   90
                                                      38
                                                          AD
                               3C
                                   03
                                      A8
               4C
                    32
                       CO
            03
  C138: 41
                                                                                D2
                                                                         43
                                                                            03
                                           C310:
                                                   90
                                                       30
                                                          AD
                                                              3D
                                                                 03
                                                                     CD
                                   43
                                      D1
                               8D
               03
                        3D
                           03
  C140:
         8D
            42
                   AD
                                                                            3C
                                                                                66
                                           C318: 90
                                                      OC
                                                          FO
                                                             02
                                                                 BO
                                                                     24
                                                                         AD
             4C
                40
                    CO
                        AD
                           3D
                               03
                                   8D
                                      14
  C148:
         03
                                                                         20
                                                         42
                                                              03
                                                                 BO
                                                                     1C
                                                                            47
                                                                                6A
                                           C320: 03
                                                      CD
                           8D
                               44
                                   03
                                       5A
  C150: 45
             03
                AD
                    3C
                        03
                                                                     91
                                                                         FD
                                                                            C8
                                                                                92
                                                              B1
                                                                 FB
                                           C328:
                                                   C3
                                                       An
                                                          00
                           01
                               02
                                   02
                                      C2
               02
                    01
                       01
             01
  C158: 60
                                                                     C8
                                                                         AD
                                                                             3D
                                                                                60
                                                       3C
                                                          03
                                                              91
                                                                 FD
                                            C330: AD
                                   04
                                      70
                02
                    02
                       01
                           01
                               04
             01
  C160:
         01
                                                                                45
                                                                         02
                                                                            4C
                                                       91
                                                          FD
                                                             A2
                                                                 03
                                                                     86
                                            C338:
                                                   03
                                      74
                               02
                                   02
  C168:
         01
             02
                02
                    01
                        01
                           01
                                                      C2
                                                          A2
                                                              03
                                                                 4C
                                                                    E2
                                                                         C2
                                                                            AE
                                                                                38
                                                   EE
                                            C340:
                                      81
            01 04
                   01
                       01
                           01
                               04
                                   04
  C170: 01
                                                                                9B
                                            C348: 46 03 DO 14
                                                                         3C
                                                                            03
                                                                 38
                                                                     AD
  C178: 01 04 02 01 01 02 02 02 87
```

92

A1

A3

B2

- 10

. 21

. 31

- 41

. 51

. 61

. 71

K

. 8

. 9

T

• 1

B

.1

5

.1

.1

0

K

.1

()

L

• 1

0

• 1

04

02

04

02

04

01 02 01 01 04 04

01

01

01

01

01

01

01

04

02

04

02

04

01

01

01

01

02

04

02

02

01

01

01

01

01

01

01

01

01

C180:

C188:

C190:

C198:

ClAO:

C378: 02 85 FB A5 FC 69 00 85 C380: FC 18 A5 FD 65 02 85 FD C388: A5 FE 69 00 85 FE A5 FC C390: CD 43 03 90 0B F0 02 B0 C398: 0A A5 FB CD 42 03 B0 03 C3A0: 4C D5 C2 A2 00 BD B1 C3 C3A8: 20 D2 FF E8 E0 30 D0 F5 C3B0: 60 93 0D 0D 0D 54 52 41 C3B8: 4E 53 46 45 52 20 43 4F C3C0: 4D 50 4C 45 54 45 44 2E C3C8: 0D 0D 44 4F 4E 27 54 20 C3D0: 46 4F 52 47 45 54 20 54 C3D8: 4F 20 53 41 56 45 2E 0D C3E0: 0D 00 FF 00 FF 00 FF 00	C2 245,20TO245,51TO150,51TO150,70TO145,70TO AA 145,46TO240,46TO240,5:PAINT,241,6:COLOR1 4E ,2:CHAR,31,1,"COFFEE" BD ·180 COLOR1,10:DRAW,255,25TO305,25TO305,6 BD 1TO163,61TO163,70TO158,70TO158,56TO255,5 24 6TO255,25:PAINT,256,26:COLOR1,2:CHAR,33, BD 4,"DECAF" E3 ·190 COLOR1,12:DRAW,15,85TO310,85:DRAW,10 0B ,90TO305,90:FORI=15TO310STEP5:DRAW,I,85T OI-5,90:NEXT 5C ·200 FORI=16TO310STEP10:PAINT,I,87:NEXT EA R,2,17,"CONTROL PANEL":COLOR1,14:BOX,19, FB 96,117,128 60 ·220 COLOR1,4:GSHAPEA\$,27,114:COLOR1,8:GS HAPEA\$,63,114:COLOR1,4:GSHAPEA\$,100,114 B3 ·230 COLOR1,14:BOX,186,96,310,175:COLOR1, ED 2:CHAR,23,23,"CUSTOMER REQUEST" ·240 COLOR1,14:BOX,122,96,175,157:COLOR1, 4:CHAR,16,13,"[c P][c P]",1:COLOR1,8:CHA	CM PN AC OC LL EK
FROM PAGE 16	K, 10, 14, "[c P][c P]", 1	AP
•10 REM *************	•250 COLOR1,11:CHAR,16,15,"[c P][c P]",1: FG COLOR1,5:CHAR,16,16,"[c P][c P]",1:COLOR	ır
. Of DEM www DV DAN TONGENOUS	LE 1,9:CHAR, 16,17," c P [c P]".1:COLOR1 10.	
. / C DEM state roman	AI CHAR, 16, 18, "[c P][c P]", 1 *260 COLOR1.15: FORT=0T021: CHAR T 20 " " 1	DL
•50 REM ** (C) COPYRIGHT'87 **	ML •260 COLOR1,15:FORI=0T021:CHAR,I,20," ",1 GD :NEXT:FORI=21T024:CHAR,21,I," ",1:NEXT:C	
• 60 REM **********	OLOR1,2:CHAR,18,13,"[BACKARROW]":SLOW:V=	
•70 RESTORE1100: FORI=3584T03776: READD\$: PO	1	V
KEI, DEC(D\$): NEXT: RESTORE	NJ •270 CUS=2:MI=2	
*80 FAST:CLR:COLOR4,12:COLOR0,15:GRAPHIC1	•280 D=D+1:CHAR.0.22."DAY:"+STR\$(D).CHAR	
,1:DIMW\$(24)	HK 0,24, "CUSTOMERS:": IFRT=5THENRETURN K	M
•90 COLOR1,2:CHAR,8,2,"C O F F E E B R E A K!":CHAR,13,4,"BY DAN KOMAROMI":CHAR	•290 COLOR1,8:CHAR,11,24."[s 0][s 0]" M	F
,8,10,"PLEASE WAIT": CHAR, 8,12, "GRINDING	·300 COLOR1, 2: CHAR, 0, 23, "SCORE: "+STR\$(SCR	
):IF RT=5THENRETURN CI OC •310 CHAR.0.21."TIME LEFT:"•CLK-60	
·100 COLOR1,8:BOX,60,76,236,106:SLOW:GOSU	OC •310 CHAR, 0, 21, "TIME LEFT:": CLK=60 KI •320 FOR I=1TO3: MOVSPRI, 0, 0: NEXT: FORI=1TO	Ι
B690	HB 3:SPRITEI,1,2:NEXT:MOVSPR1,40,120:SOUND2	
·110 COLOR1, 15: CIRCLE, 150, 150, 4, 3: PAINT, 1	,1500,32767,2,100,1000,0,100 IC	C
50,150:SSHAPE A\$,146,147,154,153	(N •330 CHAR, 24, 13, "IT'S 7:00 A.M.": CHAR 24	
·120 FAST:COLOR4,15:COLORO,1:GRAPHIC1,1	THE COFFEE": CHAR. 24.15. "RUSH IS	
•130 COLOR1, 4: DRAW, 10, 5T060, 5T050, 50T0100	HERE!": 1FSKP=5THENRETURN: ELSEGOTO350 FF	В
,50T0100,70T095,70T095,55T020,55T020,50T 010,5:PAINT,12,10:COLOR1,2:CHAR,2,2,"MIL	•340 CHAR, 24, 18, "PRESS BUTTON": CHAR, 24, 19	
	,"TO START DAY"+STR\$(D):RETURN CM	М
·140 COLOR1,8:DRAW,70,5T0112,5T0112,70T01	•350 DOUNTILJOY(2)>127:COLOR1,2:FOR GENNE	
07,70T0107,40T070,40T070,5:PAINT,71,6:CO	SS=1T0250: NEXT: SOUND1, 2500, 1: GOSUB340: CO	
LOR1,2:CHAR,9,2,"SUGAR"	LOR1,12:FORI=1TO250:NEXT:SOUND1,5000,1:G OSUB340:LOOP	2
·150 COLOR1, 11: DRAW, 120, 5T0170, 5T0170, 30T	- 360 DEM *** MATH DOUBLING total	
0125,30T0125,70T0120,70T0120,5:PAINT.121	•370 SKP=5:GOSUB330 KN	
,6:COLOR1,2:CHAR,16,2,"CREAM"	PH •380 N=1:GOSUB860:TI\$="[5"0"]1"	
•160 COLORI,5:DRAW,180,5T0230,5T0225,25T0	•390 J=JOY(2):K\$=" "+RIGHT\$(STR\$(CLK-1-VA	
220,39T0138,39T0138,70T0133,70T0133,35T0	L(TI\$)),2):CHAR, 10,21,(K\$):TFVAL(K\$)<1TH	

EN730

220,39T0138,39T0138,70T0133,70T0133,35T0

180,35T0180,5:PAINT,181,6:COLOR1,2:CHAR,

23,2,"NON": CHAR, 23,3,"DAIRY"

L(TI\$)),2):CHAR,10,21,(K\$):IFVAL(K\$)<1TH

-400 IFJ=3ANDZZ<>1THENGOSUB500:ELSEIFJ=7A

NDCE / ZIII INGODODS +)	BK	•750 PRINT"[3"[DOWN]"][CYAN][RVSON]YOU RA	PD.
•410 IFJ=10RJ=5THENGOSUB440:ELSEIFRSPPOS(1,0)>300THEN970	HN	N OUT OF TIME. THE CUSTOMERS LEFT"; •760 PRINT"THE SHOP.[31" "]"	EB JD
•420 IFJ=128ANDZZ=5THEN580:ELSEIFRSPPOS(1		•770 PRINT"[DOWN][YELLOW]YOUR FINAL STATU	
.0)<40ANDZZ<>1THENMOVSPR1,0#0	CG	S:"	KF
•430 COLOR1, 2:GOTO390	IO	•780 PRINT"[DOWN]SCORE: [WHITE][RVSON]";S	
•440 SOUND 1,60000,1,0,400,500,0:SOUND1,3		CR	AN
0000,1,0,400,100,3:IFJ=5THEN480	GO	•790 PRINT"[DOWN][YELLOW]DAY: [WHITE][RVS	
•450 V=V-1:IFV<1THENV=6	KH	ON]"; D: FOR I=1TO300: COLOR4, 5: COLOR4, 1: NEX	
•460 FORI=13T018:COLOR1,1:CHAR,18,I,"X":N		T:MOVSPR1.0#0	AO
EXT	JB	•800 PRINT"[DOWN][DOWN][c 6]PLAY AGAIN (Y	
•470 COLOR1,2:CHAR,18,12+V,"[BACKARROW]":		/N)?":DO:GETA\$:LOOPUNTILA\$="":GETKEYA\$:I	
RETURN	PL	FA\$="N"THENCOLORO, 12: COLOR4, 14: GRAPHICO,	
•480 V=V+1:IFV>6THENV=1	MC	1:END	EK
•490 GOTO460	AL	•810 RUN80	ВО
.500 IFZZ=2THENMOVSPR1,0#0:SOUND1,1500,2:		•820 END	LH
COLOR1.8:GSHAPEA\$,63,114:COLOR1,4:GSHAPE		•830 RET=5:COLOR1,8:FORI=1TOCUS:CHAR,10+I	
A\$.100.114:GSHAPEA\$.27,114:ZZ=5:RETURN	NG	,24,"[s Q]":NEXT:SCR=SCR+100:GOSUB300:GO	
.510 MOVSPR1.90#1:SOUND1,500,3:COLOR1,8	EO	SUB280:ZZ=2:CLK=CLK-3:GOSUB500:MOVSPR1,4	MIM
.520 GSHAPEA\$,100,114:COLOR1,4:GSHAPEA\$,2		0,120:GS=5:GOSUB940:MI=2:GOT0350	NN
7,114:GSHAPEA\$,63,114	FJ	•840 MI=MI-1	PM
•530 ZZ=1:RETURN	HL	•850 IFMI=OTHEN830: ELSECOLOR1, 12: CHAR, 11+	
•540 IFZZ=1THENMOVSPR1,0#0:SOUND1,1500,2:		MI,24,"[s Q]":SCR=SCR+50:RT=5:GOSUB300:M	
COLOR1.8:GSHAPEA\$,63,114:COLOR1,4:GSHAPE		OVSPR1,40,120:ZZ=2:SOUND1,58000,30,0,5,1	FD
A\$,100,114:GSHAPEA\$,27,114:ZZ=5:RETURN	NA	OOO, 1:GOSUBSOO: GOSUBSOO: GOTO390	LD
.550 MOVSPR1,270#1:SOUND1,500,3:COLOR1,8	KC	·860 RESTORE:FORI=1TO23:READQ\$:W\$(I)=Q\$:N	CM
.560 GSHAPEA\$,27,114:COLOR1,4:GSHAPEA\$,10	DD	EXT	
0,114:GSHAPEA\$,63,114	PB	•870 I=INT(RND(1)*6+1):C\$(1)=W\$(I):DK(1)=	FM
•570 ZZ=2:RETURN	JM	I -880 A=INT(RND(1)*2+1):IFA=1THENI=INT(RND	THE PARTY NAMED IN
•580 IFV=2THENY=3:ELSEY=2	BE	(1)*2+1)+6:C\$(2)=W\$(I)+" COFFEE":DK(2)=I	OK
•590 IFV=10RV=2THENC=2:ELSEIFV=5THENC=9	KC	·890 IFA=2THENI=INT(RND(1)*6+1)+8:C\$(2)=W	
•600 IFV=30RV=4THENC=8:ELSEIFV=6THENC=10	JJ	\$(I)+" COFFEE":DK(2)=I	NN
•610 MOVSPRY,0,0:SPRITEY,1,C,1,0,0,0	DL	•900 I=INT(RND(1)*2+1)+14:C\$(3)="WITH "+W	
•620 IFV=1THENX=119:ELSEIFV=2THENX=132	AL	\$(I):DK(3)=I:I=INT(RND(1)*3+1)	IH
•630 IFV=3THENX=144: ELSEIFV=4THENX=158	OA	•910 IFI=3THEN930:ELSEI=INT(RND(1)*2+1)+1	
•640 IFV=5THENX=170:ELSEIFV=6THENX=183	HI		JM
•650 FORI=100T0120:MOVSPRY,X,I •660 IFI>105ANDBUMP(1)=3ORBUMP(1)=5THEN71		•920 C\$(4)="AND "+W\$(I):DK(4)=I	NK
()	FJ	•930 I=INT(RND(1)*5+1)+18:C\$(6)=W\$(I)	JK
•670 FORU=1TO5:NEXT:NEXT	JA	.940 COLOR1,1:FORIK=24T037:FOROK=13T019:0	;
-680 SOUND3,10000,30,1,1000,150,2:GOTO720		HAR, IK, OK, "X": NEXT: NEXT: IFGS=5THENGS=0:R	1
690 PLAY"X0U12V106Q\$EV205QGV304QC03QCV20)	ETURN	LP
4QGV105Q\$EH\$EV204HGV303HCHFV204H\$AV105H0	3	.950 COLOR1,8:FORI=1TO4:CHAR,24,I+12,C\$(I	
V105HFV204H\$AV303W\$DV205W\$AV106WFV303W\$A	A):NEXT:CHAR, 24, 19, C\$(6):COLOR1, 2	AC
V206W\$DV1WFV303W\$AV205H\$AB01A"	BM		FB
•700 RETURN	EM		3
•710 SOUND1,20000,10,,,3:V(V)=V:RT=5:SCR	=	LSEIFV(6)<>6ANDDK(2)<9THENYT=YT+1	CO
SCR+5:GOSUB300	OC		117
•720 SPRITEY, 0:GOTO390	AP		JF
•730 FORI=1TO8:SPRITEI, 0:NEXT:COLOR4, 5:F0	0	•990 IFV(1)=1ANDDK(3)<>15THENYT=YT+1:ELSI	CD
RI=1TO3:SOUNDI,O,O:NEXT:SOUND1,8000,160	,	IFV(1)<>1ANDDK(3)=15THENYT=YT+1	CD
2,50,70,0:GRAPHICO,1:FORI=1TO200:COLORO	,	•1000 IFV(2)=2ANDDK(3)<>16THENYT=YT+1:ELS	FJ
14:COLORO, 1:NEXT	OH		
•740 PRINT"[CLEAR][3"[DOWN]"][WHITE][12"	TI	•1010 IFV(3)=3ANDDK(4)<>17THENYT=YT+1:ELS EIFV(3)<>3ANDDK(4)=17THENYT=YT+1	OJ
"]GAME OVER[4" "]"	IJ	ETLA(2)/\2NMADDY(4)=1\1HBM11=11+1	00

•1020 IFV(4)=4ANDDK(4)<>18THENYT=YT+1:ELS	S	Y]"	IC
EIFV(4) <> 4ANDDK(4) = 18THENYT = YT + 1	GD	·150 PRINT"[5" "][c G] [c M][c M] [s H]	TC
•1030 FORI=1T05:V(I)=0:NEXT:DK(0)=0:DK(1))	[s B][s M][8"[c @]"][s N][s B] [c G] [
	TM		
·1040 IFYT>OTHENMOVSPR1,40,120:MOVSPR1,0#	4	•160 PRINT"[A" "IIC MICON WILL WILL WILL	IF
0:C\$(6)="DO IT RIGHT!":SOUND1,2500,30,2,		•160 PRINT"[4" "][c M][3" "][s Y][s Y] [s	
10,10,2:GOSUB950:ZZ=2:GOSUB500:FORI=1T06		B] [s G][s B][s M][c @][s R][s F][s F]	
:V(I)=0:NEXT;GOTO390		[s R][c @][s N][s B][s H] [s T] [s T][s	
	OF	1][3" "][c G]"	OE
•1050 GOTO 840	EC	•170 PRINT"[4" "][s Y][3" "][s H][s H] [s	-
·1060 DATA I NEED, GET ME, I WANT, PLEASE GE	2	G] [s T][s T][c M] [4"[c @]"] [c G][s	
I, HUKKY WITH MY. HURRY MY	IR	VII. VI 10 C1 [- C1[- C1[OH H1]	DI
·1070 DATA DECAF., NO CAF., STRONG, BLACK, FI		·180 PRINT"[4" "][s H][3" "][s B][s B] [s	BJ
NE, FRESH, GOOD, CUP OF	PJ	T] [c G][c G][s Y][s Y][4"[s D]"][s T]	
· 1080 DATA MILK, SUGAR, CREAM, NONDAIRY	CK	[s T][c M][c M] [c P] [- P][P][c P][s T]	
· 1090 DATA THANK YOU, PLEASE HURRY, THANKS,	CK	[s T][c M][c M] [s B] [s B][s B][3" "][s G]"	
GOOD LUCK!, BE QUICK			JB
·1100 DATA ()	JA	·190 PRINT"[4" "][s B][3" "][s G][s G] [c	
·1100 DATA 0,,,,,,,,,,,,,,,3E,,3,C1,E		G [C M][C M] [S H][S H][C D][C T][C T]	
0,4,,10,77,80,F0,CF,FF,F0,87,FF,F0,CF,FF ,F0,77		[C F][S G][S G] [C G][C G] [S H] [S H][S	
	AF	H][3" "][8 B]"	CG
·1110 DATA FF, F0, 7, FF, F0, 7, FF, F0, 3F, FF, FE		•200 PRINT"[4" "][s G][3" "][s T][s T][c	00
,7B,FF,EF,3C,3E,1E,1F,C1,FC,3,FF,E0,,,,,		M] [s Y][s Y] [s B][s B][RVSON][c K][RV	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	MA	SOFF] [c K][s B][s B] [s T][s T] [s Y]	
·1120 DATA 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		IS VIIO VII 211 IIII - ITIII	
20,,,20,,,70,,,F8,0	KE	•21(1 DDTN##[/# #1[m]/o# #15 015	HK
·1130 DATA 0,F8,,,70,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	KL	•210 PRINT"[4" "][s T][3" "][c G][c G][s	
	MIZ	Y] [s H][s H] [s G][s G][RVSON][c H][RV	
•1140 DATA () 90 10 40 1	NK	SOFF] [RVSON][c N][RVSOFF][s H][s H] [s	
·1140 DATA 0,,,,,,,,,,,80,,,10,,,A0,,,1 0,,,C0,,,50,,,EB,0	DI	G][s G] [c M] [c M][c M][3" "][s Y]"	CL
	BH	*220 PRINT"[4" "][c G] [c M][c M] [s H]	
CRYPT OF FEAR		[S B][S B] [S T][S T][RVSON][c M][RVSOF	
		F][c @][c @][RVSON][c G][RVSOFF][s Y][s	
FROM PAGE 18		Y] [s B][s B] [c G] [c G][c G] [c M]" J	IP
•1(1 POVE5329(1 • POVE53291 - COMPOSE		•230 PRINT"[3" "][c M][3" "][s Y][s Y] [s	
•10 POKE53280, .: POKE53281, .: GOTO860	JK	B] [s G][s G] [s L][c G][4"[s R]"][c M	
•20 HR=FNH(.):POKEFNPM(10),K:POKEFNSM(10),HR:RETURN][s @] [s H][s H] [s T] [s T][s T][3" "	
	BO][c G]"	C
•30 M=INT(RND(F)*29):POKES+F,H(M):POKES,L		•240 PRINT"[3" "][s Y][3" "][s H][s H] [s	
(M):POKES+G,H(M+H):POKES+7,L(M+H)	CK	G] [s T][s T][s N][8"[c T]"][s M][s Y]	
•40 POKES+15, H(M+H+G): POKES+14, L(M+H+G): R		le VI le CI le CII- cirott till mitt	0
EIUKN	AC	•250 PRINT"[3" "][s H][SS] [s B][s B] [s	G
• 50 REM WALLHANDLER	PM		
•60 VL=FC:ONFC+FGOSUB500.500.520.550.570	BG	le Ble Dien Hil- on	
• /O RETURN		• 260 PRINT"[3" "1[2 P][3" "1][- 0][0] E	L
·80 PRINT"[CLEAR][RVSOFF][5" "][s M][c @]	12	•260 PRINT"[3" "][s B][3" "][s G][s G] [c	
[s R][s F][s C][s D][s E][15"[c Y]"][s E		G] [c M][s N][12"[c T]"][s M][c G] [s H	
He Dile Cile File Dif Dif Our was	JM ·] [s H][s H][3" "][s B]" D	В
OH DDINITH SH HILL MINOROLOGNER	71	270 PRINT"[3" "][s G][3" "][s T][s T][s	
100 PRINT"[5" "][s Y][3" "][22"[c @]"][3	(L	N][20"[c T]"][s M][s Y][s Y][3" "][s H]" E	P
	- 1	280 PRINT"[3" "][s T][3" "][c G][c G]"SP	
110 DDTNT"[5" "11 " "110" "11 " "15 " "15" "A	7.1	C(22) IC MIIC MII3" "IIg YI"	I.
'110 PRINT"[5" "][s H][3" "][s B][s M][18 "[c @]"][s N][s B][3" "][s G]"		290 PRINT"[3" "][s L][c P][c P][s @][s N	
120 DELAMINE HILL BILL HILL	EL][24"[c T]"][s M][s L][c P][c P][s @]" D	K
120 PRINT"[5" "][s B][3" "][s G][s B][18		300 PRINT" [s N][4" "][26"[c T]"][4" "]	`
"[c T]"][s H][s H][3" "][s B]" F	Έ	[s M]":PRINT" [s N]"SPC(36)"[s M]" JI	R
130 PRINT"[5" "][s G][3" "][s T][s T][s		310 PRINT" [RVSON] [c 4] [3" "]". De(CD). "[6	
Tile ells kils fils clis Dile is Elulis		" "]# \$ % &) (' * + G [s S][5" "]"; D\$(
D][s C][s F][s R][c @][s N][s Y][s Y][3"			-
"][s H]"			
		200 DEMILIAN	
140 PRINT"[5" "][s T][3" "][c G][c G][s	N •	320 RETURN ME	9
140 PRINT"[5" "][s T][3" "][c G][c G][s Y] [12"[c @]"] [c M] [c M][c M][3" "][s	N .	200 DEMILIAN	9

EB JD

KF

AN

AO

EK 30 LH

N

M M K N

RINT"[19"[DOWN]"][3"[c P]"]":RETURN BI	L	•680 IFDL(EL,.)ANDFC <hthenonfc+fgosub340,< td=""><td></td></hthenonfc+fgosub340,<>	
•350 REM 2ND LEFT BLOCK E	0	307,307,177	KC
·360 PRINT"[HOME][6"[DOWN]"]";TAB(10)"[s		•690 IFDL(ER,.)ANDFC <hthenonfc+fgosub420,< td=""><td></td></hthenonfc+fgosub420,<>	
0][s P]":PRINT"[11"[DOWN]"]"TAB(9)"[c P]		447,407,407	MP
":RETURN A		1.55 10-10 1.1110,	JA
•370 REM 3RD LEFT BLOCK G.	J	(T.) TIDD(OD 4 v.) A TYPDI.	EF
·380 PRINT"[HOME][9"[DOWN]"]";TAB(15)"[s		•720 FORX=.TOG:POKEPL,21:PRINT:IF(DL(CL,K	мт
O][s P]":PRINT"[5"[DOWN]"]"TAB(15)"[c @]		/ANDBO(A)/INDMINITATION	MI
· KDIOKI	N	1 3.7 HDMT	FO
•390 REM 4TH LEFT BLOCK	G	•740 GOSUB780: IFCL=WLANDCD=HTHENPOKEPL, 7:	
.400 PRINT"[HOME][11"[DOWN]"]"; TAB(18)"[c		PRINT: PRINTTAB(18)"[s M][s N][DOWN][LEFT	JF
E]":PRINT"[DOWN][DOWN]"TAB(17)"[s L]":R][LEFT][s N][s M]"	PP
BIORN	M	•750 POKEFNPM(U),15 •760 CSM=FNSW(.):POKEV+24,(PEEK(V+24)AND1	11
	В		NF
•420 PRINT"[HOME][DOWN]"TAB(34)"[s 0][4"[5)ORCSM: RETURN •770 REM MONSTER DISPLAY	KN
c Y]"]":PRINT"[19"[DOWN]"]"TAB(37)"[c P]	90	•780 IFFCANDVLTHENVL=VL-F	AC
[CI] · KDIOKK	P	•790 D=54:POKEFNMP(F),D:POKEFNMP(K),D:POK	
437 KEN ZND KIONI DECOR	Г	EFNMP(3), D: POKEFNMP(5), D	GG
•440 PRINT"[HOME][6"[DOWN]"]";TAB(28)"[c Y][s P]":PRINT"[11"[DOWN]"]"TAB(30)"[c P		•800 EL=.:FORX=VLTO.STEP-F:FC=FNCM(X):IFD	
	K	L(FC, F)=.THEN840	BA
• KDIOKI	C	•810 FC=DL(FC,F)-F:EL=(ELORSP(X+H))	LA
•460 PRINT"[HOME][9"[DOWN]"]";TAB(23)"[s	,	•820 MB=SP(X)-F:FORD=FTOLEN(SB\$(X,FC)):PO	
O][s P]":PRINT"[5"[DOWN]"]"TAB(24)"[c @]		KEFNMP(MB+D), ASC(MID\$(SB\$(X,FC),D,F))	DC
	LC	•830 POKEBC+SP(X)+D,CS(FC):NEXT	JE
· KETOKN	CH	•840 NEXT: POKEV+21, EL: RETURN	KL
.480 PRINT"[HOME][11"[DOWN]"]";TAB(21)"[c		•850 REM SET UP VIC	GD
R]":PRINT"[DOWN][DOWN]"TAB(22)"[s @]":R		•860 POKE56578, PEEK (56578) OR3: POKE56576, (
ETURN I	LF	PEEK(56576)AND252)	EI
	JF	•870 POKE53272, PEEK (53272) AND 15: POKE 648, 1	
.500 PRINT"[HOME][DOWN][DOWN]";:FORX=.TO1		92:POKE53272, (PEEK(53272) AND 240) OR 12	CF
9:PRINTTAB(6)LEFT\$(L\$,28):NEXT:RETURN	HI	•880 POKE53270, (PEEK(53270) AND231)	JF
•510 REM 2ND WALL	JH	•890 PRINT"[CLEAR][c 4]":GOSUB1950:X=5152	ME
•520 PRINT"[HOME][5"[DOWN]"]";:FORX=.TO12		0:GOSUB900:GOTO930	NE
:PRINTCHR\$(13)TAB(12)LEFT\$(L\$,15);:NEXT	EJ	.900 READA\$:IFA\$="X"THENPOKE53280, .: RETUR	MJ
•530 PRINT"[RVSOFF] ":RETURN	HE	N ACCOMINE A ACCOMINE	
- Jan Kill Jko Walle	JB	•910 FORA=ITOLEN(A\$)STEP2:D=ASC(MID\$(A\$,A	PP
•550 PRINT"[HOME][9"[DOWN]"]";:FORX=.T06:	חח	,1))-48:FC=ASC(MID\$(A\$,A+1,1))-48 •920 D=D+(D>10)*7:FC=FC+(FC>10)*7:POKEX,I	
I KINII AD(II), BBI I 4(L4)	DD	*16+FC:POKE53280, A:X=X+1:NEXT:GOTO900	EE
	NE	•930 FORX=.TO63:POKE52608+X,.:NEXT	DM
•570 PRIT"[HOME][11"[DOWN]"]";:PRINTTAB(1	LK	.940 DIMDL(255,2),BO(16),SP(7),SB\$(3,7),I	
	LK	\$(4),L\$(6),OA\$(8),CS(7),M(15)	MG
•580 FORX=.TOF:PRINTTAB(18)"[s T] [s Y]"		.950 DIMHC(2), MH(15), M\$(1), N\$(2), G\$(2), H	
:NEXT:PRINTTAB(18)"[s L][c @][c @][s @]"	NM	40),L(40)	GO
· KDI OKI	ED	.960 JP=56320:HR=83:X=.:D=.:FC=.:CL=17:CI)
•590 REM LOOK ROUTINE •600 CEM=FNTE(.):POKEED,CEM:PRINTL\$(DD);:		=2:VL=.:EL=.:ER=.:VS=.	MI
GOSUB80	IE	•970 $D(1)=1:D(2)=16:D(3)=-1:D(4)=-16:P=$.	:
·610 FC=H:VL=FC:LV=CD-F+H*-(CD=F):RV=CD+F		L=1:LF=10:FORX=.TO7:READSP(X):NEXT	NI
+H*(CD=H)	AG	.980 TGL=16:CSM=.:CEM=192:V=53248:FORX=.	
•620 EBM=FNCP(.):IFEBM>-FANDEBM<256THEN65		039	EL
0	CB	•990 L\$=L\$+CHR\$(32):NEXT:FORX=1TO4:D\$(X):	=
·630 IFFCTHENFC=FC-F:GOTO620	ВО	MID\$("ESWN", X,1):NEXT	FK
•640 RETURN	BA	•1000 J=.:F=1:H=4:G=8:K=2:I=.02:R=.95:M=	• 01
•650 EL=FNCP(LV):ER=FNCP(RV)	KC	:U=.:TL=388:DD=6:PL=214:ED=648:S=54272	. OL
•660 IF(DL(EBM,.))THEN680	KP	•1010 RI=.92:BC=V+38:Y=25:FL=550:ALL=479	EG
•670 GOSUB60:FC=FC-F:ONF-(FC<.)GOTO620,74		WL=17:CR\$=CHR\$(13)	
0	AN	•1020 DEFFNJS(X)=15-(PEEK(JP)AND15):DEFF	
AA AIIAVI			

JF(X)=((PEEK(JP)AND16)=.)	CA		
•1030 DEFFNCP(X)=FC*D(CD)+(CL+D(X)):DEFF		70,1870,1890	PJ
SW(X)=(TGL-CSM)	CE	,	KE
·1040 DEFFNTE(X)=(TL-CEM): DEFFNCM(X)=X*D		•1340 ON-(VS=.)GOTO1280:Y=Y-F:ON-(Y>.)GOT	•
CD)+CL: DEFFNMP(X)=CEM*256+1016+X	IG	01280: Y=FL: DD=DD+F: ON-(DD<6)GOTO1280	I.D
•1050 DEFFNPM(X)=55296+970+(X*2):DEFFNSM(X)=CFM*256+970+(X*2)-DEFFNSM(X)=000000000000000000000000000000000000	Page 2	•1350 PRINT"[CLEAR][4"[DOWN]"][RVSON][c 4	
X)=CEM*256+970+(X*2):DEFFNH(X)=294-HR	EH	115" "IYOUR LANTERN FUEL HAS EXPIREDITS"	
•1060 DEFFNLF(LF)=((LF<5)*-K+(LF>=5ANDLF 10)*-7+(LF>=10)*-5)		"]":GOSUB2450:GOTO1690	OM
·1070 CEM=FNTE(.):PRINTCHR\$(147):POKEED,(ML	*1360 ON-(DL(CL+D(CD), .)=.)GOTO1410:CL=CL	
EM:GOSUB2010:GOSUB760		+D(CD):GOTO1430	TP
•1080 FORX=.T016:BO(X)=2[UPARROW]X:NEXT:H	CM	•1370 ON-(DL(CL-D(CD), .)=.)GOTO1410:CL=CL	
ORX=1T07:L\$(X-1)=MID\$("[WHITE][CYAN][c	7	-D(CD):GOTO1430	BN
][BLUE][PURPLE][c 4][BLACK]",X,1):NEXT	MM	•1380 CD=CD+F:GOTO1400 •1390 CD=CD-F	LP
·1090 HC(.)=2:HC(1)=8:HC(2)=10:M\$(.)="[RV	7		DF
SON] ":M\$(1)="[RVSOFF] "	LK	*1400 CD=CD+((CD=5)*H)+((CD=.)*-H):GOTO14	
•1100 N\$(1)="[YELLOW]GOLD":N\$(2)="[RED]L]			GM
FE"	DC	•1410 IFCL<>WLTHENGOSUB2670:GOSUB2700:GOT 01290	
·1110 FORX=.TO7:READCS(X):NEXT:A\$="":FORX	(-1/20 TEL ALLANDER (OF T)	KC
=1TO4: READB\$: A\$=A\$+B\$: NEXT: FORX=1TO223	00	all 20 COCUDAGE COMOTORS	PG
·1120 DL(X+15,.)=VAL(MID\$(A\$.X.1)):NEXT	LI	-1//C DEM COMMINE TIE	EL
•1130 FORX=.TO8:READA\$:OA\$(X)=A\$:NEXTX	AO	•1450 GOSUB2670:FORX=.TOG:IF(LANDBO(X))TH	PL
•1140 FORX=.TO15:READA:M(X)=A:NEXTX	JF		
·1150 FORX=3TO.STEP-1:FORD=.TO7:READA\$:SE	3	•1460 NEXT:X=.:A=FRE(.):A=.:IF(LAND(BO(U)	AG
(X,D)=A: NEXTD, X	BM		DO
·1160 FORX=.T018:W1\$=W1\$+"[c E][c R]":W2\$		-1/70 DOVE100 VILTER TO - C	LI
=W2\$+"[C K][C E]":NEXT	I.F	•1480 POKEFNPM(X), .: POKEFNPM(X), F: IF(LAND	LT
•1170 FORX=.TO40:M=2703*(2[UPARROW]((X-20)		BO(A))THENPOKEFNPM(A).12:GOTO1500	NA
)/12)):IFM>65535THENM=65535	KK	•1490 POKEFNPM(A),11	NO
•1180 H(X)=INT(M/BO(8)):L(X)=M-H(X)*BO(8) :NEXT:FORX=.TO15		•1500 GOSUB20: JY=FNJS(.):ON-(RND(F)>.9)GO	
	EH	2012(1)	DM
*1190 A=INT(RND(F)*223+16):IFDL(A,.)=.OR(X=14ANDA<224)THEN1190		•1510 P=L:IFJY=GTHENA=X:X=X+F+(X=10)*11	NO
•1200 DL(A,F)= $M(X)$: $M(X)$ =A:MH(X)=X*G+F:NEX	GN	•1521) IFJY=HTHENA=X:X=X-F+(X=,)*-11	NC
T:DL(238,2)=BO(7)		·1530 IFFNJF(.)AND(LANDBO(X))THENPOKEFNPM	
·1210 POKEV+21,.:POKEV+23,127:POKEV+29,63	LB	(U),12:U=X:POKEFNPM(X),15:GOSUB2660	BA
:X=V:GOSUB900:GOSUB2670	IH	•1540 IFFNJF(.)THENRETURN	IK
•1220 PRINT"[c 8][RVSON] [4"\$"] PRESS FI		- 1 FEG TETY TAND (Dr. CO. T.)	
TEEN THEFT IC OTTENSION I TO WIT DEFICE BY	TII	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L	
RE BUTTON TO BEGIN [4"\$"] [HOME][RIJIE]".	111	·1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X)	IF
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16		•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580	IF HN
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16	OG	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-	HN
**RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 **1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270	OG	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=	
WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED, FNTE(.):PRINT"[CLEAR][RVSOFF		•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14	HN HF
WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32:FORX=.TO255STE	OG	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14	HN
WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4);	OG	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 •1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148	HN HF EK
WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY))TE	OG BA	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 •1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148	HN HF
**RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 **1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 **1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); **1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()":	OG BA	• 1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) • 1560 IFJY<>KTHEN1580 • 1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. • 1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 • 1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 • 1600 G(K)=INT(LF):PRINT"[HOME][DOWN]"• TA	HN HF EK LH
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED.	OG BA KL	• 1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) • 1560 IFJY<>KTHEN1580 • 1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. • 1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 • 1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 • 1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]"::A\$=STR\$(G(X-G))	HN HF EK
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21:RETURN	OG BA KL	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 •1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 •1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) J •1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN	HN HF EK IH
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32.5:	OG BA KL IA	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511- BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 •1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 •1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) •1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN •1620 REM MONSTER HITS	HN HF EK LH JI CN
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000	OG BA KL IA	• 1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) • 1560 IFJY<>KTHEN1580 • 1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. • 1580 IFL<>PTHENGOSUB2670:GOSUB600:GOT014 50 • 1590 ON-(X<=G)GOT01480:GOSUB1600:GOT0148 0 • 1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) • 1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN • 1620 REM MONSTER HITS • 1630 ON-(B=7)GOT070:D=INT(RND(F)*3+F)• PO	HN HF EK IH
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000 1280 JY=FNJS(.):J=FNJF(.):IFJ=.THENON.IYG	OG BA KL IA BO NC	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511- BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 •1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 •1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) •1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN •1620 REM MONSTER HITS •1630 ON-(B=7)GOTO70:D=INT(RND(F)*3+F):PO KEV+33,HC(D-F):LF=LF-(B/((LANDH)+F))-D	HN HF EK LH JI CN
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000 1280 JY=FNJS(.):J=FNJF(.):IFJ=.THENONJYG OTO1360,1370,,1390,70,701380,70.70	OG BA KL IA	•1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) •1560 IFJY<>KTHEN1580 •1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511- BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. •1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 •1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 •1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) J •1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN •1620 REM MONSTER HITS •1630 ON-(B=7)GOTO70:D=INT(RND(F)*3+F):PO KEV+33,HC(D-F):LF=LF-(B/((LANDH)+F))-D L•1640 FORT=.TO99:NEXT:POKEV+33:IFLE<.TH	HN HF EK LH JI CN FC
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000 1280 JY=FNJS(.):J=FNJF(.):IFJ=.THENONJYG OTO1360,1370,,1390,70,70,,1380,70,70 1290 GOSUB20:LF=LF+I:POKEV+32,FNLF(LF):0	OG BA KL IA BO NC GG	*1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) *1560 IFJY<>KTHEN1580 *1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511-BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. *1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 *1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 *1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) J *1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN *1620 REM MONSTER HITS *1630 ON-(B=7)GOTO70:D=INT(RND(F)*3+F):PO KEV+33,HC(D-F):LF=LF-(B/((LANDH)+F))-D *1640 FORT=.TO99:NEXT:POKEV+33,.:IFLF<.TH EN1670	HN HF EK IH JI CN CC H
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000 1280 JY=FNJS(.):J=FNJF(.):IFJ=.THENONJYG OTO1360,1370,,1390,70,70,,1380,70,70 1290 GOSUB20:LF=LF+I:POKEV+32,FNLF(LF):O N-(RND(F)>.9)GOSUB30	OG BA KL IA BO NC	*1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) *1560 IFJY<>KTHEN1580 *1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511- BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. *1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 *1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 *1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) J *1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN *1620 REM MONSTER HITS *1630 ON-(B=7)GOTO70:D=INT(RND(F)*3+F):PO KEV+33,HC(D-F):LF=LF-(B/((LANDH)+F))-D *1640 FORT=.TO99:NEXT:POKEV+33,.:IFLF<.TH EN1670 *1650 POKEV+32,FNLF(LF):GOSUB2730:GOSUB27	HN HF EK IH JI CN CC H
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000 1280 JY=FNJS(.):J=FNJF(.):IFJ=.THENONJYG OTO1360,1370,,1390,70,70,,1380,70,70 1290 GOSUB20:LF=LF+I:POKEV+32,FNLF(LF):O N-(RND(F)>.9)GOSUB30 1300 B=DL(CL,F):IFBANDRND(F)+B/100>RITHE	OG BA KL IA BO NC GG CN	*1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) *1560 IFJY<>KTHEN1580 *1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511- BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. *1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 *1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 *1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) J *1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN *1620 REM MONSTER HITS *1630 ON-(B=7)GOTO70:D=INT(RND(F)*3+F):PO KEV+33,HC(D-F):LF=LF-(B/((LANDH)+F))-D *1640 FORT=.TO99:NEXT:POKEV+33,.:IFLF<.TH EN1670 *1650 POKEV+32,FNLF(LF):GOSUB2730:GOSUB27 OO:RETURN *1660 PEM DIAMED MALED	HN HF EK IH JI CN FC LH JG GC
RE BUTTON TO BEGIN [4"\$"] [HOME][BLUE]": WAITJP,16,16 1230 GOSUB2260:GOSUB2490:GOSUB1240:GOSUB 2430:GOTO1270 1240 POKEED,FNTE(.):PRINT"[CLEAR][RVSOFF][5"[DOWN]"]";:POKEV+32,.:FORX=.TO255STE P16:PRINTTAB(4); 1250 FORJY=.TO15:PRINTM\$(DL(X+JY,.));:IF CL=X+JYTHENPRINT"[LEFT][LEFT]()"; 1260 NEXTJY:PRINT:NEXTX:GOSUB760:POKEED, CEM:POKEV+21,.:RETURN 1270 PRINT"[CLEAR]":GOSUB760:POKEV+32,5: GOSUB2700:GOSUB600:X=FRE(.):IT=TI+1000 1280 JY=FNJS(.):J=FNJF(.):IFJ=.THENONJYG OTO1360,1370,.1390,70,70,,1380,70,70 1290 GOSUB20:LF=LF+I:POKEV+32,FNLF(LF):O N-(RND(F)>.9)GOSUB30 1300 B=DL(CL,F):IFBANDRND(F)+B/100>RITHE NGOSUB1630	OG BA KL IA BO NC GG	*1550 IFJY=FAND(DL(CL,K)ANDBO(X))THENL=(L ORBO(X)):DL(CL,K)=DL(CL,K)-BO(X) *1560 IFJY<>KTHEN1580 *1570 IF(LANDBO(X))ANDX>.THENL=(LAND(511- BO(X))):DL(CL,K)=DL(CL,K)ORBO(X):U=. *1580 IFL<>PTHENGOSUB2670:GOSUB600:GOTO14 50 *1590 ON-(X<=G)GOTO1480:GOSUB1600:GOTO148 0 *1600 G(K)=INT(LF):PRINT"[HOME][DOWN]";TA B(15)N\$(X-G);": [c 8]";:A\$=STR\$(G(X-G)) J *1610 PRINTRIGHT\$("[4"0"]"+(RIGHT\$(A\$,LEN (A\$)-F)),H):RETURN *1620 REM MONSTER HITS *1630 ON-(B=7)GOTO70:D=INT(RND(F)*3+F):PO KEV+33,HC(D-F):LF=LF-(B/((LANDH)+F))-D L*1640 FORT=.TO99:NEXT:POKEV+33,.:IFLF<.TH EN1670 *1650 POKEV+32,FNLF(LF):GOSUB2730:GOSUB27	HN HF EK IH JI CN FC LH JG GC

KC

IP JA EF II FO

JF PP

IF (N

C

BA A

C E L D

FF E J P EM G O I I L K L G

		200 J. D. C. S.	
X:POKEV+33, X:NEXT:GOSUB2450:PRINT"[c 4][I][s U][s C][s C][s I] [s U][s I] [s U][
DOWN][DOWN]"	MC	s I][s U][s C][s C][s I][s U][3"[s C]"][
·1680 PRINTTAB(11)"[RVSON][WHITE] S [YELL		s I]" KI	
OW] L [c 3] A [c 1] I [YELLOW] N [WHITE]		•2020 PRINT"[RIGHT][RIGHT][c 8][RVSON][sE	
: : Donn Donn	EP	P][c *][RVSOFF]"SPC(4)"[BLUE][s B][s U][
•1690 GOSUB2490:PRINT"[HOME][6"[DOWN]"][R		s C][s I][s B][s B][s U][s I][s B] [s B]	
ED][RIGHT][RVSON]DO YOU WISH TO ENTER TH	CE	[s J][s C][s K][s B][s B][s U][s I][s B] [s J][s I] [s U][s K][3" "][c 8][RVSON][
	CF	sEP][c *]" KL	
•1700 POKE198,.:WAIT198,1:GETA\$:IFA\$="N"T	НВ	•2030 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
Hilli Okulby 4 1 Okulo, 5 4 1 Okulo, 5 4 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FK	VSOFF]"SPC(4)"[BLUE][s B][s B] [s J][s K	
111, 1000, 121, 001, 121, 001, 121, 121,	FK][s B][s J][s K][s B] [s J][s I] [s U][s	
•1730 IFVS=.THENVS=F:DD=.:GOSUB600:RETURN		K][s B][s J][s K][s B] [s B] [s B][4""	
	PM	1[c 8][RVSON][c M] " MB	
•1750 IFB=.ORB=7ORRND(.)+LF/100<.5THENGOS		•2040 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
	НО	VSOFF]"SPC(4)"[BLUE][s B][s B][3" "][s B	
•1760 POKEV+33,5:FORT=.TO100:NEXT:POKEV+3][s U][s I][s J][s I] [s B] [s B] [s B][
3,.:FORX=.T015	J0	s U][s C][s K] [s B] [s B][4" "][c 8][RV	
•1770 ONF-(M(X)=.)GOTO1780,1810	PG	SON][c M] " PF	
•1780 IFCL=M(X)THENMH(X)=MH(X)-ABS(RND(.)		•2050 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
+((LAND2)*F)+LF/6)+(LAND18>.)*-2	GP	VSOFF]"SPC(4)"[BLUE][s B][s B] [s U][s I	
•1790 ON-(MH(X)>.)GOTO1810:FORD=.TO16:FOR][s B][s B][s J][s I][s B] [s B] [s B] [
T=.TO3:POKEV+39+T,D:NEXTT,D	FA	s B][s B][3" "][s B] [s B][4" "][c 8][RV	
•1800 M(X)=.:DL(CL,F)=.:POKEV+21,PEEK(V+2		SON][c M] " KD	
1)AND240:GOSUB2450:GOSUB1820	OL	•2060 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
•1810 NEXT:GOSUB2730:GOSUB2700:RETURN	HB	VSOFF]"SPC(4)"[BLUE][s B][s J][s C][s K]	
•1820 LF=LF+B:DL(CL,K)=(DL(CL,K)ORBO(B)):	V D	[3"[s B]"] [s B][s B] [s B] [s B] [s B][s B][s B]	
GOSUB600:GOSUB2670:G(F)=G(F)+B*100	KB LL	s B][3" "][s B] [s B][4" "][c 8][RVSON][
•1830 RETURN	PA	c M] " •2070 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
•1840 REM WAND	DK	VSOFF]"SPC(4)"[BLUE][s J][3"[s C]"][s K]	
•1850 ON-(B=G)GOTO1760:RETURN •1860 REM ELIXIR	LA	[s J][s K] [s J][s K] [s J][s C][s K] [s	
•1870 LF=LF+20:L=L-BO(U):POKEFNPM(U),11:U		J][s K][3" "][s J][s C][s K][4" "][c 8]	
=.: RETURN	HI	[RVSON][c M] "OH	
·1880 REM MAP	NH	•2080 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
•1890 A=PEEK(V+21):GOSUB2760:GOSUB1240:GO		VSOFF][3" "][c 5][s U][s C][s C][s I]"SP	
SUB2430:GOSUB2670	EC	C(24)"[c 8][RVSON][c M] " KK	
•1900 GOSUB760: POKEV+21, A: POKEV+32, FNLF(L		•2090 PRINT"[RIGHT][RIGHT][RVSON][c M] [R	
F):GOSUB2700:RETURN	NC	VSOFF] [c 4][RVSON][c V][4"[c @]"][c C]	
·1910 REM VICTORY!!	НО	[RVSOFF][4" "][c 7][s U][s C][s C][s I][
·1920 PRINT"[CLEAR][4"[DOWN]"][RVSON][YEL		s U][s C][s C][s I] [c 2][s Q][RVSON][6	
LOW]";L\$;"[c 3] BRAVE KNIGHT, YOU HAVE CO)	"[s F]"][RVSOFF][s Q] [c 8][RVSON][c M]	
NQUERED CRYPT![YELLOW]";L\$	LM	II LD	
·1930 X=9:GOSUB1600:POKEPL,11:PRINT:PRINT		•2100 PRINT" [RVSON][c M] [RVSOFF] [c 4	
TAB(23)"[RED]MY HERO![9"[LEFT]"][DOWN][s][c L][c 6][RVSON][s M][c @][c @][s N][c 4][RVSOFF][c J][4" "][c 7][s B][s U][s	
N]":GOTO1690	GB	I][s B][s B][s U][s C][s K][3" "][YELLOW	
•1940 REM COPY CHAR SET	HC][RVSON][c K][EP][PI][EP][PI][c L][RVSOF	
•1950 POKE56333,127:POKE1,51	IJ	F] [c 8][RVSON][c M] " ID	
•1960 POKE781,9:POKE782,1:POKE90,.:POKE91	MO	·2110 PRINT" [RVSON][c M] [RVSOFF] [c 4	
,216:POKE88,.:POKE89,248:SYS41964 •1970 POKE1,55:POKE56333,129:PRINT"[CLEAR][c L][c 6][RVSON][c M][s M][s N][c G][c	
]";:GOSUB2280	IN	4][RVSOFF][c J][4" "][c 7][5"[s B]"][s	
·1980 READA: IFA=-1THENRETURN	FE	J][s I][4" "][YELLOW][RVSON][c K][PI][EP	
•1990 FORX=.TO7:READD:POKE61440+A*8+X,D:N	_][PI][EP][c L][RVSOFF] [c 8][RVSON][c M	
EXT:GOTO1980	IP] "	
· 2000 REM OPENING MARQUEE	LB	·2120 PRINT" [RVSON][c M] [RVSOFF] [c 4	
·2010 PRINTCHR\$(8)CHR\$(142):PRINT"[CLEAR]]][c L][c 6][RVSON][c M][s N][s M][c G][c	
[RVSOFF]"SPC(8)"[BLUE][s U][3"[s C]"][s		4][RVSOFF][c J][4" "][c 7][5"[s B]"][s	

W15 W35/8 W35			1
U][s K][4" "][YELLOW][RVSON][c K][EP][P][EP][PI][c L][RVSOFF] [c 8][RVSON][c N		NING DUNJONS![4"-"][UP][RIGHT]";:RETURN •2250 REM LOGO	BE
] "	НО	·2260 PRINT"[CLEAR]";:FORX=.TO11:PRINT"[F	JC
•2130 PRINT" [RVSON][c M] [RVSOFF] [c][c L][c 6][RVSON][s N][c T][c T][s M][VSON]"; W1\$:PRINT"[RVSON]"; W2\$:NEXT:POKER L,8:PRINT	IF
4][RVSOFF][c J][4" "][c 7][s B][s J][s		·2270 FORX=.TO13:PRINTTAB(14)LEFT\$(L\$.13)) 11
K][3"[s B]"][5" "][YELLOW][RVSON][c K][1 I][EP][PI][EP][c L][RVSOFF] [c 8][RVSO		:NEXT:PRINTTAB(14)LEFT\$(L\$,13); -2280 PRINT"[HOME][3"[DOWN]"]"TAB(7)"[s [NK
][c M][SS]"	AB][25"[s C]"][s I]	IP
][RVSON][c V][4"[c T]"][c C][RVSOFF][4"		•2290 PRINTTAB(7)"[c Q][RVSON][3"="]CRYPT OF FEAR==V8.1[3"="][RVSOFF][c W]	CK
"][c 7][s J][s C][s C][s K][s J][s K][5' "][YELLOW][RVSON][c K][EP][PI][EP][PI]	•	•2300 PRINTTAB(7)"[c Q][RVSON]BY CLEVELAN	1 OK
c L][RVSOFF] [c 8][RVSON][c M] "	BJ	D M. BLAKEMORE[RVSOFF][c W] •2310 PRINTTAB(7)"[s J][25"[s C]"][s K]":	NA
•2150 PRINT" [RVSON][c M] [RVSOFF] [c A][RVSON][c V][4"[c T]"][c C][RVSOFF]"SPO	+	RETURN	AO
(14)"[c 2][s Q][RVSON][6"[s F]"][RVSOFF	ĺ	•2320 REM MONSTER MOVEMENT •2330 FC=15:FORX=.TOFC:ONF-(M(X)=.)GOTO23	EK
[s Q] [c 8][RVSON][c M] " 2160 PRINT" [RVSON][c M] [RVSOFF]"SPC(6)	PM	41), 24()()	KA
)"[c 1][s U][3"[s C]"][s I][s U][s C][s		•2340 IFCL <m(x)-gthena=m(x)+d(h) •2350 IFCL>M(X)+GTHENA=M(X)+D(K)</m(x)-gthena=m(x)+d(h) 	FF
C][s I] [s U][s C][s C][s I] [s U][s C][s C][s I]"SPC(6)"[c 8][RVSON][c M]"	O.J	·2360 IFCL>M(X)ANDCL <m(x)+gthena=m(x)+d(f< td=""><td></td></m(x)+gthena=m(x)+d(f<>	
·2170 PRINT" [RVSON][c M] [RVSOFF]"SPC(6		•2370 IFCL <m(x)andcl>M(X)-GTHENA=M(X)+D(F</m(x)andcl>	ML
)"[c 1][s B][s U][s C][s C][s K][s B][s U][s C][s K] [s B][s U][s I][s B] [s B][+K) •2380 IFA<.ORA>255THEN2400	AA
s U][s I][s B]"SPC(6)"[c 8][RVSON][c M]		·2390 IFDL(A,.)ANDDL(A,F)=.THENDL(A,F)=DL	KO
·2180 PRINT"[WHITE][s U][s C][s K][s J][s	DH	$(M(X),F):DL(M(X),F)=.:M(X)=A$ $\cdot 2400 \text{ NEXT}$	CB
C[s I][4""][c I][s B][s J][s I] [s B]		•2410 D=DL(CL,F):IFDTHENONDGOSUB70.2580.2	OL
$[s \ J][s \ I] [s \ B][s \ J][s \ K][s \ B][s \ B][s \ J][s \ K][s \ B][s \ C][s \ J][s \ K][s \ B][s \ C][s \ C$		610, 2540, 70, 70, 70, 2640: GOSUB2700 •2420 POKEV+21, .: FC=.: GOSUB780: IT=TI+1000	EM
K][s J][s C][s I]"	DA	: RETURN	DB
•2190 PRINT" [c 4][c T][RVSON][c F][c D][RVSOFF][c T][5" "][c 1][s B][s U][s K]		• 2430 FORT=.TO3000:NEXT:RETURN • 2440 REM SOMETHING DIED	CL OK
[s B][s U][s K] [s B][s U][s I][s B] [s		•2450 POKES+5,15:POKES+23,239:POKES+24,15	OK
B][s U][s I][s J][s I][4" "][c 4][c T][RVSON][c F][c D][RVSOFF][c T]"	MA	+32:POKES+4,33 •2460 A=200:FORSW=100T050STEP5:POKES+22	CI
•2200 PRINT" [c 2][RVSON][c V][c C][RVSOFF]"SPC(6)"[c 1][s B][s B][3" "][s B][s		,SW: A=A*.93: POKES+1, A: NEXT	IM
B[3'''][4''[s B]''] [s B][s B][s J][s I][•2470 POKES+4,32:FORT=.TO30:NEXT:POKES+23 ,::POKES+24,.:RETURN	NO
s B][5" "][c 2][RVSON][c V][c C]" •2210 PRINT" [RVSON][cEP][cEP][RVSOFF]"S	NG	• 2480 REM CRYPT WHISPERS	DJ
PC(6)"[c 1][s B][s B][3" "][s B][s J][s		•2490 GOSUB2760: POKES+5, 16*11: POKES+6, 16* 15+11: POKES+23, 239: POKES+24, 15+32	CL
C][s I] [4"[s B]"] [s B][s B] [s B][s B] [5" "][c 2][RVSON][cEP][cEP]"	СВ	•2500 FORN=.TO5:POKES+1,INT(RND(1)*10)+1:	
•2220 PRINT" [RVSON][cEP][cEP][RVSOFF]"S	OD	FORSW=.TOINT(RND(1)*200):POKES+4,129 •2510 POKES+22,SW:NEXT:POKES+4,128:FORT=.	IM
PC(6)"[c 1][s J][s K][3" "][s J][s C][s C][s K] [s J][s K][s J][s K]		TO400: NEXTT, N	LF
[s J][s K][5" "][c 2][RVSON][cEP][cEP][5		*2520 FORT=.T01500:NEXT:POKES+23,.:POKES+24,15:RETURN	DB
"[RIGHT]"][RVSON][c P][c P]"SPC(31)"[c P][c P]"	KB	•2530 REM BLOB •2540 POKES+5,15:POKES+23,239:POKES+24,15	JL
•2230 PRINT"[RVSON] A [c 8][RVSOFF]3D[c 2		+32:POKES+4,33	PK
][RVSON] [c 8][RVSOFF]A[c 2][RVSON]DVENT URE [c 8][RVSOFF]G[c 2][RVSON]AME [c 8][•2550 FORSW=.T0150STEP5.25:POKES+22,SW:PO KES+1,INT(RND(1)*10):NEXT	DA
RVSOFF B[c 2][RVSON]Y [c 8][RVSOFF C[c 2		•2560 POKES+4,32:FORT=.TO400:NEXT:POKES+2	DA
][RVSON]LEVE [c 8][RVSOFF]B[c 2][RVSON]L AKEMORE ";	AE	3,.:POKES+24,15:RETURN	PD
•2240 PRINT"[c 5] [4"-"] PLEASE WAITOPE		•2580 GOSUB2760: POKES+5,155: POKES+6,245: P	AE
		AHOY! 91	

OKES+4,129:FORX=50TO55:POKES,D	PL	•2950 DATA41,128,128,224,208,144,192,32,4	PN
•2590 FORT=35T055:POKES+1,T:NEXTT,X:POKES	ОН	•2960 DATA201,255,223,207,199,195,193,225	N
+4,128:FORT=.TO100:NEXT:RETURN •2600 REM IMP	KA		AG
•2610 GOSUB2760: D=180: FORA=. TO9: POKES+4,3	KA	·2970 DATA83,255,201,193,193,227,247,255,	
3:POKES+1,D:FORT=.TO5	IA		OF
•2620 NEXT: POKES+4, 32: FORT=.TO40: NEXT: D=D		•2980 DATA213,255,251,243,227,195,131,135	
*.95:NEXTA:RETURN	OM	, === ,	II
•2630 REM DEMIGORGON	MJ	Lyyy Milli Honorbilli Driner	IB
•2640 GOSUB2760: POKES+5,8: POKES+6,255: POK		• 3000 DATA 00000000000000000000000000021840	שר
ES+4,23:F1=8:F2=4:F0RZ=1T030:P0KES+1,F1	NL	253CA454FF2A8DFFB197FFE19BFFD1FFFFFDB (3010) DATA FFD3D8FF13481812483C12447E2240	GK
•2650 POKES+15, F2:F2=F2*1.01:F1=F1+1:NEXT	BI		GK
Z:POKES+6,15:RETURN •2660 REM BEEP	BP	•3020 DATA 00000000000F80001FC0002AA0002	JK
•2670 GOSUB2760:POKES+5,96:POKES+6,96:POK			DJ
ES+4,23:POKES+2,85:POKES+1,36	PH	•3030 DATA 40007060007830003C1C001E0E003C	
·2680 FORX=.TO10:NEXT:POKES+6,15:RETURN	HN	30,7,101,7,731,110,7,711	NK .
•2690 REM SINISTER MUSIC	AH	•3040 DATA 9011931009FF2007BBC001C7001F7D	
.2700 GOSUB2760: POKES+5,4: POKES+12,4: POKE		Digital in the second of the s	NJ
S+19,4:POKES+6,241:POKES+13,241	GP	•3050 DATA CE0383CE01C6F701EEE387FCD1E65C	NT
•2710 POKES+20,241:POKES+4,33:POKES+11,33		00070113117777770	NI
:POKES+19,33:GOSUB30:RETURN	MB	•3060 DATA 63F1C23264C6642A6CCCAA66DC24E3 7E71E33FFFE63EBAFC3C827A1800318C447987	PH
•2720 REM SLASH	KG	•3070 DATA 45EBCFFFFE7BF7DE3FBFFE6DEDB7FF	1 11
•2730 GOSUB2760:POKES+1,25:POKES,5:POKES+	IJ		NK
5,20:POKES+4,129 -2740 FORT=.TO75:NEXT:POKES+4,128:RETURN	MP	•3080 DATA BD8267BDC277FFE243DBE25AFF777E	
•2750 REM CLEAR SID	KE		PN
•2760 FORP=STOS+24:POKEP, .: NEXT:POKES+24,		•3090 DATA FOOE00700E00700E00703E007C1E03	
15: RETURN	OF	110.555114.55HII. SII. HI OTITITION	FN
• 2770 REM CHARACTER DATA	OM	•3100 DATA FC3F00FC3E007C3C003C3C003C3C00	777.6
·2780 DATA159, 231, 231, 231, 231, 129, 195, 231		303077303077303077	KM
,255	GG	•3110 DATA 0000000000000000FF000000007E	DL
·2790 DATA65,,62,107,85,34,20,8,.	LH	0000FF0000810000810200E70200E70200E702 •3120 DATA 737EC2FF7EE28D7EE2CF7EF285FFF2	עע
•2800 DATA77,128,64,32,16,8,4,2,1	LG		AG -
•2810 DATA78,1,2,4,8,16,32,64,128	CH	•3130 DATA FF1F71FF8FFF005400007C00004400	
•2820 DATA113,,,,,255,15,15,15	IH		GP
•2830 DATA114,,,,,255,240,240,240 •2840 DATA163,231,129,219,195,219,129,195		•3140 DATA FF6018EE301C7C7010EE1001FF0001	
,129	FB		OD
2850 DATA164,247,247,247,247,247,227,24	7	•3150 DATA 80FF38770E20FF8221F7C203FFE003	
,247	PK	1/15/351115/351115/351115/3115/3115/311	DO
·2860 DATA165,189,129,137,189,165,129,195		•3160 DATA 8000FF8000F78000FF8001F7C001FF	BP
,231	LP	COO3F7EOO3FFEOO7F7FOOFFFF81FF7FCO40000 •3170 DATA 0000000000000000000000004900005D	
·2870 DATA166,231,219,231,231,231,231,23			GB
,231	BM	•3180 DATA 07A2F80FDDFC1FE3FC1DFFDC1DF7DC	
•2880 DATA167,60,90,102,118,118,118,181,	OD		BJ
95 •2890 DATA168,231,195,231,195,129,126,129	-	•3190 DATA 216D0820C60824FE482ABAA8309218	
,195	JO		PG
·2900 DATA169, 255, 255, 231, 219, 219, 231, 25	5	•3200 DATA BA8000ED4000C60001830001818000	
,255	PF	818000420001C38000E3FFDEE1F586C1FAFFBA	EM
-2910 DATA170,255,193,148,170,221,235,24	7	•3210 DATA F5877F750105BA8004BF00097FC000	
,255	FL	P.)P.).10.)0.).300.)P.).20.).00.	JG
·2920 DATA171,255,129,129,129,195,231,23		•3220 DATA 0001830001838003C1800301E00781	OK
,129	LD	F01A425C0060001C90001288002188002184C6 -3230 DATA 418383818383A185C3A185FFD1897E	
•2930 DATA212,189,189,189,189,189,189,18	9 II		GN
,189	CM		100.000
•2940 DATA40,1,1,7,11,9,3,4,12	Cit	J247 DAIR 77DDIGESESSOCIES CONTROL	1

000FE07C0FC07C0F807C0F807C1F00381E0038	MN
•3250 DATA 1F007C1F00F83F00F03E01E03E01E0	1
1E01E01E03C00E03C00E478007878003878003	DC
•3260 DATA 87000787800AC760148A90FC7FBF7E	2000
FBCOEFFBF7EFFBF7EFFDFFEFF6OC1FF7FFEFF3	GI
•3270 DATA FC6FF27BAFE3B7E7EFD737FFA53F78	
B49F715AE32139E001FFE003FFE003FFF003FF •3280 DATA F007E1F807C0F8FC07800008600018	PG
30303010E06019C0C00DC08007C08023EF8021	
•3290 DATA FF8020FF8040BF80419F80638F8053	KA
C3806BFF8097FF811BFF8615FF443FBD283FDD	
•3300 DATA 101FEFFC0001E00006100C0C180708	CM
0C03980603B00303E001F7C401FF8401FF0401	IH
·3310 DATAFD0201F98201F1C601C3CA01FFD601F	111
FE901FFD881FFA861BDFC22BBFC14F7F808FC,X	AJ
•3320 REM BIT MASKS	AB
•3330 DATA 0,4,6,7,15,48,64,128	IO
•3340 REM MONSTER COLORS	MO
·3350 DATAO, 5, 2, 6, 15, 1, 7, 5	JG
•3360 REM DUNGEON MAP	KN
*3370 DATA"010[3"1"]01010[4"1"]00[3"1"]01	
010[3"1"]0010010[7"1"]010010010"	PA
•3380 DATA"1[5"0"]10[4"1"]00[9"1"]0010100 1010101001010100[4"1"]0"	
*3300 DATA "0[0]" 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EI
*3390 DATA"0[8"1"]00101010101010101[5"0"][3"1"]0011[6"0"]101001100[5"1"]00"	-
•3400 DATA"[6"1"]01001001[3"0"]1[4"0"][8"	FN
	HF
-2/10 DEM OD THOM OUT DE COMPENS	FD
·3420 DATA "","[4"[UP]"][RIGHT][RVSON][c	I.D
* DOWN LEFT S T DOWN [LEFT S T DOW	
N][LEFT][s T][DOWN][LEFT][c D][DOWN][LEF	
TJ[C N]"	HN
·3430 DATA "[UP][RVSON][c *][RIGHT][RIGHT	
II SEP II DOWN II 4" [I.EFT]" I I R R I I A I I C S I I A	
B][DOWN][4"[LEFT]"][s B][c Z][c X][s B]	
	GM
·3440 DATA "[3"[UP]"][RIGHT][s X][DOWN][L	
EFT][s +][DOWN][LEFT][s B][DOWN][LEFT][s	
B][DOWN][LEFT][s B]","[LEFT][LEFT][s W]	
•3450 DATA "[UP][3"[LEFT]"][RVSON][RIGHT]	DE
[s E][RIGHT][DOWN][3"[LEFT]"][sEP][c T][
c *][DOWN][3"[LEFT]"][RVSOFF][c *][RVSON	
][c T][RVSOFF][sEP]"	C
·3460 DATA "[UP][3"[LEFT]"][s N][s M][s N	0
11 C G 11 DOWN 11 4" 1. FFT " 1 4" c C 1" 1 DOUNT 11	
4"[LEFT]" [4"[c G]"]", "[LEFT][s A]" 0	M
•34/0 DATA "[UP][LEFT][LEFT][RVSON][s F][
s F][DOWN][LEFT][LEFT][RVSOFF][c *][sEP]	
[DOWN][LEFT][LEFT][RVSON][sEP][c *]" P	H
•3480 REM MONSTER TYPES	H
*3490 DATA 1,1,2,2,3,3,4,5,5,5,6,6,6,6,7,	
- SECO DEM MONOMED CHILD	F
-2516 Dimi W o 1 () 1 11 11	H
- 2 E 2 C D A THE OF O P / 11. 11 11. 11 11. 11 11.	
3530 DATA %,&,',(,"+","*+","","01" B	ri

·3540 DATA %,&,',(,"*+","*+","-.","2345" 3550 REM SPRITE LOCATIONS

NJ

NM

MK

·3560 DATAAOBFAO958A6BBA6BAOAAAO81AC8DAC9 7,X

MARAUDER FROM PAGE 60

Starting address in hex: C000 Ending address in hex: C867 SYS to start: 49152

Flankspeed required for entry! See page 81.

```
COOO: A9 OO 8D B3 O2 8D B1
                             02
C008: A9 06 8D
                21
                   DO
                       A9
                             20
                         1F
                                20
C010: D2 FF A9
                93
                       D2 FF
                   20
CO18: 1F DO A9 12
                   20
                      D2 FF
                             A2
C020: 00 A0 26 18
                   20 FO FF
                             A9
                                B9
CO28: AB 20 D2 FF
                   E8
                      EO OB
                            DO
                                6C
C030: F3 A9 C8 8D
                   AB
                      02 A9
C038: 8D AC
            02 A2
                   18
                      AO 05
                            18 EC
CO40: 20 FO FF A9 1C
                      20 D2
                             FF
CO48: AO OO B9 OD C5
                      20 D2
CO50: C8 CO 18 DO F5
                      A2 17
                             AO 13
C058: 09 18 20 F0 FF A9 1F
                             20 73
C060: D2 FF A2 00 BD
                      73 C5
                             20
                                EC
C068: D2 FF E8 E0 OD
                      DO F5
C070: 02 A0 06 18
                   20 FO FF
                             A2 E4
C078: 00 BD FC C4
                   20 D2 FF
                             E8 D3
C080: E0 11 D0 F5
                   A2 04
                         An
                            01 81
C088: 18 20 F0 FF
                   A2 00 BD
C090: C5 20 D2 FF
                   E8 E0 20 D0 04
CO98: F5 A9 17 8D A7 O2 A9 BF EF
COAO: 8D 15 DO A2
                  05
                      A 9
                         OB
                            9D OF
COA8: F8 07 CA DO
                   F8 20 B3
COBO: 4C
         D9 C0 A2
                   OC 8E AA
                            02 81
COB8: 20 97 EO CE
                   AA O2 AE
                            AA
                                26
COCO: 02 A5 8B
                38
                   E9 71 OA OA 9B
COC8: OA 69 37 9D
                  OO DO CE AA 5B
CODO: 02 A9 02 CD AA 02 DO EO AA
COD8: 60 A9 3E 8D
                  1C
                     DO
                         A9
                            OE
                               53
COEO: 8D 25 DO A9
                   OF
                     8D
                        26
COE8: A2 O5 8A 9D
                   27 DO CA
                            DO 4C
COFO: F9 A9 OE 8D F8 O7 A9
                            OD E6
COF8: 8D FE 07 8D FF 07
                         A9 OB D5
C100: 8D 27 DO A9 02 8D
                        2D DO BC
C108: A9 00 8D
               2E DO A9
                         78 8D
                               ED
C110: 00 DO A9 3E
                   8D
                     10
                         DO A9
C118: C8 8D 01
               DO
                   A9
                     FF
                         8D OF
C120: DO A9 E1
               8D OF DO A9 80
                               14
C128: 8D 17 DO A9
                   81 8D
                         1D
                            DO
C130: A9 00 8D
               1B DO
                      AD
                         1 E
                            DO
                               EF
C138: A2
         3F BD
               80 C5
                      9D 80 03 3F
C140: CA EO FF
               DO F5 A2
                         3F BD 52
C148: BF C5 9D
               CO O3 CA EO
                            FF
                               DA
C150: D0 F5 A2
               3E BD FE C5
                           9 D
                               18
C158: CO O2 CA EO FF DO F5 A2 30
```

C330: 02 AD AD 02 2D AE 02 CD C160: 3F BD 3C C6 9D 40 03 CA OC CA DO EA 4C C338: AE 02 F0 06 C168: EO FF DO F5 A9 OO 8D 20 67 C340: A8 C3 BD 27 DO 8D 21 DO E1 21 DO A9 CE 8D A8 6F C170: DO 8D C348: 8D 20 DO AD AE 02 4D 15 7 B 00 85 C6 D2 C6 A9 C178: 92 29 C350: DO 8D 15 DO AO FA 84 A2 57 C180: 20 E4 FF C9 85 DO OD A9 5C 00 8D 21 C5 C358: A4 A2 DO FC A9 C188: OB 8D BO 02 A9 01 8D AF BB OE DO 18 54 C360: D0 8D 20 DO AD C4 C1 C9 86 DO OD 93 C190: 02 4C OE DO 90 05 A9 **C6** C368: 69 03 8D BO 02 A9 02 8D OB 8D C198: A9 00 8D AC CO C370: FF 8D OE DO A9 DO 47 4C C4 C1 C9 87 C1A0: AF 02 C378: 02 8A 18 F8 6D B1 02 8D C4 OB 8D BO 02 A9 03 57 Clas: OD A9 AD 15 **D8** C380: B1 02 D8 20 21 C7 C1 C9 88 15 C4 C1B0: 8D AF 02 4C E1 C388: DO 29 3E DO 1B A9 3E 4D A9 OA 8D BO 02 A9 ED C1B8: D0 C6 A9 3E 8D 5F C390: 15 DO 8D 15 DO 60 AD B3 02 C1C0: 04 8D AF 02 F8 BO 02 C398: 10 DO 20 B3 CO 8F CE B1 98 B1 02 BO 06 AD C1C8: 38 CD C3A0: CE AF 02 D0 03 4C OE C8 18 C7 47 C1D0: 02 8D B3 02 D8 20 70 EO OC 90 42 F8 A7 02 38 C3A8: AE 20 FO FF 5D C1D8: A2 18 AO OO 18 97 34 OA 20 EO C3B0: 38 E0 17 BO 20 D2 FF 80 C1E0: A9 9E AE B3 02 80 B0 33 AD 01 C9 B1 02 C3B8: A5 8E 38 C4 A9 00 8D 80 C1E8: 20 C7 02 C9 CE FO 03 6E C3C0: A8 CE A7 AA 3 A C1FO: AD AF 02 18 69 30 8D AO 26 AE A7 02 18 20 22 C3C8: 02 FF FO F9 58 O1 DC EO C1F8: 07 AE 20 D2 FF AO CD C3DO: FO FF A9 CE C200: A2 18 A0 23 18 20 FO FF A 7 ED BO 02 AA A1 AD A7 02 C3D8: 26 9 A 20 D2 FF A1 02 A9 C208: AE B1 C3E0: 18 A9 CE 20 D2 75 20 FO FF C210: 20 C7 C4 A0 05 80 AA 02 9B 8D A8 92 CE A7 02 4C E5 C3E8: FF 1 A C218: 98 OA AA BD OO DO 38 ED 02 C9 CD C4 AD A8 FO BB C3F0: 25 B9 4C C5 9C C220: AA 02 BO OB 48 AO 26 AE A7 B1 C3F8: 03 EE A7 02 C228: 4D 10 D0 8D 10 DO 68 9D CA 20 C2 C400: 02 18 20 FO FF A9 CD A5 A2 8D 11 C230: 00 D0 88 D0 E0 C408: D2 FF AO 26 AD A7 02 ED E6 C238: 26 DO AD 1F DO DO C7 29 01 41) C410: BO 02 AA 20 FO FF A 9 18 AD 02 29 56 13 1E DO 8D C240: AD 8D FE C418: CD 20 D2 FF 02 EE A7 76 AD AD 02 29 41 C248: 3F FO 36 C420: A8 02 4C 25 C4 A9 00 85 30 01 8D 27 C250: C9 01 D0 78 2D A9 C428: FB A9 04 85 18 FC A2 AO AF C258: DO 20 70 C7 A2 E6 86 A2 34 C8 85 C430: 00 C8 B1 FB 88 91 FB C6 C260: A5 A2 20 97 EO 8D 27 DO C438: CO 27 DO F5 A9 20 91 FB 3E OA AA 9D 7 F E9 71 C268: A5 8B 38 28 85 FB A5 B2 C440: 18 A5 FB 69 82 C270: 8A 03 9D CA 03 A5 A2 DO 00 85 FC AG OO CA 9C 69 C448: FC 8D 27 DO 4C 08 E3 A9 C278: E7 00 C450: DO DF EE AB 02 DO 26 A9 3E DC C9 73 FE DO OD C280: CO AD 01 C458: E6 8D AB 02 AE 0E D0 CA D2 C9 3C FO D3 C288: AD 01 D0 06 CE 16 AO 02 DO EO CB DO C460: 8E 0E C290: 01 DO CE O1 DO AD O1 DC 8E A2 A4 A2 DO FC AE 51 C468: FD 84 DO C9 87 C298: C9 FD DO OD AD 01 C470: 01 DO E8 8E 01 DO EO D7 44 C2A0: D6 F0 06 EE 01 DO EE 01 1F C478: DO ED 4C 54 C2 38 A9 1D 99 FB DO OD A8 C2A8: DO AD 01 C9 DC 9E C480: ED F8 07 8D F8 07 A2 00 06 CE E6 C2BO: AD 00 D0 C9 28 F0 C488: A9 00 9D 00 D4 E8 E0 19 87 **B4** C2B8: 00 01 DC DO CE 00 DO AD 00 D4 A9 01 C490: DO F8 A9 FO 8D OD AD nn DO C9 A8 C2C0: C9 F7 DO 01 D4 A9 08 8D 05 61 21 8D C498: EE 00 4B C2C8: DC FO 06 EE 00 DO 68 8D 16 D4 A9 01 AA C4A0: D4 A9 DO 24 5B C2DO: DO AD O1 DC 29 10 8D 18 D4 95 D4 A9 4F C4A8: 8D 17 40 4D 5C C2D8: AD DO 1F A9 AC 02 A2 FF CA AF C4BO: A9 81 8D 04 D4 00 DO B8 C2E0: 15 DO 8D DO AD 15 04 D4 A9 C1 C4B8: DO FD A9 80 8D 69 08 8D 8 B C2E8: 18 OC DO AD 01 C4CO: 00 8D 18 D4 4C 00 C2 A9 F3 5E 18 69 06 8D OD DO A9 C2FO: DO C4C8: 12 20 D2 FF 8A 8D B2 02 9 A 02 C9 5C 8D AC 02 AD AC C2F8: 01 69 16 29 FO 6A 6A 6A 6A 18 C4DO: OC 67 C3 AD FO 03 4C A8 C300: 01 B2 02 29 87 C4D8: 30 20 D2 FF AD 90 5D 18 69 08 OC DO C308: D0 8D FF A9 3E C4E0: OF 18 69 30 20 D2 15 E5 C310: 16 AD 15 DO 49 40 8D 20 D2 D8 C4E8: 30 20 D2 FF A9 30 C A9 00 8D AC 02 8D 68 C318: D0 C4FO: FF A9 92 20 D2 FF A9 1F E8 C3 A2 B7 C320: DO 8D OD DO 4C A8 C4F8: 20 D2 FF 60 C2 4D C2 41 60 C328: 05 BD 4C C5 09 40 8D AE 82

```
C500: C2
             52
                 C2
                     41
                         C2
                             55
                                 C2
                                     44
                                         38
                                              C6D0: 60 10 C3
                                                                 OF
                                                                      D2
                                                                          OF
                                                                              D2
                                                                                  16
         C2
             45
                 C2
                     52
                         C2
                            An
                                 46
                                     55
                                         24
                                              C6D8:
                                                      60 10
                                                              C3
                                                                  OF
                                                                      D2
                                                                          16
                                                                              60
                                                                                  10
             4C
 C510:
        45
                 20
                     52
                         45
                             4D
                                 41
                                     49
                                         31
                                              C6E0:
                                                      C3
                                                          OF
                                                              D2
                                                                  16
                                                                      60
                                                                          12
                                                                              D1
                                                                                  15
 C518: 4E
             49
                 4 E
                     47
                         20
                             20
                                 D1
                                     D1
                                         29
                                                          16
                                              C6E8: 1.F
                                                              60
                                                                 12
                                                                      D1
                                                                          15
                                                                              1F
                                                                                  16
                                                                                      AC
 C520: D1
             D1
                 D1
                     D1
                         D1
                             12
                                 9C
                                     43
                                         2 B
                                              C6F0: 60
                                                          12
                                                              D1
                                                                  12
                                                                      D1
                                                                          1C
                                                                              31
                                                                                  12
                                                                                      78
        4F
             4E
                 47
                     52
                         41
                             54
                                 55
                                     4C
                                         96
                                              C6F8:
                                                      D1
                                                          16
                                                              60
                                                                  1C
                                                                      31
                                                                          1C
                                                                              31
                                                                                  12
                                                                                      ED
 C530:
         41
             54
                 49
                     4F
                         4E
                             53
                                 21
                                     21
                                         42
                                                      D1
                                              C700:
                                                          16
                                                              60
                                                                  19
                                                                      1 E
                                                                         10
                                                                              C3
                                                                                  OF
                                                                                      62
         59
             4F
                 55
 C538:
                     20
                         48
                             41
                                 56
                                     45
                                         7 B
                                              C708:
                                                      D2
                                                          16
                                                              60
                                                                  10
                                                                      C3
                                                                          OF
                                                                              D2
                                                                                  OF
                                                                                      16
 C540:
         20
             53
                 41
                     56
                         45
                             44
                                 20
                                     42
                                         37
                                                      D2
                                              C710:
                                                          16
                                                              60
                                                                  10
                                                                      C3
                                                                          16
                                                                              60
                                                                                  10
                                                                                      B3
        41
             53
                     21
                45
                         01
                            02
                                 04
                                    08
                                         52
                                              C718:
                                                      C3
                                                          OF
                                                              D2
                                                                  OF
                                                                      D2
                                                                          OF
                                                                              D2
                                                                                  nn
         10
             20 40
 C550:
                     80
                         12
                             49
                                 4 E
                                     50
                                        3 B
                                              C720:
                                                          A2
                                                      ()()
                                                              nn
                                                                  A9
                                                                      nn
                                                                          9D
                                                                              nn
                                                                                  D4
                                                                                      DE
 C558:
         55
             54
                 20
                     53
                         4B
                             49
                                 4C
                                    4C
                                        A 2
                                              C728:
                                                      E8
                                                          EO 19
                                                                  DO
                                                                      F8
                                                                          A 9
                                                                              1C
                                                                                  8D
                                                                                      28
 C560:
         20
             4C
                45
                     56
                         45
                             4C
                                 3A
                                        7 A
                                    46
                                              C730:
                                                      01
                                                          D4
                                                              A 9
                                                                  31
                                                                      8D
                                                                          nn
                                                                              D4
                                                                                  A9
                                                                                      EC
        31
             2D
 C568:
                46
                     33
                         2D
                            46
                                 35
                                     2D
                                        16
                                              C738:
                                                      OA
                                                          8D
                                                             05
                                                                  D4
                                                                      A9
                                                                          FO
                                                                              8D
                                                                                  06
                                                                                     D7
 C570:
        46
             37
                 92
                     20
                         54
                             55
                                 4 E
                                    4E
                                        E6
                                              C740:
                                                      D4
                                                          A9
                                                              81
                                                                  8D
                                                                      04
                                                                         D4
                                                                              A9
                                                                                  OF
                                                                                      5F
 C578:
        45
            4C
                 20
                     20
                         20
                            20
                                C3
                                    3E
                                        8C
                                              C748:
                                                      8D
                                                          18
                                                              D4
                                                                  AO
                                                                      FD
                                                                          84
                                                                              A 2
                                                                                  A4
                                                                                      2D
 C580:
        nn
            00 00
                    COCO
                        CIC
                            CICI
                                00
                                    CIC
                                        80
                                              C750:
                                                      A2
                                                          DO
                                                              FC
                                                                  A9
                                                                      12
                                                                          8D
                                                                              01
                                                                                 D4
                                                                                      DF
                00 00
 C588:
        nn
            COCO
                        7 F
                            FF
                                FE
                                    (1()
                                        07
                                              C758:
                                                      A9
                                                          D1
                                                              8D
                                                                 CO
                                                                     D4
                                                                          AG
                                                                             FC
                                                                                 84
                                                                                     58
 C590:
        10
            CIC
                83
                     FE
                        nn
                            FF
                                 71
                                    nn
                                        94
                                              C760: A2
                                                          A4
                                                                         A9
                                                             A 2
                                                                  DO
                                                                     FC
                                                                             nn
                                                                                 8D
                                                                                     4F
 C598:
        FF
            FO
                80
                     87
                        FF
                            CO
                                03
                                    7 F
                                        D4
                                              C768:
                                                      18
                                                          D4
                                                              A9
                                                                  80
                                                                      8D
                                                                         04
                                                                             D4
                                                                                  60
                                                                                     46
        EO
            01
                FF
                     (11)
                        12
                            nn
                                90
                                    OF
                                        34
                                              C770:
                                                      A 2
                                                          CIC
                                                             A9
                                                                  nn
                                                                     9D
                                                                         nn
                                                                             D4
                                                                                 E8
                                                                                     18
 C5A8:
        FF
            CO
                nn
                    00
                        50
                            CIC
                                On
                                    nn
                                        69
                                              C778:
                                                      EO
                                                          19
                                                              DO
                                                                 F8
                                                                     A2
                                                                         nn
                                                                             BD
                                                                                 B7
                                                                                     54
 C5BO:
        nn
            nn
                CICI
                    nn
                        nn
                            99
                                00
                                    nn
                                        BO
                                              C780:
                                                      C7
                                                         FO
                                                              29
                                                                  8D
                                                                     01
                                                                         D4
                                                                             E8
                                                                                  BD
                                                                                     6C
 C5B8:
            00
        nn
                nn
                    nn
                        00
                            00
                                nn
                                    00
                                        B8
                                              C788:
                                                      B7
                                                         C7
                                                              8D
                                                                 nn
                                                                     D4
                                                                         A9
                                                                             78
                                                                                 8D
                                                                                     1 A
 C5CO:
        CIC
            nn
                00
                    nn
                        00
                            nn
                                nn
                                    nn
                                        CO
                                              C790:
                                                      05
                                                         D4
                                                              A9
                                                                  FO
                                                                     8D
                                                                         06
                                                                             D4
C5C8:
        nn
            nn
                CIC
                    03
                        FF
                            nn
                                CICI
                                    10
                                        DB
                                              C798:
                                                      81
                                                         8D
                                                             04
                                                                 D4
                                                                     A9
                                                                         OF
                                                                             8D
                                                                                 18
                                                                                     DE
C5D0:
        (1)
            03
                FE
                    00
                        FF
                            71
                                nn
                                    FF
                                        44
                                              C7A0:
                                                      D4
                                                         An
                                                             FC
                                                                 84
                                                                     A2
                                                                          A4
                                                                             A2
                                                                                     52
                                                                                 DO
C5D8: F0
            80
                07
                    FF
                        CO
                            03
                                7 F
                                        75
                                    EO
                                              C7A8:
                                                     FC
                                                         4C
                                                             7 E
                                                                 C7
                                                                     A9
                                                                         nn
                                                                             8D
                                                                                 18
                                                                                     87
C5E0:
        01
            FF
                nn
                    12
                        nn
                            90
                                OF
                                    FF
                                        93
                                              C7BO:
                                                     D4
                                                         A9
                                                             80
                                                                 8D
                                                                     04
                                                                         D4
                                                                             60
                                                                                OA
                                                                                     80
C5E8:
        EO
            CIC
                nn
                    CIC
                        00
                            CIC
                                00
                                    00
                                        C9
                                              C7B8:
                                                     OB
                                                         12
                                                             14
                                                                 1 B
                                                                     27
                                                                         32
                                                                             44
                                                                                 4B
                                                                                     ED
C5FO:
        CIC
            nn
                00
                    nn
                       00
                            00
                                nn
                                    (1()
                                        FO
                                              C7CO:
                                                     5F
                                                         73
                                                             78
                                                                 87
                                                                     8C
                                                                         91
                                                                             A5
                                                                                 BE
                                                                                     16
C5F8:
        nn
            rin
                (1()
                    nn
                       00
                            CIC
                                nn
                                    00
                                        F8
                                             C7C8:
                                                     C8
                                                         DD
                                                             E7
                                                                 1C
                                                                     OA
                                                                         nn
                                                                             nn
                                                                                     8C
                                                                                 OF
C600:
        ()()
           00
                CO
                    CICI
                        nn
                            nn
                                rin
                                    CICI
                                        nn
                                             C7D0:
                                                     39
                                                         EO
                                                             OF
                                                                 FF
                                                                     EO
                                                                         1 A
                                                                             AA
                                                                                 BO
                                                                                     50
C608:
        (1)()
            nn
                nn
                    CO
                        nn
                            nn
                                50
                                    nn
                                        08
                                             C7D8:
                                                     OF
                                                        FF
                                                             EO
                                                                 07
                                                                     FF
                                                                         CO
                                                                             03
                                                                                 FF
                                                                                     93
C610:
        01
            00
                CIC
                    01
                        40
                            nn
                                01
                                    41
                                        94
                                             C7E0:
                                                     80
                                                         nn
                                                             BD
                                                                 nn
                                                                     nn
                                                                                 18
                                                                         BD
                                                                             nn
                                                                                     F4
                AA
C618:
        00
            3D
                    40
                        FD
                            6A
                                A8
                                    3D
                                        8E
                                             C7E8:
                                                     FF
                                                         18
                                                             3C
                                                                 BD
                                                                     3C
                                                                         18
                                                                             BD
                                                                                 18
                                                                                     25
C620:
        AA
            40
                01
                    41
                        nn
                                    00
                            01
                                40
                                        8E
                                             C7FO:
                                                     18
                                                         FF
                                                             18
                                                                 18
                                                                     E7
                                                                         18
                                                                             19
                                                                                 E7
                                                                                     3 A
C628:
        01
            CICI
                (11)
                    nn
                        nn
                            nn
                                nn
                                        29
                                             C7F8:
                                                     98
                                                         3F
                                                             FF
                                                                 FC
                                                                     7F
                                                                         FF
                                                                             FE
                                                                                 F1
                                                                                     3E
C630:
        CIC
            nn
                00
                    nn
                       (1()
                            00
                               CO
                                    COCO
                                        30
                                             C800:
                                                     11
                                                         8F
                                                             F5
                                                                 57
                                                                     BF
                                                                         F1
                                                                                 9F
                                                                             11
                                                                                     50
C638:
        00
           00
                00
                    (1()
                        00
                            nn
                                CIC
                                    nn
                                        38
                                             C808: F5
                                                         5D
                                                                 F1
                                                             BF
                                                                     51
                                                                         8F
                                                                             A9
                                                                                 OE
                                                                                     A 5
C640:
        (1()
           nn
                CIC
                    nn
                        CIC
                            CICI
                                nn
                                    50
                                        40
                                             C810: 8D
                                                         F8
                                                             07
                                                                 A9
                                                                     81
                                                                         8D
                                                                             15
                                                                                 DO
                                                                                     3C
C648:
        CIC
            nn
                COCO
                    nn
                        00
                            nn
                               nn
                                    nn
                                        48
                                             C818:
                                                     A9
                                                         80
                                                             8D
                                                                 10
                                                                     DO
                                                                         A2
                                                                             07
                                                                                 8E
                                                                                     E8
C650:
        ()()
            nn
                nn
                    CICI
                        nn
                            nn
                                nn
                                    FF
                                        50
                                             C820:
                                                     2E
                                                         DO
                                                             A2
                                                                 FF
                                                                     8D
                                                                         OE
                                                                             DO
                                                                                 A9
                                                                                     D7
C658:
        FF
            FF
                FF
                    FF
                        FF
                            FF
                                FF
                                    FF
                                        58
                                             C828:
                                                     96
                                                         8D
                                                             OF
                                                                 DO
                                                                     A2
                                                                         3F
                                                                             BD
                                                                                 CF
                                                                                     9 B
C660:
        50
            CIC
                nn
                    (11)
                        CICI
                            (11)
                               CO
                                    00
                                       60
                                             C830:
                                                     C7
                                                         9D
                                                             40
                                                                 03
                                                                     CA
                                                                         EO
                                                                             FF
                                                                                 DO
                                                                                     55
C668:
        CIC
            00
                00 00
                        nn
                            CICI
                                       68
                               nn
                                   00
                                             C838:
                                                     F5
                                                             FC
                                                         AG
                                                                 84
                                                                     A 2
                                                                         A4
                                                                             A 2
                                                                                 DO
                                                                                     OB
C670:
        nn
            00
                99 99
                        50
                            CIC
                               nn
                                    (1)(1)
                                        70
                                             C840: FC
                                                         CE
                                                             OE
                                                                DO
                                                                     DO
                                                                         F3
                                                                            A2
                                                                                 03
                                                                                     55
C678:
       COCO
           ()()
                00
                    A2
                        nn
                            A 9
                               nn
                                   9D
                                       62
                                             C848: AO
                                                         01
                                                             18
                                                                 20
                                                                     FO
                                                                         FF
                                                                             A2
                                                                                 55
                                                                                     B5
C680:
       (1)(1)
            D4
                E8
                    EO
                        19
                            DO
                               F8
                                   A 2
                                       A4
                                             C850: BD
                                                         25
                                                             C5
                                                                 20
                                                                     D2
                                                                         FF
                                                                             E8
                                                                                 EO
                                                                                    B5
C688: 00
            BD
                BD
                   C6
                       FO
                            24
                               8D
                                   01
                                       6E
                                             C858: 28
                                                         DO
                                                            F5
                                                                 20 7B
                                                                        C6
                                                                            4C
                                                                                08
C690: D4
            E8
                BD
                    BD
                        C6
                           8D
                               nn
                                   D4
                                       F2
                                                        00 FF 00 FF 00 FF 00
                                             C860: C0
C698:
       A9
            FO
                8D
                   06
                           A9
                        D4
                               21
                                   8D
                                       F3
CGAO:
       04
            D4
                A9
                   OF
                                              Problems Entering a Program?
                       8D
                           18
                               D4
                                   AG
                                       4 D
C6A8:
       F9
            84
                A2
                   A4
                       A 2
                           DO
                               FC
                                   4C
                                       2B
C6B0: 89
           C6
               A9
                   nn
                       8D
                           18
                               D4
                                   A9
                                       CE
C6B8:
            8D
       20
               04
                   D4
                       60
                           16
                               60
                                   10
                                       26
```

C6C0:

C3

OF

D2

C6C8: D2 16 60 10 C3 OF D2

16

60 10 C3

OF

16

BF

DD

Ahoy!'s technical department is ready, willing, and (in most cases) able to help. Call 212-239-6089 from 8:30-5:00 p.m. EST; if busy or no answer after three or more rings, call 212-239-0855.

DE

75

SCREEN WIZARDRY FROM PAGE 31

10 REM DOWNWARD VERTICAL SCROLLING	MK
20 PRINTCHR\$(8)CHR\$(142)	LB
-30 POKE53281, .: POKE53280, .: PRINT"[CLEAR]	
[RVSON][RED]SCORE [4"O"] ALIEN HELLSPAW	
N[3" "]SHIPS [3"[s Z]"]"	KG
•40 POKE646, RND(1)*16: PRINT"[HOME][DOWN][-
DOWN]"; TAB(RND(1)*40); CHR\$(46+(RND(.)>.9	110
)*-163)	NO
•50 POKE218, PEEK (218) OR128	HC LG
•60 PRINT"[HOME][DOWN][LEFT]"; CHR\$(148)	HL
•70 GETA\$:IFA\$=""THEN40 •80 REM SCROLLING COLOR BARS	PC
•90) B\$="[RVSON]":FORX=.TO39:B\$=B\$+CHR\$(32	
):NEXT	GB
·100 PRINT"[CLEAR]"TAB(11)"COLOR BAR SCRO	
LLING"	GP
110 PRINT"[DOWN][DOWN]"TAB(14)"[c @][c H	,
][c I][c O][c I][RVSON][c U][c U][RVSOFF	7
][c I][RVSON][c U][RVSOFF][c O][c P][c ()
[[c @]"	NK
•120 PRINTTAB(10)"[c @][c 0][c I][RVSON][
c Y][13" "][c Y][c U][c U][RVSOFF][c O]	
c @]"	CL
•130 PRINTTAB(6)"[c @][c P][c I][RVSON][c	EG
Y][22" "][c Y][RVSOFF][c I][c @]"	1
•140 PRINTTAB(5)"[RVSON][sEP][29" "][c *	MO
•150 PRINTTAB(4)"[RVSON][sEP][30" "][c N	
•13) PRINITAD(4) [RVSON][SEI][SV][C II	JF
•160 PRINTTAB(4)"[RVSON][c G][31" "]"	AN
•170 PRINTTAB(4)"[RVSON][31" "][RVSOFF][s
EP]"	BL
•180 PRINTTAB(4)"[c *][RVSON][26" "][c P]
[c I][RVSOFF][c Y]"	EO
·190 PRINTTAB(5)"[c T][c Y][c U][RVSON][С
<pre>I][RVSOFF][c U][RVSON][c I][RVSOFF][c</pre>	U
][RVSON][c I][c O][c @][9" "][c @][c I]	1
RVSOFF][c Y][c U][c Y]"	LO
•200 PRINTTAB(16)"[c *][RVSON][6" "][RVS	KC
FF][sEP]"	
•210 PRINTTAB(17)"[RVSON][6" "][RVSOFF][J]"	OJ
·220 PRINT" [RVSON][4"[c A]"][RVSOFF]"SP	
(12)"[RVSON][6" "][RVSOFF][c K][4" "][R	V
SON][3"[c D]"][RVSOFF][6" "][RVSON][c A	1
[c A]"	PL
•230 PRINT" [RVSON][4"[c A]"][RVSOFF] [R	V
SON][3"[c F]"][RVSOFF] [RVSON][3":"][RV	S
OFF][3" "][RVSON][c K][6" "][RVSOFF][c	G
][4" "][RVSON][3"[c D]"][RVSOFF] [RVSON	
[4"[c A]"][RVSOFF] [RVSON][c A][c A]"	KN

•240 PRINT" [RVSON][4"[c A]"][RVSOFF] [RV SON][3"[c F]"][RVSOFF] [RVSON][3":"][RVS OFF][3" "][c N][RVSON][6" "][RVSOFF][c K] [RVSON][c A][c A][RVSOFF] [RVSON][3"[c	
D]"][RVSOFF] [RVSON][4"[c A]"][RVSOFF]	JF
SON][3"[c F]"][RVSOFF] [RVSON][3":"][RVSOFF][4" "][RVSON][6" "][RVSOFF][c G] [RVSON][c A][c A][RVSOFF] [RVSON][3"[c D]"]	
[RVSOFF] [RVSON][4"[c A]"][RVSOFF] [RVSO	HJ
[c I][RVSON][3"[c F]"][RVSOFF][c I][RVSON][s N][3":"][RVSOFF][c O][c I][c @][RVSON][s EP][6" "][c *][RVSOFF][c @][RVSON][c A][
c A][c U][3"[c D]"][RVSOFF][c O][RVSON][4"[c A]"][c T][c A][c A][RVSOFF][c O]"; •270 PRINT"[RVSON] FUTURE'S SO BRIGHT I G	CN
OTTA WEAR SHADES " •280 PRINTTAB(11)"PRESS SPACE TO EXIT":PO KE198,.	OJ ND
•290 REM POINT SCREEN EDITOR TO HARMLESS •300 REM RAM LOCATION (192*256=49152) •310 POKE648,192:PRINT	LC PK CF
•320 PRINTMID\$("[RED][c 3][c 1][YELLOW][W HITE]",(RND(1)*5)+1,1):PRINTB\$ •330 GETA\$:IFA\$<>" "THEN320	DI IO
•340 POKE648,4:PRINT •350 REM MOVE SCREEN LINES •360 PRINT"[CLEAR]"TAB(10)"MOVING SCREEN	KI
LINES" •370 FORX=.TO20:POKE646,RND(1)*15+1:FORJ= .TO4:PRINTSPC(3)"[RVSON]"X;:NEXTJ:PRINT:	GL
NEXTX -380 PRINTSPC(6)"[RVSOFF][WHITE]PRESS M T	IK
O MOVE LINE, X TO EXIT" •390 GETA\$:IFA\$<>"M"THEN430 •400 IFA\$="M"THENT=(RND(1)*21)+1:F=(RND(1)*21)	PE
)*21)+1 •410 POKE781,T:SYS59888:POKE172,PEEK(60656+F):POKE780,PEEK(216+F)	BC
•420 POKE783, .: SYS59848: PRINT"[HOME]" •430 IFA\$<>"X"THEN390 •440 POKE53248+21,1: POKE2040, 13: POKE53248	JK PI
,170:POKE53249,180:POKE53248+16,. •450 POKE53248+39,1 •460 PRINT"[CLEAR][DOWN][DOWN]TYPE IN ANY	HN ON
CHARACTER:"; •470 GETA\$:IFA\$=""ORA\$<"A"ORA\$>"Z"THEN470 •480 PRINTA\$	K(
•490 PRINT"I'M CREATING A STRING 63 CHARA CTERS LONGTO USE AS A SPRITE SHAPE." •500 S\$="":FORX=.TO63:S\$=S\$+A\$:NEXT:PRINT	Ol
"S\$="CHR\$(34)S\$CHR\$(34):PRINT •510 PRINT"NOW WE PRINT THIS STRING TO THE	L

E SPRITE'S";	AL	•840 REM CLEAR SCREEN LINES	IM
•520 PRINT"BLOCK AT 828, SPRITE BLOCK 13"	:	·850 POKE53281,.:POKE53280,.	EK
PRINT	OK	•860 PRINT"[CLEAR]"TAB(10)"CLEARING SCREE	
•530 PRINT"POKE648,3:PRINTCHR\$(19)CHR\$(1)	200	N LINES"	PD
)SPC(20);S\$:POKE648,4":PRINT •540 PRINT"PRESS KEY FOR ANOTHER CHARACTI	MG	*870 FORX=.TO20:POKE646,RND(1)*15+1:PRINT	
R, CTRL-X TO EXIT SHAPE DEMO"	OP	B\$;:NEXT	OF
•550 GOSUB580	FF	•880 PRINTSPC(5)"[RVSOFF][WHITE]PRESS C T O CLEAR LINE, X TO EXIT"	Market I
•560 POKE198, .: WAIT198, 1: GETA\$: IFA\$=CHR\$(*890 GETA\$:IFA\$="C"THENPOKE781,(RND(1)*21	DB
24)THENPOKE53248+21,.:GOTO600	JP)+1:POKE783,.:SYS59903	ВВ
•570 GOTO460	GG	•900 IFA\$<>"X"THEN890	NI
•580 POKE648,3:PRINTCHR\$(19)CHR\$(17)SPC(2	2	•910 REM CURTAIN EFFECT USING DELETE CHR\$	PD
0);S\$:POKE648,4:RETURN	EJ	.920 POKE53281,.:POKE53280,6:PRINT"[BLUE]	1.0
•590 REM HORIZONTAL ROUGH SCROLLING	PD		OE
•600 PRINT"[CLEAR]"TAB(5)"[BLUE]SIMPLE HO RIZONTAL SCROLLING"		•930 PRINT"[CLEAR]":FORI=.TO22:FORX=.TO37	
•610 PRINTTAB(6)"[DOWN][DOWN]CURSOR KEYS	EH	:PRINT"[RVSON][s B]";:NEXT:PRINT:NEXT	LP
LEFT <-> RIGHT"	EF	•940 PRINT"[HOME]PRESS SHIFT TO OPEN CURT	
•620 PRINTTAB(7)"X TO EXIT SCROLLING DEMO			EC
" DONOLLING DING	IP	•950 POKE214,10:PRINT:PRINTTAB(10)"[RVSON]CURTAIN OPENING":WAIT653,1	
·630 POKE214,21:PRINT:PRINTTAB(15)"STAND		•960 FORI=.TO39:PRINT"[HOME]";:FORJ=.TO23	IJ
BY!":FORX=.TO39:PRINT"[c U]"::NEXT:PRINT	6.1	:PRINT"[RIGHT]"CHR\$(20):NEXTJ,I	CA
"[c 4]";	BI	•970 REM RANDOM MAPPING	FB
•640 REM SCROLL DATA IN FOUR STRINGS	NM	•980 POKE53281,6:POKE53280,.:PRINT"[CLEAR	
•650 DIM L\$(39),M\$(39,3),S\$(3)	DB]"CHR\$(14)TAB(14)"[c 8][DOWN][DOWN][s M]	
•660 S\$(.)="[12" "][c A][c S][10" "][c A] [c S][11" "][c A][c S] "	IP	AP [s C]REATOR"	OG
·670 S\$(1)=" [c A][c R][c S][3" "][s U][•990 PRINTTAB(7)"[DOWN][c 7][s P]RESS [s	
s I] [c Q][c W][7" "][c A][c S] [c Q][c		A] [s K]EY [s T]O [s C]REATE [s M]AP":PO KE198,.:WAIT198,1:PRINT"[CLEAR]"	
W][5" "][c A][c S][4" "][c Q][c W] "	FO	- 1 CiCiC DEM DYDED TARREST TOTAL	NH
*680 S\$(2)=" [c Q][s +][c W][3" "][c O][-16.16 DEM WATTING TOP THE	IK NM
c W] [c Q][c W][3" "][s U][s I] [c O][-1606 DEM MO COLLINGE ALLE	GD
c W] [c Q][c W][c A][c S] [c A][c X][s		•1030 X=RND(-2.1)	FA
B][c A][c S] [c Q][c W]"	CJ	·1040 PRINT"[c 2]";:A\$="[c +]":POKE214,10	
'690 S\$(3)="[c A][c S][c Q][s +][s +][c R][c R][c S][c Q][c W][c A][c S][c Q][s +		:PRINT:PRINTTAB(20);:FORX=.TO999:GOSUB11	
][c S][c A][c S][c Q][c W][c A][c S][c Q		OO: NEXT	NH
][c W][c A][c X][c Z][c X][c Z][s C][s C		*1050 PRINT"[GREEN]";:A\$="[PI]":FORX=.T01	ON
][c X] [c Z][c E][c E][c R][s C][c E][c		•1060 PRINT"[c 6]";:A\$="[sEP]":FORX=.TO30	GN
E][s C]"	PL		FG
•700 FORJ=.TO3:FORX=.TO39:M\$(X,J)=RIGHT\$(•1070 PRINT"[BLACK]";:A\$="[c *]":FORX=.TO	
S\$(J),39-X)+LEFT\$(S\$(J),X):NEXTX,J	FA	300:GOSUB1100:NEXT	LN
•710 FORX=.T039:FORJ=.T03:L\$(X)=L\$(X)+M\$(X,J)+" ":NEXTJ,X	OF	·1080 POKE214,22:PRINT:PRINTTAB(12)"[WHIT	1 6
-720 V POVE100	GE	- 1 COC. DEM DRAFT MEDRATE	LH
.720 DOVE21/ 10 DDTM	LD FM	•1090 REM DRAW TERRAIN SUBROUTINE	II
-7/C DDTNmr h/V) DOD - DOD -	EN	*1100 PRINTA\$;MID\$("[UP][DOWN][LEFT][RIGH T]",RND(.5)*4+1,1);"[LEFT]";	200
•750 GETA\$:IFA\$=""THEN750	CH	-1116 TEDEET/01/\\ 000000000000000000000000000000000	BM PJ
•760 IFA\$="[LEFT]"THENX=X+1+(X=39)*40	LN	-1100 DEMITE	PC
•//J 1FA\$="[R1GHT]"THENX=X-1+(X=.)*-40	CM	-1100 DOUDIO **** TOTAL	NB
• 700 COTO 700	10		1971
- OCC DEM CODOLITIO DILCONII	DL	All the programs in this	
·810 POKE53281,5:POKE53280,13:PRINT"[CLEA	BE	issue—and then some!—	
DILLUTTE IEVEDVDODY DY AN TROOMS AND AND	CE		
•820 PRINT"PRESS SPACE TO RIN A TOUCHDOWN	OL .	are available on the	

JL

·820 PRINT"PRESS SPACE TO RUN A TOUCHDOWN

-830 FORX=.TO500:PRINT"[s M][DOWN]";:NEXT DD

!":POKE198,.:WAIT198,1

JF

CN

OJ

ND

LC PK CF

DI

10

KI IN

GL

ΙK

NN

JM

30 JK

IN

0)

are available on the Ahoy! Disk. See page 77.

128 SMART MERGE FROM PAGE 50

•100 REM ** 128 SMART MERGE FROM AHOY! **	KM
·110 REM *(F)ABRICATED BY SHAWN K. SMITH*	LF
	EA
•130 S\$="\$1400":TC=24438:R\$=CHR\$(18)	OK
•140 PRINT"[CLEAR][DOWN]","[3">"] [RVSON]	
128 SMART MERGE[RVSOFF] [3"<"]"	NH
·150 INPUT"[3"[DOWN]"]STORE AT";S\$:S=VAL(
S\$):IFSTHEN160:ELSES=VAL(STR\$(DEC(MID\$(S	
\$,2))))	IG
•160 H=S/256:IFH<>INT(H)ORH=OTHENSTOP	PL
·17() FORD=STOS+255:READY\$:C=DEC(Y\$):T=T+C	PD
•180 POKED, C: NEXT: PRINT: IFT=TCTHEN200	NG
•190 PRINTR\$"?? RECHECK DATA!";T;TC:STOP	JN
•200 FORM=STOD: IFPEEK(M+2)=20THENIF(PEEK(
M)=141ORPEEK(M)=173)THENPOKEM+2,H	FN
·210 NEXT:POKES+135,H:POKES+152,H:PRINT	FC
•220 PRINT"TO MERGE: [RVSON]SYS";S:END	NP
·230 DATA A5, 2D, 85, FB, 48, A5, 2E, 85, FC, 48	NN
·240 DATA A0,00,68,85,2E,68,85,2D,B1,2D	GG

•250 DAT	TA 48,0	08,B1,2D	,FO,10,	,48,C8,	B1,2D	NA
		70,11,C8				DO
		EO,68,AD				OH
• 280 DA	TA 12,8	B5, FE, AD	,00,03,	,8D,8E,	14,AD	PI
•290 DA	TA 01,0	3,8D,8F	,14,20,	,81,92,	OD,46	CJ
•300 DA		4C,45,4E				KP
•310 DA		20,93,4F				ND
•320 DA	TA 03,	AA, FO, 4D	,8C,12,	,02,A0,	OF, B1	AD
•330 DA	TA 3D,	99,02,02	,88,10	,F8,A9,	FO,8D	CI
•340 DA	TA OO,	02, A9, 22	,8D,01	,02,AD,	,02,03	IF
•350 DA	TA 8D,	90,14,AD	,03,03	,8D,91,	,14,A9	JI
•360 DA		BD,02,03				FK
•370 DA	TA DC,	4D,00,00	,00,00	, A9, CC,	,8D,00	KF
•380 DA		A9,14,8D				OH
•390 DA	TA 02,	03, AD, 91	,14,8D	,03,03,	,20,B7	MO
• 400 DA		C9,40,D0				FG
•410 DA		8D,73,11				GE
•420 DA		70,11,8D				EA
•430 DA		4C,68,5B				CJ
•440 DA		00,03,AD				KI
•450 DA		13,A5,FD				BC
•460 DA		12, 40,02				KP
•470 DA	The second secon	A5,FB,85	A STATE OF THE PARTY OF THE PAR		, 2E, A9	LA
•480 DA	TA OO,	85,7A,6C	,00,03			LN

SCREEN WIZARDRY

Continued from page 31

CLEAR OR PARTIALLY CLEAR SCREEN LINE

To clear any screen line where L=line number,

POKE 781, L: POKE783, 0: SYS59903

To clear part of a line counting from the left, where L= line number and LN=number of spaces to be cleared,

POKE781, L: POKE782, LN: POKE783, 0: SYS59905

The demo lets you erase screen lines randomly until you press the "X" key.

CURTAIN EFFECT

This short little ditty will pull everything on the screen off to the left side using the DELETE character. Good for title screens.

CREATE RANDOM TERRAIN

Great for dungeon adventures, war games, and nevernever lands. Let this short subroutine run for a while with the characters of your choice in the string A\$, and a map of a world that never was will be generated on the screen with little or no effort. You can create different terrain features by changing the character and starting location for each feature. The string A\$ can be printed with different colors to represent mountains (gray), deserts (brown), or forests (green). The seed value of the first RND(X) statement determines what the map will look like.

That's only a slice of the possibilities, but you should be pretty thrilled by now at the potential in editor tricks. Feel free to steal any of the subroutines in the demo for your own applications. We would love to see good quality games in *Ahoy!* using the clever routines described in this short article, and you're encouraged to try your hand at incorporating these ideas into your own programs.

SEE PROGRAM LISTING ON PAGE 96


...COMING IN THE MARCH ISSUE OF AHOY! (ON SALE FEBRUARY 2)...

SYNTHESIZING
WAVEFORMS
FURTHER STUDIES
OF SOUND
AND WAVES

HAMMING IT UP
ON THE AMIGA

MAXIMIZING
YOUR COLOR
OUTPUT

AND A
SPECIAL
ANNOUNCEMENT
ABOUT AHOY!'S
EXCITING NEW
FORMAT!



KARATE CHAMP Put on your black belt and

challenge your friends or the computer.
For Commodore 64/128" and Apple II*

0

KUNG-FU MASTER Battle the evil forces to rescue the captive fair maiden. For Commodore 64/128" and Apple II* series.

TAG TEAM WRESTLING
Battle your way through the Title Matches on your quest for the belt. For Commodore 64/128. Apple II series,

MANDO** As the and IBM. crack shot Commando, battle overwhelming adds to reach the fortress. overwhelming bous to reach the fortiess. For Commodore 64/128, Apple II* series,

and IBM.

EXPRESS RAIDER Bandits have seized the Gold

City Express. Rescue the passengers, save the train,
and recapture the loot! For Commodore 64/128.

RESEARCH PROPERTY. BREAKTHRU Your mission is to retrieve the

secret fighter plane stolen by renegades. VICTORY ROAD CONTINUE OF THE MARKET OF THE M

some enemies of all. For Apple II* series, IBM, and Commodore 64/128."

IKARI WARRIORS™5 You and your partner are engaged in guerilla Warfare as you battle your way through jungles, rivers, and ruins. For Commodore 64/128. Apple II* series, and IBM.

KID NIKI, RADICAL NINJA ** This "rad" and "bad" punk dude is out to rescue his spike-haired girlfriend from the clutches of the Stone Wizard! For Apple II series and Commodore

a variety of courses by running into flags, jumping over obstacles, and driving on two wheels to and driving on two wheels to gain time and bonus points. For Commodore 64/128° and Atari ST.

DATA EAST USA, INC.
470 Needles Drive, San Jose, California 95112. (408) 286-7074.





0	CETTO COD
0	SUBSCRIBE TO AHOY!
0	☐ Send me twelve issues of AHOY! for \$23.00 (\$30.00 Canada & elsewhere).
0	☐ Send me twenty-four issues of AHOY! for \$44.00 (\$55.00 Canada & elsewhere).
0	
0	
0	☐ Please charge to Credit Card checked:
0	☐ MasterCard ☐ VISA Card #Exp. Date
0 1	Signature
0	NAME
0	ADDRESS
0	CITY
0	STATEZIP
0	
0	SUBSCRIBE TO THE AHOY! DISK MAGAZINE
	THIST DISK WINGALINE
0	Send me twelve issues of the AHOY! Disk Magazine for \$97.00 (\$135.00
	Canada & elsewhere).
	Send me twenty-four issues of the AHOY! Disk Magazine for \$180.00 (\$250.00
	Canada & elsewnere).
	☐ Payment enclosed: \$ ☐ Please bill me. ☐ Please charge to Credit Card checked:
	☐ MasterCard ☐ VISA Card #Exp. Date
	Signature
A	NAME
-	ADDRESS
-	CITY
	STATEZIP
	February 1988 Ahoy! Void after June 5, 1988
To	READER SERVICE CARD request additional information on any product advertised or otherwise pictured in this issue of Ahoy!
that	is accompanied by a reader service number, circle the corresponding number below and mail this card. We will promptly forward your request to the designated companies.
101 1	102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130
61 1	32 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160
91 1	62 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 92 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 210
11 2	12 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240
11 2	42 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270
1 2	72 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300
	Please check whether you are □ male 2. □ female
1. [What is your age? D. From which of the following sources did you obtain your copy of Ahoy!? under 18 2. 18-24 3. 25-34 1. newsstand 2. subscription (mail)
	□ 35-44 5. □ 45-54 6. □ 55-64 7. □ 65+ Education level completed 1. □ newsstand 2. □ subscription (mail) 3. □ from a friend or family member 4. □ other
1. C	elementary 2. high school If not currently a subscriber, do you plan to become one?
s. c	☐ master's degree 6. ☐ PhD
itre	
City	State Zip

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. BOX 341 MT. MORRIS, IL 61054-9925

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341 MT. MORRIS, IL 61054-9925

hillion illim hindi hindi handi hiddi hind

PLACE STAMP HERE

AHOY! MAGAZINE P.O. Box 4586 Boulder, CO 80306-4586 C-128 HE Computer I Commodore Price: \$24.

The C-128 eight bit corrand parcel of ded BASIC. The HELP of BASIC 7.0 programmin a SYNTAX mand can be fending part 128 even included for this

Although help is not t is that the me actually writing ded comman in many a trip of the *C-128*. *Helper*, amor complete refe 128's HELP

The *C-128* flippy formatt this disk cont files, while sie eric C-128 sys stall C-128 1 BASIC loader This loader pr by the user to environment su loader progran machine langua bank 0 at \$130 is set aside by t machine langi C-128 Helper. 1 at the top of R served for C-12 screen, current screen.

As a result of affect the size of however, it does cated for variable not be cause if Helper is intendigram developm quirements for wheel to a minimited program is received by the full variable.

After installati to the C-128's